

HCL IT CITY LUCKNOW PRIVATE LIMITED

IT/ITES Special Economic Zone,
Village Kanjehara & Mastemaui,
Check Gajaria Farms, Sultanpur Road, Lucknow, U.P. 226 002

Registered Office: 806, Siddharth, 96, Nehru Place,
New Delhi - 110019
Tel. 011-26444812 / 26282779
CIN: U74140DL2014PTC264397

Date: 17/11/2023

To,
The Director
Regional Office (Central Region)
Ministry of Environment, Forest & Climate Change
5th Floor, Kendriya Bhawan, Sector-II,
Aliganj, Lucknow-260224, UP

Subject: Submission of six-monthly Compliance Report for the **period April 2023 – September 2023** of IT Project "HCL Technology Hub" located at Gajaria Farms, Sultanpur Road, Lucknow of M/s HCL IT City Lucknow Pvt Ltd.

Reference: EC Lr. No.: 580/Parya/SEAC/2803/2014/DDY, **Dated:** 09/07/2015

Dear Sir,

This is with reference to the above-mentioned subject, we hereby submitting six monthly EC Compliance Report for the period of April 2023 – September 2023 for the IT Project "HCL Technology Hub" located at Gajaria Farms, Sultanpur Road, Lucknow M/s HCL IT City Lucknow Pvt Ltd. along with the necessary annexure for your kind perusal.

We understand that the above is in line with requirement of Ministry of Environment, Forest and Climate Change, GOI.

Thanking You,

Yours Sincerely,

For M/s HCL IT City Lucknow Pvt. Ltd.



(Authorized Signatory)

Enclosure: Compliance Report; Soft copy of Report in C.D.

- Copy to:**
1. Member Secretary, U.P. Pollution Control Board, 3rd Floor, PICUP Bhawan, Vibhuti Khand, Gomti Nagar, Lucknow (UP) - 226010.
 2. Chairman, SEIAA, Directorate of Environment, Lucknow (UP) - 226010.

HCL TECHNOLOGY HUB

COMPLIANCE REPORT

HCL Technology Hub, Chack Ganjaria Farms,
Sultanpur Road, Lucknow, Uttar Pradesh



Submitted By:

HCL Technology Hub, Chack Ganjaria
Farms, Sultanpur Road, Lucknow,
Uttar Pradesh

April to september 2023

TABLE OF CONTENT

S. No	Description
1.	Compliance of Specific and General Conditions

LIST OF ANNEXURES

Annexure	Description
Annexure-I	Environmental Clearance Letter
Annexure-II	Copy of Mining Permission
Annexure-III	Photographs of STP Set
Annexure-IV	Structural Safety certificate
Annexure-V	Details and Photographs showing CER
Annexure-VI	Certificate of CTE
Annexure VII	Certificate of CTO
Annexure-VIII	Photographs showing mobile toilets at construction site, drinking water facility, canteen facility, etc.
Annexure-IX	Photographs of the First Aid Facility and Health care facility
Annexure-X	Photographs of Greenbelt Development
Annexure-XI	Environmental Monitoring Report
Annexure XII	Copy of HWA and copy of Agreement
Annexure-XIII	Photographs of DG set
Annexure-XIV	Copy of Diesel Bills
Annexure-XV	Permission for HSD Storage
Annexure-XVI	Borewell NOC
Annexure-XVII	Fire NOC
Annexure-XVIII	NOC from AAI
Annexure-XXI	E-mail submission copy of Form-3 (E-waste return)
Annexure-XX	Photograph of Organic Waste Convertor
Annexure-XXI	Logbook Solid Waste Generation

Annexure-XXII List of Tree species

Annexure-XXIII Photograph showing parking area

Annexure-XXIV Copy of Electricity Bills

Annexure-XXV Receiving of EC Compliance submission for June-2023

Annexure-XXVI Copy of Advertisement in News Paper

Annexure-XXVII E-mail submission copy of Form-V (Environmental Statement)

Annexure-XXVIII Solar Water Heater

LIST OF TABLES

Tables	Description	Page No
Table-1	Schedule of Ambient Air Quality Monitoring	1
Table-1(a)	Monitoring Result of SO ₂	1
Table-1(b)	Monitoring Result of NO ₂	2
Table-1(c)	Monitoring Result of PM ₁₀	3
Table-1(d)	Monitoring Result of PM _{2.5}	4
Table-1(e)	Monitoring Result of CO	5
Table-2	Schedule of Noise Monitoring	6
Table-2(a)	Day time Monitoring result for Ambient Noise	7
Table-2(b)	Night time Monitoring result for Ambient Noise	8
Table-3	Schedule for Diesel Generator Noise Monitoring	9
Table-3(a)	Diesel Generator Noise Monitoring Set-1	10
Table-3(b)	Diesel Generator Noise Monitoring Set-2	10
Table-3(c)	Diesel Generator Noise Monitoring Set-3	10
Table-3(d)	Diesel Generator Noise Monitoring Set-4	11
Table-3(e)	Diesel Generator Noise Monitoring Set-5	11
Table-3(f)	Diesel Generator Noise Monitoring Set-6	11
Table-3(g)	Diesel Generator Noise Monitoring Set-7	11 To 12
Table-3(h)	Diesel Generator Noise Monitoring Set-1	12
Table-3(i)	Diesel Generator Noise Monitoring Set-2	12
Table-3(j)	Diesel Generator Noise Monitoring Set-3	12 To 13
Table-3(k)	Diesel Generator Noise Monitoring Set-4	13
Table-3(l)	Diesel Generator Noise Monitoring Set-5	13
Table-3(m)	Diesel Generator Noise Monitoring Set-6	13 To 14
Table-3(n)	Diesel Generator Noise Monitoring Set-7	14
Table-4	Schedule for Diesel Generator Stack Monitoring	14
Table-4(a)	Diesel Generator Stack Monitoring Set-1	15
Table-4(b)	Diesel Generator Stack Monitoring Set-2	15
Table-4(c)	Diesel Generator Stack Monitoring Set-3	15
Table-4(d)	Diesel Generator Stack Monitoring Set-4	15 To 16
Table-4(e)	Diesel Generator Stack Monitoring Set-5	16
Table-4(f)	Diesel Generator Stack Monitoring Set-6	16
Table-4(g)	Diesel Generator Stack Monitoring Set-7	16
Table-4(h)	Diesel Generator Stack Monitoring Set-1	17
Table-4(i)	Diesel Generator Stack Monitoring Set-2	17
Table-4(j)	Diesel Generator Stack Monitoring Set-3	17
Table-4(k)	Diesel Generator Stack Monitoring Set-4	17
Table-4(l)	Diesel Generator Stack Monitoring Set-5	18
Table-4(m)	Diesel Generator Stack Monitoring Set-6	18
Table-4(n)	Diesel Generator Stack Monitoring Set-7	18
Table-5	Schedule for Soil sample Monitoring	18

Table-(a)	Results of Soil Monitoring	19
Table-(b)	Results of Soil Monitoring	19 To 20
Table-(c)	Results of Soil Monitoring	20
Table-(d)	Results of Soil Monitoring	20 To 21
Table-6	Schedule for Borewell water Monitoring	21
Table-6(a)	Results of Borewell water Monitoring	21 To 22
Table-6(b)	Results of Borewell water Monitoring	22 To 23
Table-6(c)	Results of Borewell water Monitoring	24 To 25
Table-6(d)	Results of Borewell water Monitoring	25 To 27
Table-6(e)	Results of Borewell water Monitoring	27 To 28
Table-6(f)	Results of Borewell water Monitoring	28 To 30
Table-6(g)	Results of Borewell water Monitoring	30 To 31
Table-6(h)	Results of Borewell water Monitoring	31 To 32
Table-7	Schedule for STP Inlet	32
Table-7 (a)	Results of STP Inlet Monitoring	32 To 33
Table-7 (b)	Results of STP Inlet Monitoring	33
Table-8	Schedule for STP Outlet	33
Table-8 (a)	Results of STP Outlet Monitoring	33
Table-8 (b)	Results of STP Outlet Monitoring	34
Table-9	Schedule for Drinking water Monitoring	34
Table-9 (a)	Results of Drinking water Monitoring	34 To 35

LIST OF FIGURES

Figure Nos.	Description	Page No.
Figure-1(a)	SO ₂ Concentration	2
Figure-1(b)	NO ₂ Concentration	3
Figure-1(c)	PM ₁₀ Concentration	4
Figure-1(d)	PM _{2.5} Concentration	5
Figure-1(e)	CO Concentration	6
Figure-2(a)	Graph showing day time noise monitoring results	8
Figure-2(b)	Graph showing night time noise monitoring results	9

2EC COMPLIANCE REPORT

Specific and General Conditions as per Environmental Clearance issue vide letter no. 580/661/Parya/SEAC/2803/2014/DDY dated: 09/07/2015 attached as **Annexure-I**.

S. No.	Conditions	Compliance
Specific Conditions		
I. Construction Phase		
1.	Digging of basement shall be undertaken in view of structural safety of adjacent building under information/consultation with District Administration/Mining Department.	Digging of basement has been undertaken in view of structural safety of adjacent building. As of now, there is no building adjacent to the project site. Mining permission had been taken and same as attached as Annexure-II .
2.	Sprinkler to be used for curing and quenching during construction phase. No ground water to be used for construction.	Water use for construction face STP Treated water attached as Annexure -III .
3.	Structural safety certificate from qualified structural engineer should be obtained. The same should get vetted from IIT Delhi as discussed with project proponent.	Structural Safety certificate by structural Engineer vetted by Mr. Ganesh Juneja, IIT Bombay, is attached as Annexure-IV .
4.	Environmental Corporate Responsibility (ECR) plan along with budgetary provision amounting to 2% of total project cost shall be submitted (within three months) on need base assessment study in the study area. Income generating measures which can help in up-liftment of weaker section of society consistent with the traditional skills of the people identified. The program can be include activities such as old age homes, rain water harvesting provision in nearby areas, development of fodder farm, fruit bearing orchards, vocational training etc. In addition, vocational training for individuals shall be imparted so that poor section of society can take up self-employment and jobs. Separate budget for community development activities and income generating programmers shall be specified.	HCL Foundation launches “Harit- The Green Spaces Initiative” with the overriding objective to combat climate change through ecosystem conservation and restoration, to conserve, restore and enhance local ecosystems and respond to climate change in a sustainable manner through community engagement in HCL Uday districts. We have done the activities are mentioned below: <ul style="list-style-type: none"> ➤ Afforestation activities. ➤ Development of Nursery for 20,000 plants. Till date more than 70 species have planted in the ‘Atal Uday Upvan’. ➤ There are 10 water storage pits, an external trench has been constructed to collect rainwater and run-off water from the nearby fields, the internal trench constructed for water storage and one big pond across 1.5 acres. Details and Photographs showing CER activity is attached as Annexure-V .
5.	Consent to Establishment shall be obtained from UP State Pollution Control Board under Air & Water Act and a copy shall be submitted to Ministry before start of any construction work at site.	Copy of Consent to Establishment Vide Letter No. F64353 C-5/NOC-806/15 Dated: 07/07/2015 is attached as Annexure-VI . Currently, the IT Block of project is in operational phase.

S. No.	Conditions	Compliance
		Consent to Operate has been obtained for Project vide Order No. 146617/UPPCB/ Lucknow (UPPCBRO)/CTO/air/LUCKNOW/2021 and 146606/UPPCB/Lucknow(UPPCBRO)/CTO/ water/ LUCKNOW/2021 dated on 05/05/2022 valid till 31/12/2026. Copy of current CTO has been enclosed as Annexure VII .
6.	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	Provision for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. are already provided at project site. The housing is in the form of temporary structures will be removed after the completion of the project. Photographs showing mobile toilets at construction site, drinking water facility, canteen facility, crèche etc are attached as Annexure-VIII . Photographs of the First Aid Facility and health care facility are attached as Annexure-IX .
7.	A First Aid Room will be provided in the project both during construction and operation of the project.	A First Aid Room with ambulance facility is provided at the project site during the construction and operational phase of the project. Photographs of the First Aid Facility are attached as Annexure-IX .
8.	All the topsoil excavated during construction activities should be stored for use in horticulture/ landscape development within the project site.	Topsoil excavated at project site during has been used for horticulture/landscape development within the project site. Photographs of greenbelt development are attached as Annexure-X .
9.	Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precaution for general safety and health aspects of people, only in approved sites with the approval of competent authority.	Disposal of muck during construction phase has not created any adverse effect on the neighboring communities and is being disposed off taking the necessary precaution for general safety and health aspects of people.
10.	Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.	Monitoring report of soil and ground water sample is attached as Annexure-XI .
11.	Construction spoils, including bituminous material and other hazardous materials, must not be allowed to contaminate watercourses and the dump sites for such	Construction spoils including bituminous material and other hazardous materials are being dumped at demarcated sites of municipal corporation, which

S. No.	Conditions	Compliance
	material must be secured so that they should not leach into the ground water.	are not allowed to contaminate watercourses and leach into the ground water.
12.	Any hazardous waste generated during construction phase, should be disposed off as per applicable rules and norms with necessary approvals of the UP State Pollution Control Board.	Used oil form DG sets, Air Filters and used Batteries are the only source of Hazardous waste in the premises and it is being disposed off as rules and norms. The copy of HWA from UPPCB and copy of agreement with New Lubrisales India Pvt Ltd is attached as Annexure-XII .
13.	The diesel generator sets to be used during construction phase should be low Sulphur diesel type and should conform to Environment (Protection) Rules prescribed for air and noise emission standards.	Low Sulphur diesel is being used in the DG sets during construction and operation phase. Photographs of the DG Set are attached as Annexure-XIII . Copy of Diesel Bill are attached as Annexure-XIV .
14.	The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from Chief Controller of Explosives shall be taken. DG set shall meet the CPCB norms.	During the construction phase, approx. 600 ltrs diesel was stored at a time. The total amount of diesel stored at the site does not exceed 1000 liters, thus there is no requirement of permission from chief controller of explosives for storage of diesel as per Petroleum Act 1934, Chapter-1, Section 7. For operational phase, Permission has been obtained for storage of 40 KL HSD with Liscense No. P/CC/UP/15/2447(P382561) dated 4th November 2020 . Permission is attached as Annexure-XV .
15.	Vehicles hires for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform and to applicable air and noise emission standards and should be operated only during non-peak hours.	The vehicles are being hired for bringing construction material to the site are in good condition and regularly checked for pollution check certificate and are operated only during non-peak hours to avoid traffic congestion.
16.	Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/UPPCB.	We conducted the ambient noise monitoring for 24 hrs. The Ambient noise level is found under permissible limit. Ambient noise levels would be conformed to residential standards both during day and night. Heavy Vehicular movement will be avoided during the peak hours and at night. Additionally, Green belt will be developed which will act as Noise barrier. Photographs of the Green belt development are attached as Annexure-X . Environmental Monitoring Report is attached as Annexure-XI .
17.	Fly ash should be used as building material in the construction as per the	Fly ash bricks had been used as construction material during construction phase.

S. No.	Conditions	Compliance
	provisions of Fly Ash Notification of September, 1999 and amended as on 27 th August, 2003.	
18.	Read mixed concrete must be used in building construction.	Agreed, Ready mixed concrete had been used in building construction.
19.	Storm water control and its re-use as per CGWB and BIS standards for various applications.	Storm water control and its re-use would be done as per CGWB and BIS standards for various applications.
20.	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.	Water demand is being reduced by using pre-mixed concrete, curing agents. Ready mixed concrete was used and also being used in building construction.
21.	Permission to draw ground water shall be obtained from the competent Authority prior to construction/operation of the project.	NOC from Ground Water Department has been obtained. Copy of Borewell NOC is attached as Annexure-XVII .
22.	Separation of grey and black water should be done by the use of dual plumbing line for separation of grey and black water.	Separation of grey and black water is being done by the use of dual plumbing line for separation of grey and black water.
23.	Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor-based control.	Low flow fixtures are being used for showers and dual flush cistern is used to conserve water during the operational phase of the project.
24.	Use of glass may be reduced by up-to 40% to reduce the electricity consumption and load on air conditioning. If necessary, use high quality double glass with special reflective coating in windows.	U Value is 2.2 and R-Value is 0.45 of the glass used in project.
25.	Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement.	Noted the condition.
26.	Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code which is proposed to be mandatory for all air-conditioned spaces while it is aspirational for non-air-conditioned spaces by use of appropriate thermal insulation material to fulfill requirement.	Opaque wall is meeting prescriptive requirement as per Energy Conservation Building Code.
27.	The approval of the competent authority shall be obtained for structures safety of the buildings due to earthquake, adequacy of firefighting equipment, etc. as per	Structural Safety certificate by structural Engineer vetted by Mr. Ganesh Juneja, IIT Bombay, is attached as Annexure-IV . Copy of Fire NOC of all building blocks are attached as Annexure-XVII and Copy of Height

S. No.	Conditions	Compliance
	National Building code including protection measures from lightening etc.	Clearance from Airport Authority of India Vide Letter No. AAI/RHQ/NR/ATM/NOC/2015/169/2728-31 Dated: 20/05/2015 attached as Annexure-XVIII.
28.	Regular supervision of the above and other measures for monitoring should be in phase all through the construction phase, so as to avoid disturbance to the surroundings.	Regular supervision of the above and other measures for monitoring would be done all through the construction phase, so as to avoid disturbance to the surroundings.
29.	Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.	Environmental Clearance has been obtained vide letter no. 580/Parya/SEAC/2803/2014/DDY dated: 09/07/2015 attached as Annexure-I.
OPERATION PHASE		
1.	Details of E-waste should be submitted.	Agreed and Noted. We are regularly submitting E-waste return in Form 3. Receiving of e-waste is attached as Annexure-XXI.
2.	The installation of the Sewage Treatment plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the Ministry before the project is commissioned for operation. Treated affluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Discharge of unused treated affluent shall conform to the norms and standards of the UP State Pollution Control Board. Necessary measures should be made to mitigate the odour problem from STP.	Sewage Treatment plant (STP) is being operated in the operational phase of IT Block. Treated water is being recycled and reused for flushing, cooling purposes and landscaping during the operational phase of the project. Photographs of STP are attached as Annexure-III.
3.	The solid waste generated should be properly collected and segregated. Wet garbage should be composted and dry / inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.	The solid waste generated is properly collected and segregated. Organic waste is being processed in automatic organic waste converter of capacity 150 kg/day. Photograph of OWC is attached as Annexure-XX. Logbook of Solid Waste Generation (Wet & Dry) is attached as Annexure XXI.

S. No.	Conditions	Compliance
4.	Diesel power generating sets proposed as source of backup power for elevators and common area illumination during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low Sulphur diesel. The location of the DG sets may be decided with in consultation with UP State Pollution Control Board.	Diesel power generating sets proposed as source of backup power for elevators and common area illumination during operation phase is of enclosed type and conforms to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets is provided as per CPCB guidelines. We are using low sulphur diesel. The location of the DG sets is decided with in consultation with UP State Pollution Control Board.
5.	Criteria/ norms provided by competent Authority regarding the seismic zone be followed for construction work. Provision of alarm system, to timely notify the residents, in case of occurrence of earthquake/ other natural disasters/fire should be provided. A well-defined evacuation plan should also be prepared and regular mock drills should be arranged for the residents. Rise of stairs should be constructed in a way, so that it should be arranged for the residents. Rise of stairs should be constructed in a way, so that it should provide smooth movement.	All the construction work has been done as per the approved site layout plan and norms provided by competent authority. Copy of Fire NOC of all building blocks are attached as Annexure-XVII .
6.	Noise should be controlled to ensure that it does not exceed the prescribed standards. During night time the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.	Noise would be controlled to ensure that it does not exceed the prescribed standards. Construction work had been done only in day time. Noise monitoring reports are attached as Annexure-XI .
7.	The green belt of the adequate width and density preferable with local species along the periphery of the plot shall be raised so as to provide protection against particulates and noise.	The green belt of the adequate width and density preferable local species along the periphery of the plot has been raised so as to provide protection against particulates and noise. Photographs of the green belt development are attached as Annexure-X . List of Tree species are attached as Annexure-XXII .
8.	Weep holes in the compound walls shall be provided to ensure natural drainage of rain water in the catchment area during the monsoon period.	Weep holes in the compound walls are provided to ensure natural drainage of rain water in the catchment area.
9.	Rain water harvesting for roof run-off and surface run-off, as plan submitted should	Rain water harvesting for roof run-off and surface run-off, as per plan submitted is implemented.

S. No.	Conditions	Compliance
	be implemented. Before recharging the surface run off, pre-treatment must be done to remove suspended matter, oil and grease. The borewell for rainwater recharging should be kept at least 5 mts, above the highest ground water table.	Before recharging the surface run off, pre-treatment would be done to remove suspended matter, oil and grease. Approved Strom water Plan is already submitted.
10.	The ground water level and its quality should be monitored regularly in consultation with Central Ground Water Authority.	The ground water quality has been monitored regularly twice in a year by the NABL/MOEF&CC approved Laboratory and for your reference report is attached as Annexure-X
11.	Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.	Parking is fully internalized no public space has been utilized. Photograph showing parking area is attached as Annexure-XXIII .
12.	A Report on the energy conservation measures confirming to energy conservation norms finalize by Bureau of energy Efficiency should be prepared incorporating details about building materials and technology, R & U Factors etc. and submit to the Ministry in three months` time.	The Energy Conservation measures report as per Bureau of Energy Efficiency has been prepared and will be submitted in due course of time.
13.	Energy conservation measures like installation of CFLs/LED for the lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning. Use CFLs and LED should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible.	We have installed the LED within the project area and LEDs will be provided outside the project once would be in place before project commissioning. Used LED would be properly collected and disposed off as per E-waste Management Rule 2016 with authorized recycler Bharat Oil Company (India). Use of solar panels would be done to the extent possible. Copy of Electricity bills are attached as Annexure-XXIV .
14.	Adequate measures should be taken to prevent odour problem from solid waste processing plant and STP.	As the sewage treatment plant is located at the basement hence there will be no Odour problem from it. Photographs of STP are attached as AnnexureIII .
15.	The building Should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation.	The construction of the building has been done as per the approved plans.
16.	Waste segregation shall be carried-out at source and organic shall be composted. Adequate space shall be provided within the complex.	The waste segregation is being carried out at the source. Organic waste is being processed in automatic organic waste converter of capacity 150

S. No.	Conditions	Compliance
		kg/day. Photograph of OWC is attached as Annexure-XX . Logbook of OWC is attached as Annexure-XXVI .
General Condition		
1.	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional office of MoEF, the respective Zonal office of CPCB and the UPPCB.	Six monthly compliance of the stipulated EC conditions are being regularly submitted to respective Regional office of MoEF, the respective Zonal office of CPCB and the UPPCB. Receiving of EC Compliance submission for June 2023 is attached as Annexure- XXV .
2.	Officials from the Regional Office of MoEF, Lucknow who would be monitoring the implementation of environmental safeguards should be given full co-operation, facilities and documents/data by the project proponents during their inspection. A complete set of all the documents submitted to SEIAA should be forwarded to the CCF, Regional office of MoEF, Lucknow.	Agreed and this condition will be complied.
3.	In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by the Ministry	Agreed.
4.	The Ministry reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.	Agreed.
5.	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained, as applicable by project proponents from the respective competent authorities.	Permission has been obtained for storage of 40 KL HSD with License No. P/CC/UP/15/2447(P382561) dated 4th November 2020 . Permission is attached as Annexure-XV . Copy of Fire NOC attached as Annexure-XVII . Copy of Height Clearance from Airport Authority of India Vide Letter No. AAI/RHQ/NR/ATM/NOC/2015/169/2728-31 Dated: 20/05/2015 attached as Annexure-XVIII .

S. No.	Conditions	Compliance
6.	These stipulations would be enforced among other under the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.	Agreed
7.	The project proponent should advertise in at least two local Newspapers widely circulated in the region, on of which shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the UP Pollution Control Board and may also be seen on the website of the Ministry of Environment and Forests at http://www.envfor.nic.in . The advertisement should be made within 10 days from the date of receipt of the Clearance letter and a copy of the same should be forwarded to the Regional office of this Ministry at Lucknow.	Environmental Clearance letter of project is already published in two newspapers: (1.) The Times of India, Lucknow dated 14 August' 2015 (2.) Navbharat Times, New Delhi/Lucknow Dated:-14 August' 2015. Copies of same are attached as Annexure- XXVI .
8.	A copy of the clearance letter shall be sent by the proponent to concerned panchayat, zila parishad /Municipal Corporation, Urban Local Body and the Local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the company by the proponent.	Agreed
9.	The proponent shall upload the status of compliance of the stipulates EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional office of MoEF, the respective Zonal office of CPCB and the UPPCB. The criteria pollutant levels namely, PM ₁₀ , PM _{2.5} , SO ₂ , NO _x , (ambient levels as well as stack emissions) or critical sectorial parameters, indicated for the project shall be monitored and displayed at a convenient location near the	Agreed, We are regularly submitting the six-monthly compliance report to the regional office of MoEF&CC, the Uttar Pradesh Pollution Control Board and the state level Environment Impact Assessment Authority, Uttar Pradesh. Receiving of EC compliance submission for June 2023 are attached as Annexure- XXV . We ensure that the criteria pollutant levels namely, PM ₁₀ , PM _{2.5} , SO ₂ , NO _x , (ambient air levels as well as stack emissions) or critical sectorial parameters, indicated for the project shall be monitored and

S. No.	Conditions	Compliance
	main gate of the company in the public domain.	displayed at a convenient location near the main gate of the company in the public domain.
10.	The environmental statement for each financial year ending 31 st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF, Lucknow by e-mail.	We are regularly submitting the Form V- and Six-monthly EC compliance report. E-mail submission copy of Form-V (Environmental Statement) is attached as Annexure-XXVII . Receiving Six-monthly EC compliance submission for June 2023 are attached as Annexure-XXV .

ANNEXURE-I

Environment Clearance Letter

State Level Environment Impact Assessment Authority, Uttar Pradesh

Uploaded on
www.seiaaup.in

Directorate of Environment, U.P.

Vineet Khand-1, Gomti Nagar, Lucknow - 226 010

Phone : 91-522-2300 541, Fax : 91-522-2300 543

E-mail : doeuplko@yahoo.com

Website : www.seiaaup.in, www.seiaaup.com

To,

Mr. Tarun Goel,
Dy. General Manager,
M/s HCL IT City Lucknow Pvt. Ltd.,
Corporate Tower, HCL Technology Hub,
Sector-126, Noida, U.P.-201304

Ref. No.....580...../Parya/SEAC/2803/2014/DDY

Date: 09 July, 2015

Sub: Environmental Clearance for Proposed Information Technology Project "HCL Technology Hub",
Chack Ganjaria Farms, Sultanpur Road, Lucknow, U.P. M/s HCL IT City Lucknow Pvt. Ltd.

Dear Sir,

Please refer to your application/letter dated 27/01/2015, 06/05/2015 and 21/05/2015 addressed to the Secretary, SEAC, Directorate of Environment, U.P., Lucknow on the subject as above. The matter was considered by the State Level Expert Appraisal Committee in its meetings held on dated 23/03/2015, 29/04/2015 & 25/05/2015.

A presentation was made by Shri Sanjeev Shukla, project proponent along with their consultant M/s Ascenso Enviro Pvt. Ltd. The proponents through the documents submitted and presentation made, informed the Committee that:-

1. The environmental clearance is sought for Information Technology Project "HCL Technology Hub" at Chack Ganjaria Farms, Sultanpur Road, Lucknow, U.P. M/s HCL IT City Lucknow Pvt. Ltd.
2. Area details of the project is as follows:

S. N.	Particulars	Area in Sq.m.	In percentage(%)
1	Plot area	4,04,685.60 (100 Acres)
2	Permissible Ground coverage	1,61,874.24	40% of Plot Area
3	Permissible FAR @ 2.5	10,11,714.00	250% of Plot Area
4	Green Area Required	40,468.56	10% of Plot Area
5	Area for Current Development	68,796.55 (17 Acres)	
6	Proposed Ground coverage (Development Area)	25,953.68	37.72% of Development area
	• IT Block	15,378.53	59.25 % of Proposed Gr. Coverage
	• Skill Development Centre	2,528.16	9.74 % of Proposed Gr. Coverage
	• Hostel	3,141.52	12.10 % of Proposed Gr. Coverage
	• Housing	847.06	3.26 % of Proposed Gr. Coverage
	• DG Plant room, AC Plant room, Guard rooms	4,058.40	15.63 % of Proposed Gr. Coverage
7	Proposed FAR (Development Area)	1,34,821.69	196% of Development Area
	• IT Block FAR	41,939.24	31.10 % of Proposed FAR
	• Skill Development Centre FAR	12,410.20	9.20 % of Proposed FAR
	• Hostel FAR	17,979.82	13.33% of Proposed FAR
	• Housing FAR	58,433.66	43.34% of Proposed FAR
	• DG Plant room, AC Plant room, Guard rooms	4,0580.00	3.01% of Proposed FAR
8	Basement Area	14,500.00
9	Green area provided	48,562.27	12% of Plot Area
10	Built up area	1,49,321.69

3. Land use details is as follows:

S. No.	Description	Area (in Acres)
Core Area		
1.	IT Block	50
2.	Skill Development Area & Hostel	10
Non-Core Area		
1.	Housing Development	14
2.	Mixed Landuse	16

3.	Institutional	5
4.	Services Use	5
Total Area		100

4. Salient features of the project is as follows:

Name and Location of the Project	Proposed Information Technology Project "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh.
Developers of the Project	M/s HCL IT City Lucknow Pvt. Ltd.
Total Plot Area	4,04,685.60 m ²
Built-up Area(Proposed FAR + Basement area + Services area)	1,49,321.69 m ²
Total Water Consumption	774 KLD
Total Freshwater Requirement	294 KLD Source: Municipal Supply
Power Requirement	7,000 KVA Source: Uttar Pradesh State Electricity Board (UPSEB).
Power Backup	5 DG Sets of total capacity of 10,000 KVA
Total Parking provided	2,021 ECS
Solid Waste generation	1,678.5 kg / day

5. Population details are as follows:

S. No.	Types	No of unit / Area in sq.m.	Person Per Unit	Population
1	Dwelling Units	496 nos.	5	2,480
2	Hostel	500 rooms	2 person /room	1,000
3	IT Park	41,445.49sq.m	1 person/8 sq.m. of FAR	5,000
4	Skill Development Centre	12,410.22 sq.m	1 person/5 sq.m. of FAR	2,500
Total Population				10,980

6. Water requirement details are as follows:

S. No.	Description	Population/ Area	Unit water consumption (litres)	Total water required (KLD)	water requirement for domestic use (KLD)	Flushing/ Recycled water (KLD)
1	Residential Population					
	Housing	2,480	86	213.28	161.20	52.08
	Hostel	1,000	86	86.00	65.00	21.00
2	IT Park and Skill Development					
	IT Park	5,000	30	150.00	45.00	105.00
	Skill Development Centre	2,500	30	75.00	22.50	52.50
3	Horticulture	48,562.27	1.5 ltrs./sq.m	77.69	--	--
4	HAVC Cooling Towers	1,700 TR	8 ltrs/tr/hr	163.20	--	--
5	Fire Fighting Tank		1% of total water requirement	8.90	--	--
Total Water Requirement				774.0796	293.700	230.580
				SAY	774	294
						230

7. Waste water details are as follows:

Details	Water (KLD)
Water requirement for domestic purpose	294
Wastewater to be generated from domestic use (@ 80% of domestic water requirement)	235
Water requirement for Flushing Purpose	230
Wastewater to be generated from Flushing (@ 100% of flushing requirement)	230
Water requirement for HVAC Cooling	163
Wastewater to be generated from HVAC Cooling (@ 75% of cooling water requirement)	122
Total Wastewater generated	122+230+235=587 KLD

8. The project proposals are covered under category 8"a" of EIA Notification, 2006.

Based on the recommendations of the State Level Expert Appraisal Committee (meeting held on 25/05/2015), the State Level Environment Impact Assessment Authority (meeting held on 29/06/2015) has decided to grant the Environmental Clearance to the project subject to the effective implementation of the following specific and general conditions:

SPECIFIC CONDITIONS

I. Construction Phase:

1. Digging of basement shall be undertaken in view of structural safety of adjacent buildings under information/consultation with District Administration/Mining Department.
2. Sprinkler to be used for curing and quenching during construction phase. No ground water to be used for construction.
3. Structural safety certificate from qualified structural engineer should be obtained. The same should get vetted from IIT, Delhi as discussed with project proponent.
4. Environmental Corporate Responsibility (ECR) plan along with budgetary provision amounting to 2% of total project cost shall be submitted (within three month) on need base assessment study in the study area. Income generating measures which can help in up-liftment of weaker section of society consistent with the traditional skills of the people identified. The program can include activities such as old age homes, rain water harvesting provisions in nearby areas, development of fodder farm, fruit bearing orchards, vocational training etc. In addition, vocational training for individuals shall be imparted so that poor section of society can take up self employment and jobs. Separate budget for community development activities and income generating programmers shall be specified.
5. Consent for Establishment shall be obtained from UP State Pollution Control Board under Air and Water Act and a copy shall be submitted to the Ministry before start of any construction work at the site.
6. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
7. A First Aid Room will be provided in the project both during construction and operation of the project.
8. All the topsoil excavated during construction activities should be stored for use in horticulture/landscape development within the project site.
9. Disposal of muck during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
10. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
11. Construction spoils, including bituminous material and other hazardous materials, must not be allowed to contaminate watercourses and the dump sites for such material must be secured so that they should not leach into the ground water.
12. Any hazardous waste generated during construction phase, should be disposed off as per applicable rules and norms with necessary approvals of the UP State Pollution Control Board.
13. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environment (Protection) Rules prescribed for air and noise emission standards.
14. The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from Chief Controller of Explosives shall be taken. DG set shall meet the CPCB norms.
15. Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
16. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/UPPCB.
17. Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September, 1999 and amended as on 27th August, 2003.
18. Ready mixed concrete must be used in building construction.
19. Storm water control and its re-use as per CGWB and BIS standards for various applications.

20. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
21. Permission to draw ground water shall be obtained from the competent Authority prior to construction/operation of the project.
22. Separation of grey and black water should be done by the use of dual plumbing line for separation of grey and black water.
23. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
24. Use of glass may be reduced by up-to 40% to reduce the electricity consumption and load on air conditioning. If necessary, use high quality double glass with special reflective coating in windows.
25. Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement.
26. Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code which is proposed to be mandatory for all air conditioned spaces while it is aspirational for non-air conditioned spaces by use of appropriate thermal insulation material to fulfil requirement.
27. The approval of the competent authority shall be obtained for structural safety of the buildings due to earthquake, adequacy of fire fighting equipments, etc. as per National Building Code including protection measures from lightening etc.
28. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings.
29. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.

II. Operation Phase:

1. Details of E-waste should be submitted.
2. The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the Ministry before the project is commissioned for operation. Treated affluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralised treatment should be done. Discharge of unused treated affluent shall conform to the norms and standards of the UP State Pollution Control Board. Necessary measures should be made to mitigate the odour problem from STP.
3. The solid waste generated should be properly collected and segregated. Wet garbage should be composted and dry / inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.
4. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel. The location of the DG sets may be decided with in consultation with UP State Pollution Control Board.
5. Criteria/ norms provided by competent Authority regarding the seismic zone be followed for construction work. Provision of alarm system, to timely notify the residents, in case of occurrence of earthquake/other natural disasters/fire should be provided. A well defined evacuation plan should also be prepared and regular mock drills should be arranged for the residents. Rise of stairs should be constructed in a way, so that it should provide smooth movement.
6. Noise should be controlled to ensure that it does not exceed the prescribed standards. During night time the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.
7. The green belt of the adequate width and density preferably with local species along the periphery of the plot shall be raised so as to provide protection against particulates and noise.
8. Weep holes in the compound walls shall be provided to ensure natural drainage of rain water in the catchment area during the monsoon period.
9. Rain water harvesting for roof run- off and surface run- off, as plan submitted should be implemented. Before recharging the surface run off, pre-treatment must be done to remove suspended matter, oil and grease. The borewell for rainwater recharging should be kept at least 5 mts. above the highest ground water table.

10. The ground water level and its quality should be monitored regularly in consultation with Central Ground Water Authority.
11. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
12. A Report on the energy conservation measures confirming to energy conservation norms finalize by Bureau of Energy Efficiency should be prepared incorporating details about building materials & technology, R & U Factors etc and submit to the Ministry in three months time.
13. Energy conservation measures like installation of CFLs/LED for the lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning. Use CFLs and LED should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible.
14. Adequate measures should be taken to prevent odour problem from solid waste processing plant and STP.
15. The building should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation.
16. Water segregation shall be carried-out at source and organic shall be composted. Adequate space shall be provided within the complex.

PART-B: GENERAL CONDITIONS:

1. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the UPPCB.
2. Officials from the Regional Office of MOEF, Lucknow who would be monitoring the implementation of environmental safeguards should be given full cooperation, facilities and documents/data by the project proponents during their inspection. A complete set of all the documents submitted to SEIAA should be forwarded to the CCF, Regional office of MOEF, Lucknow.
3. In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Ministry.
4. The Ministry reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.
5. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained, as applicable by project proponents from the respective competent authorities.
6. These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.
7. The project proponent should advertise in at least two local Newspapers widely circulated in the region, one of which shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the U^l Pollution Control Board and may also be seen on the website of the Ministry of Environment and Forests at <http://www.envfor.nic.in>. The advertisement should be made within 10 days from the date of receipt of the Clearance letter and a copy of the same should be forwarded to the Regional office of this Ministry at Lucknow.
8. A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban Local Body and the Local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the company by the proponent.

9. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the UPPCB. The criteria pollutant levels namely; PM₁₀, PM_{2.5}, SO₂, NO_x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
10. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF, Lucknow by e-mail.

This environmental clearance is subject to ownership of the site by the project proponents in confirmation with approved Master Plan for Lucknow by the competent Authority. In case of violation, it would not be effective and would automatically stand cancelled.

The project proponent will have to submit approved plans and proposals incorporating the conditions specified in the Environmental Clearance within 03 months of issue of the clearance. The SEiAA/MoEF reserves the right to revoke the environmental clearance, if conditions stipulated are not implemented to the satisfaction of SEiAA/MoEF. SEiAA may impose additional environmental conditions or modify the existing ones, if necessary. Necessary statutory clearances should be obtained.

You are also directed to ensure that the proposed site is not a part of any no-development zone as required/prescribed/identified under law. In case of violation, this permission shall automatically deem to be cancelled. Also, in the event of any dispute on ownership or land use of the proposed site, this clearance shall automatically deem to be cancelled.

These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006 including the amendments and rules made thereafter.

This is to request you to take further necessary action in the matter as per provision of Gazette Notification No. S.O. 1533(E) dated 14.9.2006 (as amended) and send regular compliance reports to the authority as prescribed in the aforesaid notification.



(J.S. Yadav)

Member Secretary, SEiAA

No...../Parva/SEAC/2803/2015/DD(Y) Dated: As above

Copy for Information and necessary action to:

1. The Principal Secretary, Environment, U.P. Govt., Lucknow.
2. Advisor, IA Division, Ministry of Environment, Forests & Climate Change, Govt. of India, Indira Paryavaran Bhawan, Jor Bagh Road, Aliganj, New Delhi.
3. Chief Conservator, Ministry of Environment & Forests, Regional Office (Central Region), Kendriya Bhawan, 5th Floor, Sector-H, Aliganj, Lucknow.
4. The Member Secretary, U.P. Pollution Control Board, TC-12V, Paryavaran Bhawan, Vibhuti Khand, Gomti Nagar, Lucknow.
5. District Magistrate, Lucknow, U.P.
6. Copy for Web Master/Guard file.



(Dr. A. A. Khan)
Nodal Officer, SEiAA, UP,
Directorate of Environment, U.P.

Annexure-II
Mining Permission



उत्तर प्रदेश UTTAR PRADESH

BM 579869



खनन अनुज्ञा पत्र का आदर्श प्रपत्र (नियम 55)

मेसर्स एच०सी०एल० आई०टी० सिटी लखनऊ प्रा०लि० लखनऊ द्वारा एल०एन०टी०(लार्सन एण्ड टर्बो) लि० चक गंजरिया सुल्तानपुर रोड एच०सी०एल०आई०टी० सिटी लखनऊ द्वारा चक गंजरिया फार्म आई०टी० सिटी लखनऊ तहसील मोहनलालगंज ग्राम कजेहरा/मसतेमऊ कुल गाटा संख्या-99 की भारत सरकार का राजपत्र में अंकित कुल रकबा 40.469 हे० में से 18,000 घनमीटर साठ मिट्टी के खनन अनुज्ञा हेतु उत्तर प्रदेश उपखनिज(परिहार)नियमावली, 1963 के नियम 52 के अधीन (उपखनिज) तीन माह की अवधि हेतु खनन करने के लिए अनुज्ञा पत्र देने के निमित्त प्रार्थना पत्र दिया है। आवेदन शुल्क मु० 2,000/-रुपये जमा किया है। उप जिलाधिकारी सरोजनी नगर लखनऊ की आख्या दिनांक 24.02.2016 के अनुसार प्रस्तावित भूखण्ड का परीक्षण कर लिया है। अतः खान निरीक्षक वर्दी कार्यालय, तथा उप जिलाधिकारी मोहनलालगंज की स्थलीय निरीक्षण के अनुसार प्रस्तावित क्षेत्र में 1.50 मीटर की गहराई में खनन करने पर लगभग 12878 घनमीटर मिट्टी की रायल्टी रू० 30/-प्रतिघनमीटर की दर से रू० 03,86,340/- (रूपया तीन लाख छियासी हजार तीन सौ चालीस मात्र) खनन अनुज्ञा जिलाधिकारी लखनऊ के आदेश दिनांक 06.04.2016 द्वारा स्वीकृत की गयी है।

जिलाधिकारी लखनऊ के उक्त आदेश 06.04.2016 के अनुपालन में आवेदक द्वारा रायल्टी रूपये-3,86,340-00/- का भुगतान चालन संख्या-जी० 40119 दिनांक 07.04.2016 द्वारा तथा कुल रायल्टी रू० 3,86,340-00 की 02 प्रतिशत धनराशि अर्थात् रू० 7730/- जनरल नं० 049246550 दिनांक 04.07.2016 द्वारा TCS खाते में जमा करा ली गयी है।

एतद्वारा नीचे उल्लिखित सूची में 12878 घनमीटर साधारण मिट्टी दिनांक 7-04-2016 से दिनांक 6-07-2016 तक तीन माह अवधि हेतु खनन अनुज्ञा प्रदान की जाती है।

Gyan Rai



2/-



उत्तर प्रदेश UTTAR PRADESH

BM 5786



भूमि के ब्यौरा

तहसील 1	परगना 2	ग्राम/नगर क्षेत्र 3	गाटा/पटला सं० 4	क्षे० 5
------------	------------	------------------------	--------------------	------------

सदर लखनऊ

तहसील मोहनलालगंज ग्राम कजेहरा/भसतेमऊ कुल गाटा संख्या-99 की भारत सरकार का राजपत्र में अंकित कुल रकबा 40.469हे० में से 12878 घनमीटर साठ मिट्टी की रायल्टी रु० 30/-प्रतिघनमीटर की दर से रु० 3,86,340/-अग्रिम जमा करने पर तीन माह की अवधि हेतु खनन अनुज्ञा जिलाधिकारी लखनऊ के आदेश दिनांक 06.04.2016 द्वारा स्वीकृत की गई है।

स्थान-लखनऊ।

दिनांक: 7-4-016

Laxman Kari



श्रीलाल कुमार मिश्र
प्रमोदी अधिकारी (खनन),
कृते जिलाधिकारी, लखनऊ।

3/-



उत्तर प्रदेश UTTAR PRADESH

EM 579698

B.M. 57-9698

21 MAR 2018

(3)

- अनुज्ञाधारक द्वारा निम्नलिखित शर्तों का अनुपालन किया जाना आवश्यक है :-
- निदेशक, पर्यावरण, निदेशालय, गोमतीनगर, लखनऊ के पत्र संख्या- संख्या-1660/Parya/ SEAC/2822/2015 ए0डी0(एच0) दिनांक 04.01.2016 अनापत्ति प्रमाण पत्र के अनुसार ही खनन कार्य किया जाना है, उल्लेख Safeguards को अपनाया जाना होगा :-
- 1- Top Soil should be adequately preserved and should be used for landscaping.
 - 2- Excavated soil should be properly stored in a manner not increase surrounding SPM level.
 - 3- Water sprinkling should be exercised during excavation and storage of soil for suppression of fugitive dust.
 - 4- Unused excess soil should be disposed with proper permission from District Administration.
 - 5- Disposal of unused soil should only be transported in covered vehicles.
 - 6- Excavated area should be properly reclaimed and insured that no open bore hole is left.
 - 7- Safety measures for the people working at the site shall be duly taken care of as per law.
 - 8- अनुज्ञाधारक राज्य सरकार को किसी तीसरे पक्ष के विवाद की स्थिति में दाये की क्षतिपूर्ति करेगा।
 - 9- अनुज्ञाधारक ऐसी रीति से खनिज निकालेगा/खुदाई करेगा जिससे कोई सड़क, सार्वजनिक मार्ग, भवन, भू-गृहादि, सार्वजनिक भू-स्थल, सार्वजनिक सम्पत्ति व पर्यावरण को बाधा/क्षति न पहुँचे।
 - 10- अनुज्ञा पत्र धारक संग्रह किये गये सभी खनिजों का लेखा रखेगा, एतदर्थ प्रतिनियुक्ति प्राधिकारी को ऐसे लेखों का निरीक्षण करने की अनुमति देगा।
 - 11- उप खनिज का परिवहन इस कार्यालय से जारी एमएम-11 के माध्यम से ही किया जायेगा।
 - 12- एमएम-11 की दुकों का प्रयोग करने के तुरन्त बाद कार्यालय को प्रतिपण एवं अवशेष एमएम-11 कार्यालय में जमा किये होंगे।
 - 13- अन्य शर्तें उ0प्र0 उपखनिज परिहार नियमावली-1963 के अनुसार मान्य होंगी उप जिलाधिकारी सदर लखनऊ की अर्ख्या के अनुसार खनन कार्य हेतु प्रस्तावित क्षेत्र में जलक्षेत्र जंगल पुरानी इमारत मंदिर व पुरातत्व विभाग की इमारत नहीं है।
 - 14- अनुज्ञा पत्र में खनन की मात्रा अथवा अवधि जो भी पूर्व में घटित हो मान्य होगी, वही अनुज्ञा की अवधि मान्य होगी।

Gyan Sai




4/-



उत्तर प्रदेश UTTAR PRADESH

BM.57959



(4)

15. खनन कार्य 150मी० की गहराई तक प्रस्तावित है। अतः इस प्रकार खनन कार्य किया जायेगा कि समीपवर्ती भू-भाग अथवा कार्यरत मजदूरों एवं पर्यावरण को हानि न पहुंचे और यदि कोई क्षति होती है तो उसका समस्त मुआवजा आवेदक द्वारा देय होगा तथा यदि खनन कार्य के समय कोई क्षति पहुंचती है तो नियमों के अन्तर्गत गबअ गबअ अल्पवधिक कार्यवाही भी की जा सकती है।
16. यदि खनन कार्य करते समय अन्य उपखनिज मूल्य अब निकलता है तो उसकी सूचना अनुज्ञाधारक द्वारा तत्काल इस कार्यालय को देनी होगी एवं अन्य उपखनिज की मात्रा का अर्णकलन कर नियमानुसार अतिरिक्त रायल्टी राज्य सरकार के पक्ष में जमा करनी होगी। यदि कोई प्राचीन धरोहर या धरोहर से सम्बन्धित वस्तु/धातु निकलती है तो उस पर राज्य सरकार का अधिकार होगा, प्राचीन धरोहर या धरोहर से सम्बन्धित वस्तु/धातु उसकी सूचना अनुज्ञाधारक इस कार्यालय को देगा उसे राज्य सरकार को वापस करेगा।
17. यदि अनुज्ञा धारक द्वारा दी गई शर्तों के अनुरूप कार्य न करके, शर्तों का उल्लंघन करता है तो अनुज्ञा-पत्र निरस्त कर दिया जायेगा और जमा रायल्टी राज्य सरकार के पक्ष में जब्त कर ली जायेगी और वैधानिक कार्यवाही की जा सकती है।
18. खनन कार्य करते समय कोई क्षति/हानि होती है, तो उसका समस्त उत्तरदायित्व आवेदक का होगा और मुआवजा/प्रतिकार आवेदक द्वारा देय होगा।
- 19-क्षेत्र घनी आबादी में मध्य स्थित है अनुज्ञापत्री खनिज का परिवहन तिरपाल आदि से ढक कर किया जायेगा जिससे धूल इत्यादि न उड़े।

5/-

64201 Kai





उत्तर प्रदेश UTTAR PRADESH

BM 579595

BM 579595

21 MAR 2016

TRY LKO

(5)

- 20-आवेदक द्वारा खान अधिनियम-1952 खान और खनिज विनियम और विकास अधिनियम-1957 तथा नियमावली 1963 एवं वर्तमान शासनादेशों अन्य विभागों द्वारा जारी शर्तों के अधीन ही किया जायेगा।
- 21-अनुज्ञापी तहसील द्वारा क्षेत्र का सीमांकन के उपरान्त ही खनन कार्य प्रारम्भ करेगा।
- 22-आवेदक गाटाओं से उत्खनित मिट्टी का प्रयोग निर्माणधीन 33/11 कोजी० विधुत उपकेन्द्र में ही किया जायेगा।
- 23 शासनप्रदेश संख्या-1426/86-08-55/08 दिनांक 8.04.2008 एवं पर्यावरण निदेशालय गोमतीनगर लखनऊ के पत्र संख्या-55/Parya/ SEAC/2391/ 2009/ ए०डी०(एस) दिनांक 14.04.2015 में दी गई शर्तों के अनुसार खनन कार्य किया जायेगा, खनन अनुज्ञा का उत्संघन करने पर यह अनुज्ञा स्वतः निरस्त मानी जायेगी।

स्थान-लखनऊ।

दिनांक: 7-4-016



(शैलेंद्र कुमार मिश्र)
प्रभारी अधिकारी(खनन),
कृते जिलाधिकारी, लखनऊ।

6/-

Gyan hai



उत्तर प्रदेश UTTAR PRADESH

6

BM 579596

BM 579596

21 MAR 2016

Gyan Kori





उत्तर प्रदेश UTTAR PRADESH

7

BM 534842

BM 534842

21

Liam Keri





उत्तर प्रदेश UTTAR PRADESH

8

AH 504836

1 Nov 2014

byen hari





उत्तर प्रदेश UTTAR PRADESH

9

AH 504837

41 Nov 78

Gyan Koi





उत्तर प्रदेश UTTAR PRADESH

10

AH 504838

21 Feb 2011

byan for





उत्तर प्रदेश UTTAR PRADESH

11

Y 445558

21 12 2016

Gyan K...






उत्तर प्रदेश UTTAR PRADESH

(12)

BA 433965

6-401






उत्तर प्रदेश UTTAR PRADESH

13

BA 433966

Le 10/10/10





उत्तर प्रदेश UTTAR PRADESH

14

BA 433967

6444/101



Annexure-III
Photographs of STP

Photographs of STP







ANNEXURE-IV

Structural Safety certificate

CERTIFICATE

(उपविधि संख्या - 13.4)

(To be submitted with the application for obtaining partial completion certificate)

1. Certified that the Building for which partial completion plan has been submitted for approval, conforms to the requirements of relevant Indian Standard Codes and National Building Code as referred in Annexure-1 of Building Bye-Laws in respect of Structural Safety in general and National hazards including earthquake in particular.
2. It is also certified that the Building has been constructed as per approved foundation and structural designs provided by the Structural Engineer which are certified to be based on relevant Indian Standard Code and National Building Code as referred above and the building is safe for occupancy.

3. Location/ Address of Building - Building IT-02 & Convenient Shopping

Plot No - HCL IT CITY, IT/ITES Special Economic Zone, VII Kanjehara & Mastemaui,

Scheme/Colony - C. G. City, Chak Gajara Farms.

Town - Lucknow

District - Lucknow, U.P.

4. Particulars of Buildings -

	IT-02	Convenient Shopping
1. Ground Coverage (Sq Mt)	7327.21	664.35
2. Total Covered Area (Sq Mt)	15988.747	616.219
3. Maximum numbers of Floors above ground	4	NIL





<p>Signature of Owner with date</p> <p>Name (Block) HCL IT CITY LUCKNOW PVT. LTD</p> <p>Address: VIII, MASTEMAUI & CHAK KAJEHRA, CG City, SUI-FARPUR ROAD, LUCKNOW, U.P., 226 002</p>	<p>Signature of the Structural Engineer who had prepared the Design</p> <p>Name (Block) JUNEJA</p> <p>B. Tech (Hons) 1969 TECHNOCONSULTANTS Bombay, Fellow I. Struct. F011 MIE M-45652 CHARTERED ENGG. (INDIA) M0456521</p> <p>Legible Seal: (with address)</p>
<p>Signature of the Architect who had Supervised the construction</p> <p>Name (Block) RAJINDER KUMAR ASSOCIATES</p> <p>COA Registration No. CA-2399/75</p> <p>Legible Seal: (with address) RAJINDER KUMAR CA/2490/75</p>	<p>Signature of the Engineer who had supervised the Construction</p> <p>Name (Block) O P Sharma</p> <p>Legible Seal: (with address)</p>

CERTIFICATE

(उपविधि संख्या - 13.4)

(To be submitted with the application for obtaining partial completion certificate)

1. Certified that the Building for which partial completion plan has been submitted for approval, conforms to the requirements of relevant Indian Standard Codes and National Building Code as referred in Annexure-1 of Building Bye-Laws in respect of Structural Safety in general and National hazards including earthquake in particular.
2. It is also certified that the Building has been constructed as per approved foundation and structural designs provided by the Structural Engineer which are certified to be based on relevant Indian Standard Code and National Building Code as referred above and the building is safe for occupancy.
3. Location/Address of Building – Building IT-01
Plot No – HCL IT CITY, IT/ITES Special Economic Zone, Vill Kanjehara & Mastemau,
Scheme/Colony – C. G. City, Chak Gajaria Farms,
Town – Lucknow
District – Lucknow, U.P.
4. Particulars of Building
 1. Ground Coverage (sq mt) 5071.121
 2. Total covered area (sq mt) 24626.282
 3. Maximum Numbers of Floors above ground. G+4

Signature of Owner with date Name (Block)..... Address: 	Signature of the Structural Engineer who had prepared the Design Name (Block)..... Legible Seal: (with address)  GANESH JUNEJA B. Tech (Hons) 1969 IT Bombay, I. Sindh (P) MCEAI M-211 MBE M-45652
Signature of the Architect who had Supervised the construction Name (Block)..... COA Registration No. Legible Seal: (with address)  RAVINDER KUMAR C.A. 12345	Signature of the Engineer who had Supervised the Construction Name (Block)..... Legible Seal: (with address) 

5 – A, DDA Flats, Sarai Juliana, New Delhi – 110025

Phone number: 26922672, 26842493; Email: jtc625@gmail.com & juneja5a@gmail.com

Date – 22nd Sep, 2016

STRUCTURAL STABILITY CERTIFICATE

This is to certify that the buildings IT-03 and SDC-01 along with other supportive service buildings are planned by M/s HCL IT City Lucknow Pvt Ltd at ChakGajaria Farms, Sultanpur Road, Lucknow is designed conforming to the below stated Indian standards and the design basis report which was submitted. The building foundation and the building structure will be safe for the purpose for which it is intended to the best of our knowledge.

- IT-03 & SDC-01 superstructure
- STP, WTP and Utility buildings

DESIGN DETAILS –

Structure	–	RCC framed structure as per IS 456:2000
Foundation Type	–	Pile foundation
Wind Speed	–	47 m/sec as per IS 875(Part 3): 1987
Seismic Loading	–	Zone IV as per IS 1893(Part1): 2002

For Juneja Techno Consultants Pvt Ltd

For Juneja Techno Consultants (P) Ltd.



Director/Authorized Signatory

CERTIFICATE

(उपविधि संख्या - 13.4)

(To be submitted with the application for obtaining partial completion certificate)

1. Certified that the Building for which partial completion plan has been submitted for approval, conforms to the requirements of relevant Indian Standard Codes and National Building Code as referred in Annexure-1 of Building Bye-Laws in respect of Structural Safety in general and National hazards including earthquake in particular.
2. It is also certified that the Building has been constructed as per approved foundation and structural designs provided by the Structural Engineer which are certified to be based on relevant Indian Standard Code and National Building Code as referred above and the building is safe for occupancy.
3. Location/Address of Building - Building SDC-02
Plot No - HCL IT CITY, IT/ITES Special Economic Zone, Vill Kanjehara & Mastemau,
Scheme/Colony - C. G. City, Chak Gajaria Farms,
Town - Lucknow
District - Lucknow, U.P.
4. Particulars of Building
 1. Ground Coverage (sq mt) - 1585.11 SQM
 2. Total covered area (sq mt) - 10138.869 SQM
 3. Maximum Numbers of Floors above ground. 7 Floors

Signature of Owner with date Name (Block)..... Address:	Signature of the Structural Engineer who had prepared the Design Name (Block)..... Legible Seal: (with address)
Signature of the Architect who had Supervised the construction Name (Block)..... COA Registration No..... Legible Seal (with address)	Signature of the Engineer who had Supervised the Construction Name (Block)..... Legible Seal: (with address)

GANESH JUNEJA
B. Tech (Hons)1969
IIT Bombay, I. Struct. F011
MIE M-45652
MCEAI M-211

RAJINDER KUMAR & ASSOCIATES
B-6/17, Shopping Centre,
Safdarjung Enclave,
New Delhi-110028

CERTIFICATE

(उपविधि संख्या - 13.4)

(To be submitted with the application for obtaining partial completion certificate)

1. Certified that the Building for which partial completion plan has been submitted for approval, conforms to the requirements of relevant Indian Standard Codes and National Building Code as referred in Annexure-1 of Building Bye-Laws in respect of Structural Safety in general and National hazards including earthquake in particular.
2. It is also certified that the Building has been constructed as per approved foundation and structural designs provided by the Structural Engineer which are certified to be based on relevant Indian Standard Code and National Building Code as referred above and the building is safe for occupancy.
3. Location/Address of Building – Building Hostel Tower 02 (Basement+Ground+8 Floors)
Plot No – HCL IT CITY, IT/ITES Special Economic Zone, Vill Kanjehara & Mastemau,
Scheme/Colony – C. G. City, Chak Gajaria Farms,
Town – Lucknow
District – Lucknow, U.P.

4. Particulars of Building – Hostel Tower A2

1	Ground Coverage (sq mt)	830.092 sq mt
2	Total covered area (sq mt)	7267.350 sq mt
3.	Maximum Numbers of Floors above ground.	G+8

Signature of Owner with date Name (Block) HCL IT CITY LUCKNOW PVT LTD Address: Vill. MASTEMAU & CHAK KAJEHRA, CG City, SULTANPUR ROAD, LUCKNOW, U.P., 226 002	Signature of the Structural Engineer who had prepared the Design Name (Block) JUNEJA TECHNICALS Legible Seal: (with address) GANESH JUNEJA 11/ Bombay, Fellow I. Struct. F011 MIE M-45652 CHARTERED ENGG. (INDIA) M0456521
Signature of the Architect who had Supervised the construction Name (Block) RAJINDER KUMAR ASSOCIATES COA Registration No. RAJINDER KUMAR Legible Seal (with address) CA/2490/75	Signature of the Engineer who had Supervised the Construction Name (Block) NIPUN BHALLA (NIPUN BHALLA). Legible Seal: (with address) CBRE.

RAJINDER KUMAR AND ASSOCIATES
 B-6/17, Shopping Centre
 Safdarjung Enclave, New Delhi-29

Annexure V

Details and Photographs showing CER
Activity

HARIT- The Green Spaces Initiative



To conserve, restore and enhance local ecosystems and respond to climate change in a sustainable manner through community engagement in HCL Uday districts

5 Team Member

23 Partners

139 HR deployed across projects



Pan-India



Outcome / Impact

Increased Water Holding Capacity

(2017-Mar'20)	(April-Dec'20)
~ 2,000 mn liters	~ 40 mn liters

Area Under Afforestation

(2017-Mar'20)	(April-Dec'20)
125.3 Acres	32.1 Acres

CO₂e Sequestered/ Emissions Reduced

(2017-Mar'20)	(April-Dec'20)
~ 120,000 kgs	~ 16,000 kgs

Saplings Planted

(2017-Mar'20)	(April-Dec'20)
103,284	87,451

Waterbodies Rejuvenated

(2017-Mar'20)	(April-Dec'20)
31	6

Animal Lives Impacted

(2017-Mar'20)	(April-Dec'20)
5,046	3,234

Outreach

19,781
SOCIAL MEDIA

7
WEBINARS

Partnership

4
ON-GOING
GOVERNMENT
MoUs

Pre plantation activities

RFPs, MoUs, Planning meetings, Land demarcation, Fencing, Topographic and contour survey plan, Soil-bed Mapping, Soil testing, Visibility boards

Site preparation

Digging of the area, Spreading of the material and mixing, Land levelling, Trenching, Soil Conditioning, Digging of Compost Pits

Material Sourcing

Selection of Plants species & Transportation Procurement of mulching material, manure, organic liquid, Cocopit

Plantation activities

Placing of Saplings ,Digging pits for saplings, support sticks Plantation, Watering

Post plantation activities

Watering of saplings, Maintenance, Mulching, De-weeding, Replacement of Saplings (if required)

Community engagement

Plantation drive involving students, Involving local community Involving HCL Volunteers



Mixing of Materials by JCB



Land preparation



Digging of pits



Plantation



Watering



Plantation



Lucknow Nagar Nigam
assigned 5 ha land 'Atal
Uday Upvan' &
technical assistance

From L-R | Dr. Indra Mani Tripathi – Municipal Commissioner; Smt. Sanyukta Bhatia – Hon'ble Mayor, Lucknow; Dr. Archana Dwivedi – Additional Municipal Commissioner; Ms. Nidhi Punthir – Director, HCL Foundation; Kirti Karamchandani, Head Govt. Relations, HCL

60,200

Saplings planted



5 ha

Afforestation Area

1

NGO Partner



1

Government MoU

20,000

Plants in Nursery



5,000 kgs
of CO₂e

Carbon
sequestered



Tree Plantation Count:

- On **October 2, 2019**, **200 native tree saplings** were planted in Atal Uday Upvan, Lucknow.
- By **December 2020** a total of **30,000 saplings** were planted at the site.
- From January to March 2021; **30,000 saplings were planted** at the site as part of World Forestry Day 2021.
- On **June 5, 2021**, **200 saplings were planted** as part of World Environment Day 2021.
Mayor Sanyukta Bhatia and team were present during the plantation activity.
- Till date, **60,200 saplings** have been planted consisting of **70+ species**.

Nursery Development:

- Between **October 2019 and December 2020**, a total of **20,000 sapling bags** were created at the Harit Nursery in Atal Uday Upvan, Lucknow.
- As part of our 'no plastics' objective for FY 21-22, instead of plastic poly bags, new saplings are being created on raised beds.
- 'Raised beds' and 'green bamboo structures' have been created to grow saplings for the Harit nursery.
- The **raised beds** are almost 1.5 km in length in total and each bed is 1.5 ft wide, these beds are used to grow saplings.
- There is a **140 ft long green structure made out of bamboo** and green netting that is used to shelter the young seedlings and saplings from rain and harsh sun, till they are ready to be planted.
- Currently, **5,000 saplings are growing in these raised beds** which will be ready for plantation in the next quarter (July & August) and another 10,000 will be ready to be planted in September.

Water bodies/storage pits:

- There **10 water storage pits** with dimensions of 20ft X 10ft and 5ft in depth.
- An **external trench**, 960m in length and 5 ft wide, has been constructed to collect rainwater and run-off water from the nearby fields.
- The **internal trench** constructed for water storage is 1 km in length and 5 ft wide.
- Apart from that, there is **one big pond** spread across 1.5-acre.

Activities/Sessions/Nature Education:

- **8 workshops** have been conducted for CMS schools, Lucknow Connection Worldwide (*Facebook group*), and with other local communities in 2021, with more than 300 participants in total.
- Villagers and volunteers regularly visit the site.
- Volunteers also participate in tree plantation and maintenance activities.
- Local government officials have been visiting the site regularly to conduct nature walks and plantations.

Till date we have planted more than 70 species in the Atal Uday Upvan few of the native species are listed below:-

- Banyan
- Mango
- Peepal
- Goolar
- Pilkhan
- Shehtoot
- Lemon
- Mausami
- Shisham
- Ber
- Karaunda
- Papaya
- Jaamun
- Tamarind
- Jack fruit
- Amlatas
- Kanak champa
- Palaash
- Semal
- Kari Patta
- Tota
- Gauva



KARANJA/ PAPDI (PONGAMIA PINNATA)



IMLI (TAMARINDUS INDICA)



PILKHAN (FICUS VIRENS)



BARGAD/ BANYAN (FICUS BENGHALENSIS)



Saptaparna (Astonia Scholairs)



Semal (BOMBAX CEIBA)



SIRAS/BASA (ALBIZIA ODORATISSIMA)



CHUKPASSI (CHUKRASIA TABULARIS)





Nursery of 20,000 Plants



Rain Water Harvesting









Birds & Insects Zone



Official Visits



HCL Employee Driven Plantation Drive



ANNEXURE-VI

Copy of Consent to Establishment



उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड,
टी.सी. - १२, वी, विभूति खण्ड विभूति खण्ड,
गोमती नगर, लखनऊ

वैधता अवधि-03 वर्ष हेतु मान्य

FG4353

संदर्भ संख्या.....

सी-5/एन0ओ0सी0-806/15

दिनांक 02-3-15

सेवा में,

मै0 एच0सी0एल0 आई0टी0 सिटी लखनऊ प्रा0लि0,
चक गंजरिया फार्म, सुल्तानपुर रोड,
जिला-लखनऊ।

विषय: पर्यावरणीय प्रदूषण की दृष्टि से नई इकाई की स्थापना हेतु अनापत्ति प्रमाण पत्र निर्गमन।

महोदय,

कृपया उपरोक्त विषयक अपने अनापत्ति प्रमाण हेतु आवेदन पत्र दिनांक 08.05.15 का संदर्भ लें।
उद्योग को पर्यावरणीय प्रदूषण के दृष्टिकोण से निम्नलिखित विशिष्ट शर्तों एवं सामान्य शर्तों (संलग्नक) के
समुचित अनुपालन के साथ सशर्त अनापत्ति प्रमाण पत्र स्वीकृत किया जाता है।

1. अनापत्ति प्रमाण पत्र निम्नलिखित विशिष्ट विवरणों के लिए ही निर्गत किया जा रहा है।

(क) स्थल:

चक गंजरिया फार्म, सुल्तानपुर रोड, जिला-लखनऊ

(ख) उत्पादन:

इनफार्मेशन टेक्नालाजी (एच0सी0एल0 टेक्नालॉजी हब)
बिल्डअप एरिया 149321.69 वर्ग मीटर है।

(ग) मुख्य कच्चे माल:

ईट, मीरिंग, सरिया इत्यादि भवन निर्माण से सम्बन्धित

(घ) औद्योगिक उत्प्रेषण की मात्रा:

830 कं0एल0डी0

(ङ) प्रयुक्त ईंधन:

2000 कं0वी0ए0 क्षमता के 5 डी0जी0 सेट
डीजल आवश्यकतानुसार।

में 0 एच0सी0एल0 आई0टी0 सिटी लखनऊ प्रा0लि0 बक गंजरिया फार्म, सुल्तानपुर रोड, जिला-लखनऊ।

उपर्युक्त विषय वस्तु में से किसी भी प्रकार से परिवर्तन करने पर पुनः अनापत्ति प्रमाण-पत्र प्राप्त करना आवश्यक होगा।

1. इकाई का संचालन तब तक प्रारम्भ नहीं किया जायेगा जब तक कि वह राज्य बोर्ड से जल एवं वायु अधिनियमों के अन्तर्गत सहमति प्राप्त न कर ले। जल एवं वायु सहमति प्राप्त करने हेतु इकाई में संचालन प्रारम्भ करने की तिथि से कम से कम 02 माह पहले निर्धारित सहमति आवेदन पत्रों को संचालन पूर्व प्रथम आवेदन का उल्लेख करते हुये इस कार्यालय में अवश्य जमा कर दिया जाये।
2. इकाई द्वारा दिये गये प्रस्ताव के अनुसार 830 कॅ0एल0डी0 क्षमता के एस0टी0पी0 की स्थापना की जाये तथा एस0टी0पी0 के विभिन्न इकाईयों की मापों, आदि का पूर्ण विवरण डिजाइन/डिटेल्स सहित विवरण एक माह में प्रेषित करें। एस0टी0पी0 द्वारा जनित उत्प्रवाह को शोधित कर सिंचाई/पलशिंग एवं कूलिंग इत्यादि में प्रयोग किया जाये तथा अतिरिक्त शोधित उत्प्रवाह को संबंधित विभाग के सक्षम अधिकारी की अनुमति के पश्चात् पब्लिक सीवर लाइन के माध्यम से निस्तारित किया जायेगा।
3. परियोजना में प्रस्तावित नलकूपों द्वारा जल दोहन के सम्बन्ध में सम्बन्धित विभाग का अनापत्ति प्रमाण पत्र प्राप्त किया जाये।
4. इकाई द्वारा प्लास्टिक रूल्स, 2011 एवं हैजार्डस वेस्ट रूल्स आदि का समुचित अनुपालन करना अनिवार्य होगा।
5. इकाई द्वारा नगरीय ठोस अपशिष्ट का एकत्रण, भण्डारण एवं निस्तारण व्यवस्था म्यूनिसिपल सालिड वेस्ट रूल्स-2000 के अनुसार किया जाये।
6. इकाई में प्रस्तावानुसार तथा आवश्यकता के अनुरूप रेन वाटर हार्वैस्टिंग एवं ग्राउण्ड वाटर रिचार्जिंग की स्थापना आवश्यकता के अनुरूप किया जाये।
7. प्रस्तावित स्थल पर परियोजना की स्थापना हेतु सक्षम अभिकरण से स्वीकृत मानचित्र प्राप्त किया जाये।
8. एस0टी0पी0 से जनित ठोस अपव्यय का प्रयोग बायोकम्पोस्टिंग के लिये किया जायेगा।
9. परियोजना परिसर में सौर ऊर्जा चालित प्रकाश व्यवस्था का वैकल्पिक प्रयोग अधिकाधिक स्थलों पर किया जाना सुनिश्चित किया जाये।
10. एस0टी0पी0 के संचालन की अवस्था को सुनिश्चित किये जाने हेतु पृथक एनर्जी मीटर स्थापित करें तथा उसकी लागिंग नियमित रखी जाये।
11. परियोजना में प्रस्तावित डी0जी0 सेंट्स पर प्रस्तावानुसार बोर्ड मानकों के अनुरूप ध्वनि/वायु प्रदूषण नियंत्रण व्यवस्था स्थापित करें।
12. इकाई से जनित हैजार्डस वेस्ट, सालिड वेस्ट, ई-वेस्ट आदि का सेग्रिगेशन स्रोत पर ही किया जाये तथा भण्डारण एवं निस्तारण हैजार्डस वेस्ट रूल्स, म्यूनिसिपल सालिड वेस्ट रूल्स एवं ई-वेस्ट रूल्स के अनुसार ही किया जायेगा।
13. इकाई में निर्माण के दौरान जनित उत्सर्जकों के नियंत्रण हेतु तथा धरेलू उत्प्रवाह को निस्तारण हेतु उचित प्रबन्ध करना अनिवार्य होगा।
14. परियोजना में प्रस्तावानुसार एवं यथा संभव खाली स्थलों पर हरितपट्टिका का विकास किया जाना अनिवार्य है।
15. डी0जी0 सेंट से जनित निष्पयोग्य लुत्रिकेण्ट ऑयल को बोर्ड से अधिकृत (प्राधिकार प्राप्त) रिसाइक्लर को देना सुनिश्चित करें।
16. आकस्मिक दुर्घटना से बचाव हेतु सुरक्षा के समुचित प्रबन्ध करें एवं उक्त के सम्बन्ध में सक्षम विभाग की अनापत्ति प्रमाण पत्र प्राप्त करना अनिवार्य है।
17. निर्माण के दौरान घूल उत्सर्जक से प्रदूषण के रोकथाम हेतु वाटर सिप्रकलिंग की उचित व्यवस्था तथा ध्वनि प्रदूषण के रोकथाम हेतु आवश्यक उपाय किये जायें तथा निर्माण के दौरान प्रस्तावानुसार उचित पर्यावरण प्रबन्ध सुनिश्चित किया जाये।


Meo एचओसी/एचओ आईओटीओ सिटी लखनऊ प्रांति, बक मजरीया कार्म सुल्तानपुर रोड, जिला-लखनऊ।

18. परियोजना हेतु राज्य बोर्ड से पृथक से अनापत्ति प्रमाण पत्र प्राप्त किये बिना हाट मिक्स/रेडी मिक्स/वेट मिक्स प्लाण्ट की स्थापना नहीं की जायेगी।
19. परियोजना में संचालित वाणिज्यिक प्रयोग में प्लास्टिक कैंरी बैग्स का प्रयोग न्यूनतम से न्यूनतम रखा जाये।
20. पर्यावरण एवं वन मंत्रालय भारत सरकार, नई दिल्ली के नोटिफिकेशन दिनांक 14.09.2006 के अनुपालन में पर्यावरणीय स्वीकृति प्राप्त किया जाये।

उपरोक्त शर्तों का अनुपालन न किये जाने की दशा में उद्योग द्वारा प्रेषित बैंक गारन्टी संख्या 00220100002052 Rs. 10,00,000/- बोर्ड के पक्ष में जफ्त की जा सकती है।

कृपया ध्यान दें कि उपर्युक्त लिखित विशिष्ट शर्तों एवं सामान्य शर्तों का प्रमाणी एवं संतोषजनक अनुपालन न करने पर बोर्ड द्वारा निर्गत अनापत्ति प्रमाण पत्र निरस्त कर दिया जाएगा। बोर्ड का अधिकार सुरक्षित है कि अनापत्ति की शर्तों में संशोधन किया जाय अथवा निरस्त कर दिया जाय। उपर्युक्त विशिष्ट एवं सामान्य शर्तों के सम्बन्ध में उद्योग द्वारा इस कार्यालय में दिनांक 31.07.2015 तक प्रथम अनुपालन आख्या अवश्य प्रेषित की जाए। अनुपालन आख्या नियमित प्रेषित की जाए अन्यथा अनापत्ति प्रमाण पत्र निरस्त भी किया जा सकता है।

भवदीय,


सदस्य सचिव


पृष्ठांकन सं०

/ एन. ओ. सी.

तद दिनांक

प्रतिलिपि:

क्षेत्रीय अधिकारी, उ० प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ।


मुख्य पर्यावरण अधिकारी
(सर्किल-5)

टी.सी. - 12, वी. विभूति खण्ड

गोमतीनगर, लखनऊ-226010

दूरभाष 2720831, 2720828, 2720691, 2720681

ई-मेल 2720964

ई-मेल - info@uppcb.com

वेबसाइट: www.uppcb.com

T.C. - 12, V, Vibhuti Khund

Gomti Nagar, Lucknow - 226010

Phone: 2720831, 2720828, 2720691, 2720681

Fax: 0522 - 2720764

Email: info@uppcb.com

Web Site: www.uppcb.com

ANNEXURE-VII

Copy of Consent to Operate



UTTAR PRADESH POLLUTION CONTROL BOARD
Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.com, Website: www.uppcb.com

CONSENT ORDER

Ref No. -
146606/UPPCB/Lucknow(UPPCBRO)/CTO/wate
r/LUCKNOW/2021

Dated : 05/05/2022

To ,

Shri VENUGOPAL RAJESH
M/s HCL IT CITY LUCKNOW PVT LTD
HCL Technology Hub, Chak Gajariya Farms, Sultanpur Road, IT City
Lucknow,LUCKNOW,226002
LUCKNOW

Sub : **Consent under Section 25/26 of The Water (Prevention and control of Pollution) Act, 1974**
(as amended) for discharge of effluent to M/s. HCL IT CITY LUCKNOW PVT LTD

Reference Application No :14624453

Dated :05/05/2022

1. For disposal of effluent into water body or drain or land under The Water (Prevention and control of Pollution) Act,1974 as amended (here in after referred as the act) M/s. HCL IT CITY LUCKNOW PVT LTD is hereby authorized by the board for discharge of their industrial effluent generated through ETP for irrigation/river through drain and disposal of domestic effluent through septic tant/soak pit subject to general and special conditions mentioned in the annexure ,in refrence to their foresaid application .
2. This consent is valid for the period from 01/01/2022 to 31/12/2026 .
3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 27(2) of the Water (Previntion and Controt of Pollution) Act, 1974 as amended .

This consent is being issued with the permission of competent authority .

For and on behalf of U.P. Pollution Control Board

Chief Environmental Officer, Circle-5, UPPCB.

Enclosed : As above
(condition of consent):

Copy to: Regional Officer, UPPCB, Lucknow.

Chief Environmental Officer, Circle-5, UPPCB.

U.P. POLLUTION CONTROL BOARD, LUCKNOW

Annexure to Consent issued to M/s.HCL IT CITY LUCKNOW PVT LTD vide

Consent Order No. 14624453/ Water

Dated : 05/05/2022

CONDITIONS OF CONSENT

1. This consent is valid only for the approved production capacity of Information Technology Hub (HCL Technology Hub).
2. The quantity of maximum daily effluent discharge should not be more than the following :

Effluent Discharge Details			
S.No	Kind of Effluent	Maximum daily discharge,KL/day	Treatment facility and discharge point
1	Domestic	300 KLD	STP

3. Arrangement should be made for collection of water used in process and domestic effluent separately in closed water supply system. The treated domestic and industrial effluent if discharged outside the premises, if meets at the end of final discharge point, arrangement should be made for measurement of effluent and for collecting its sample. Except the effluent informed in the application for consent no other effluent should enter in the said arrangements for collection of effluent. It should also be ensured that domestic effluent should not be discharged in storm water drain .
- 4(a) The domestic effluent should be treated in treatment plant so that the should be in conformity with the following norms dated treated effluent .

Domestic Effluent		
S.No	Parameter	Standard
1	Quantity of Discharge	Achieve the standard specified in the notification issued by MoEF & CC vide GSR 1265 (E) dated 13-10-2017 in the time period as specified in the notification & treated water shall be used in flushing/horticulture etc.

- 4(b). The industrial effluent should be treated in treatment plant so that the treated effluent should be in conformity with the following norms. .

Industrial Effluent		
S.No	Parameter	Standard

5. Effluent generated in all the processes, bleed water, cooling effluent and the effluent generated from washing of floor and equipments etc should be treated before its disposal with treated industrial effluent so that it should be according to the norms prescribed under The Environment (Protection) Act,1986 or otherwise mandatory .
6. The other pollutant for which norms have not been prescribed, the same should not be more than the norms prescribed for the water used in manufacturing process of the industry .
7. The method for collecting industrial and domestic effluent and its analysis should be as per legal Indian standards and its subsequent amendments/standards prescribed under The Environment (Protection) Act, 1986.
8. The treated domestic and industrial effluent be mixed (as per the provisions of Condition No. 2) and disposed of on one disposal point. This common effluent disposal point should have arrangement for flow meter/V Notch for measuring effluent and its log book be maintained .
9. The Unit will file the renewal application at least 2 months prior to the expiry of this Order.

Specific Conditions:

1. This consent is valid for M/s HCL IT City, HCL Technology Hub, Chack Gajaria Farms, Sultanpur Road, IT City, Lucknow. In Case of any changes, enhancement etc., No Objection Certificate shall be obtained from the Board.
2. The unit shall ensure to operate the installed Sewage Treated Plant (600 KLD) in such a manner so that it can achieve the standard specified in the notification issued by Ministry of Environment, Forest & Climate Change vide GSR 1265 (E) dated 13-10-2017 in the time period as specified in the notification & treated water shall be used in flushing/horticulture/cooling etc.
3. As per condition no. 02 imposed in the CTE order dated 07.07.2015 issued by the Board, the unit shall installed a STP of 830 KLD capacity and after expansion of STP the unit shall again apply and submit in to the Board.
4. The unit shall obtain NOC from UP Ground Water Department for abstraction of ground water within 03 months and submit in the Board.
5. The Order issued by Hon`ble Courts/Hon`ble NGT, MoEF & CC, Central Pollution Control Board, U.P. Pollution Control Board, shall be complied with.
6. Generated hazardous waste shall be stored temporarily in the unit premises and disposed off through authorized TSDF after obtaining the authorization from the Board.
7. The unit shall submit the latest copy of Audited Balance Sheet/C.A. Certificate (Fixed Assets+ Current Assets – Current Liabilities) so that the Consent fee payable by the industry may be verified.
8. The treated sewage shall be reused for flushing, cooling and irrigation purpose. Only the surplus sewage shall be discharged in to sewer line with prior permission of competent authority.
9. Sludge generated from STP shall be utilized for composting and manure.
10. The unit shall submit the Environment Statement to the Board on or before 30th September of every year.
11. The unit shall maintained logbook to record daily electricity consumption in STP.
12. The unit shall comply with the provisions of, Environment (Protection) Act 1986, Water (Prevention and Control of Pollution) Act, 1974 as amended, Air (Prevention and Control of Pollution) Act, 1981 as amended, Plastic Waste Management Rules 2016, E- Waste (Management) Rules 2016, Solid Waste Management Rules 2016 & Hazardous and other Waste (Management and Transboundary Movement) Rules 2016 (Whichever is applicable).
13. The industry shall ensure to establish Miyawaki forest as per the GO no. 1011/81-7-2021-09(rit)/2016 dated 13.10.2021 of Deptt. of Environment, forest and climate change UP and submit a Bank Gaurantee of Rs. 2.00 lacs in favour of the Board within a month along with the proposal for proposed Miyawaki plantation.
14. If closure order is issued by CPCB or UPPCB against this defaulting unit, then CTO issued earlier will remain suspended during the closure period and after ensuring the compliance and after revocation of closure order, the CTO will automatically be effective from the date of issuance of closure order revocation, with additional conditions mentioned in the closure revocation order.

Issued with the permission of competent authority .

For and on behalf of U.P. Pollution Control Board .

Chief Environmental Officer, Circle-5, UPPCB.



UTTAR PRADESH POLLUTION CONTROL BOARD
Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.com, Website: www.uppcb.com

CONSENT ORDER

Ref No. -
146617/UPPCB/Lucknow(UPPCBRO)/CTO/air/LUCKNOW/2021

Dated : 05/05/2022

To ,

Shri VENUGOPAL RAJESH
M/s HCL IT CITY LUCKNOW PVT LTD
HCL Technology Hub, Chak Gajariya Farms, Sultanpur Road, IT City
Lucknow,LUCKNOW,226002
LUCKNOW

Sub : Consent under section 21/22 of the Air (Prevention and control of Pollution) Act, 1981 (as amended) to M/s. HCL IT CITY LUCKNOW PVT LTD

Reference Application No. 14626659

Dated : 05/05/2022

1. With reference to the application for consent for emission of air pollutants from the plant of M/s HCL IT CITY LUCKNOW PVT LTD. under Air Act 1981. It is being authorised for said emissions, as per the standards, in environment, by the Board as per enclosed conditions .
2. This consent is valid for the period from 01/01/2022 to 31/12/2026 .
3. Inspite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 21 (6) of the Air (Prevention and Control of Pollution) Act, 1981 as amended.
This consent is being issued with the permission of competent authority .

For and on behalf of U.P. Pollution Control Board

Chief Environmental Officer, Circle-5, UPPCB.

Enclosed : As above
(condition of consent):

Copy to: Regional Officer, UPPCB, Lucknow.

Chief Environmental Officer, Circle-5, UPPCB.

U.P. Pollution Control Board

Dated : 05/05/2022

CONDITIONS OF CONSENT

1. This consent is valid only for the approved production capacity of Information Technology Hub (HCL Technology Hub).
2. This consent is valid only for products and quantity mentioned above. Industry shall obtain prior approval before making any modification in product/ process /fuel/ plant machinery failing which consent would be deemed void.
- 3(a) The maximum rate of emission of flue gas should not be more than the emission norms for the stacks.

3(b) Air Pollution Source Details.

Air Pollution Source Details					
S.No	Air Pollution Source	Type of Fuel	Stack No.	Parameters	Height
1	1500 KVA DG set	HSD	1	Particulate Matter	As per standard
2	1500 KVA DG set	HSD	2	Particulate Matter	As per standard
3	1500 KVA DG set	HSD	3	Particulate Matter	As per standard
4	1500 KVA DG set	HSD	4	Particulate Matter	As per standard
5	1010 KVA DG Set	HSD	5	Particulate Matter	As per standard
6	1010 KVA DG Set	HSD	6	Particulate Matter	As per standard
7	350 KVA DG set	HSD	7	Particulate Matter	As per standard

- 3(c) The emissions by various stacks into the environment should be as per the norms of the Board .

Emission Quality Details Detail			
S.No	Stack No	Parameter	Standard
1	1	Particulate Matter	75 mg/Nm ³
2	2	Particulate Matter	75 mg/Nm ³
3	3	Particulate Matter	75 mg/Nm ³
4	4	Particulate Matter	75 mg/Nm ³
5	5	Particulate Matter	75 mg/Nm ³
6	6	Particulate Matter	75 mg/Nm ³
7	7	Particulate Matter	75 mg/Nm ³

4. Quantity of other pollutants should also be as per the norms prescribed by the Board/MOEF & CC/or otherwise mandatory .
5. The equipment for air pollution control system and monitoring ,as proposed by the industry and approved by the Board should be installed in their premises itself .
6. The modification or installation in the existing pollution control equipments should be done only by prior approval of Board .
7. The operation of air pollution control system and maintenance be done in such a way that the quantity of pollutants should be in accordance with the standards prescribed by the Board/MoEF & CC/or otherwise mandatory .
8. Unit should do provisions for fugitive emissions chimney/stack as per the norms of the Board/MOEF & CC/or otherwise mandatory .

9. The unit should submit the stack emissions monitoring report within one month from issuance of consent order along with the point wise compliance report of the consent order . Further quarterly monitoring report should be submitted .

The Unit will file the renewal application at least 2 months prior to the expiry of this Order.

Specific Conditions:

1. This consent is valid for M/s HCL IT City, HCL Technology Hub, Chack Gajaria Farms, Sultanpur Road, IT City, Lucknow. In Case of any changes, enhancement etc., No Objection Certificate shall be obtained from the Board.

2. Ambient air quality of the area shall be monitored on quarterly basis and report be submitted to the Board.

3. Noise and emission level from the DG sets installed, 4X1500 KVA, 2X1010 KVA and 1X350 KVA shall be within the prescribed norms.

4. The Order issued by Hon'ble Courts/Hon'ble NGT, MoEF & CC, Central Pollution Control Board, U.P. Pollution Control Board, shall be complied with.

5. Generated hazardous waste shall be stored temporarily in the premises and disposed off through authorized TSDF after obtaining the authorization from the Board.

6. The unit shall submit the latest copy of Audited Balance Sheet/C.A. Certificate (Fixed Assets+ Current Assets - Current Liabilities) so that the Consent fee payable by the industry may be verified.

7. The unit shall comply with the conditions of Environmental Clearance dated 06.09.2018 issued by Ministry of Environment, Forest and Climate Change Government of India.

8. The unit shall comply with the provisions of Environment (Protection) Act 1986, Water (Prevention and Control of Pollution) Act, 1974 as amended, Air (Prevention and Control of Pollution) Act, 1981 as amended, Plastic Waste Management Rules 2016, E- Waste (Management) Rules 2016, Solid Waste Management Rules 2016 & Hazardous and other Waste (Management and Transboundary Movement) Rules 2016 (Whichever is applicable).

9. The industry shall ensure to develop Miyawaki forest, so that entire treated effluent may be used for irrigation as per the GO no. 1011/81-7-2021-09(writ)/2016 dated 13.10.2021 of Department of Environment, forest and Climate Change.

10. If closure order is issued by CPCB or UPPCB against any defaulting unit, then CTO issued earlier will remain suspended during the closure period and after ensuring the compliance and after revocation of closure order, the CTO will automatically be effective from the date of issuance of closure order revocation, with additional conditions mentioned in the closure revocation order.

Issued with the permission of competent authority .

For and on behalf of U.P. Pollution Control Board .

Chief Environmental Officer, Circle-5, UPPCB.

ANNEXURE-VIII

Photographs showing mobile toilets at construction site, drinking water facility, canteen facility, crèche etc

Photographs showing mobile toilets, drinking water facility, canteen facility



Photographs of Creche



ANNEXURE-IX

Photographs of the First Aid Facility and
Health care facility

Photographs showing First Aid Facility



Health Care Facility



Annexure -X

Photographs of Greenbelt Development

Photographs of Greenbelt Development





ANNEXURE-XI

Environmental Monitoring Report

TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
 806, Siddarth, 96, Nehru Place,
 New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Amend. No. & Amend. Date

: 02& 17.02.2018

Lab Reference No.

: 230512001 W

Issue Date

: 19/05/2023

Your Reference

: Email

Sample Particulars: Drinking Water sample was collected at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh, on 08/05/2023.

Type of sample	: Drinking Water	Sample Registration Date	: 12/05/2023
Sampling Date	: 08/05/2023	Analysis Starting Date	: 12/05/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 19/05/2023
Quantity received	: 2 Ltr approx.	Tests Required	: Mentioned below
Sample's Location	: Admin Block Area	Sampling Method	: ELPL/III/SOP/20

Test Results

Page 1 of 2

S.No	Test Parameters	Units	Results	IS 10500 : 2012		Test Method
				Acceptable Limit, max.	Permissible Limit in the Absence of Alternate source, max.	
1	Color	Hazen	BDL (DL-5.0)	5	15	IS 3025 (Pt-04)
2	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-05)
3	pH	-	7.95	6.5-8.5	No relaxation	IS 3025 (Pt-11)
4	Taste	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-08)
5	Turbidity	NTU	BDL(DL-1.0)	1	5	IS 3025 (Pt-10)
6	Total Dissolved Solids	mg/l	122	500	2000	IS 3025 (Pt-16)
7	Ammonia (as total ammonia-N)	mg/l	BDL (DL0.5)	0.5	No relaxation	IS 3025 (Pt-34)
8	Anionic Detergents (as MBAS)	mg/l	BDL (DL0.1)	0.2	1.0	Annex K of IS 13428
9	Calcium as Ca	mg/l	10.0	75	200	IS 3025 (Pt-40)
10	Chloramines (as Cl ₂)	mg/l	BDL (DL0.1)	4.0	No relaxation	IS 3025 (Pt-26)
11	Chloride as Cl	mg/l	9.8	250	1000	IS 3025 (Pt-32)
12	Fluoride as F	mg/l	0.08	1.0	1.5	APHA 23 rd Ed 4500F
13	Free Residual Chlorine	mg/l	BDL (DL0.05)	0.2	1	IS 3025 (Pt-26)
14	Nitrate as NO ₃	mg/l	BDL(DL-1.0)	45	No relaxation	IS 3025 (Pt-34)
15	Phenolic Compounds (as C ₆ H ₅ OH)	mg/l	BDL (DL 0.001)	0.001	0.002	IS 3025 (Pt-43)
16	Sulphate as SO ₄	mg/l	BDL(DL5.0)	200	400	IS 3025 (Pt-24)
17	Sulphide (as H ₂ S)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-29)
18	Total Alkalinity as CaCO ₃	mg/l	50	200	600	IS 3025 (Pt-23)
19	Total Hardness as CaCO ₃	mg/l	85	200	600	IS 3025 (Pt-21)
20	Cyanide (as CN)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-27)
21	Aluminum (as Al)	mg/l	BDL(DL 0.01)	0.03	0.2	APHA23 rd Ed.3120B
22	Barium (as Ba)	mg/l	BDL (DL 0.1)	0.7	No relaxation	APHA23 rd Ed.3120B

Sneh Smita
 Checked By
 (SNEH SMITA)

Purushottam Sharma
 Authorized Signatory
 (PURUSHOTTAM SHARMA)



TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
806, Siddarth, 96, Nehru Place,
New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Amend. No. & Amend. Date

: 02& 17.02.2018

Lab Reference No.

: 230512001 W

Issue Date

: 19/05/2023

Your Reference

: Email

Sample Particulars: Drinking Water sample was collected at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh, on 08/05/2023.

Type of sample	: Drinking Water	Sample Registration Date	: 12/05/2023
Sampling Date	: 08/05/2023	Analysis Starting Date	: 12/05/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 19/05/2023
Quantity received	: 2 Ltr approx.	Tests Required	: Mentioned below
Sample's Location	: Admin Block Area	Sampling Method	: ELPL/III/SOP/20

Test Results

Page 2 of 2

S.No	Test Parameters	Units	Results	IS 10500 : 2012		Test Method
				Acceptable Limit, max.	Permissible Limit in the Absence of Alternate source, max.	
23	Boron (as B)	mg/l	BDL (DL 0.1)	0.5	2.4	APHA 23 rd Ed.3120B
24	Copper (as Cu)	mg/l	BDL (DL 0.02)	0.05	1.5	APHA 23 rd Ed.3120B
25	Iron as (Fe)	mg/l	BDL (DL 0.05)	1.0	No relaxation	IS 3052 (Pt-53)
26	Magnesium as (Mg)	mg/l	14.5	30	100	APHA 23 rd Ed.3500 B
27	Manganese as (Mn)	mg/l	BDL (DL 0.05)	0.1	0.3	APHA 23 rd Ed.3120B
28	Selenium (as Se)	mg/l	BDL (DL 0.01)	0.01	No relaxation	APHA 23 rd Ed.3120B
29	Silver (as Ag)	mg/l	BDL (DL 0.05)	0.1	No relaxation	APHA 23 rd Ed.3120B
30	Zinc (as Zn)	mg/l	BDL (DL 0.05)	5	15	APHA 23 rd Ed.3120B
31	Cadmium (as Cd)	mg/l	BDL (DL 0.001)	0.003	No relaxation	APHA 23 rd Ed.3120B
32	Lead (as Pb)	mg/l	BDL (DL 0.005)	0.01	No relaxation	APHA 23 rd Ed.3120B
33	Mercury (as Hg)	mg/l	BDL(DL0.001)	0.001	No relaxation	APHA 23 rd Ed.3120B
34	Molybdenum (as MO)	mg/l	BDL (DL 0.05)	0.07	No relaxation	APHA 23 rd Ed.3120B
35	Nickel (as Ni)	mg/l	BDL(DL0.01)	0.02	No relaxation	APHA 23 rd Ed.3120B
36	Total Arsenic (as As)	mg/l	BDL(DL 0.01)	0.01	No relaxation	APHA 23 rd Ed.3120B
37	Total Chromium (as Cr)	mg/l	BDL(DL 0.03)	0.05	No relaxation	APHA 23 rd Ed.3120B

*****END OF REPORT*****

BDL: Below Detection Limit

DL: Detection Limit

Sneh Smita
Checked By
(SNEH SMITA)

Purushottam Sharma
Authorized Signatory
(PURUSHOTTAM SHARMA)



TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
 806, Siddarth, 96, Nehru Place,
 New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Amend. No. & Amend. Date

: 02& 17.02.2018

Lab Reference No.

: 230512002 W

Issue Date

: 19/05/2023

Your Reference

: Email

Sample Particulars: Borewell Water sample was collected at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh., on 08/05/2023.

Type of sample	: Borewell Water	Sample Registration Date	: 12/05/2023
Sampling Date	: 08/05/2023.	Analysis Starting Date	: 12/05/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 19/05/2023
Quantity received	: 2 Ltr approx.	Tests Required	: Mentioned below
Sample's Location	: Admin Block Area	Sampling Method	: ELPL/III/SOP/20

Test results

S.No	Test Parameters	Units	Results	IS 10500 : 2012		Test Method
				Acceptable Limit, max.	Permissible Limit in the Absence of Alternate source, max.	
1	Color	Hazen	BDL (DL-5.0)	5	15	IS 3025 (Pt-04)
2	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-05)
3	pH	-	8.02	6.5-8.5	No relaxation	IS 3025 (Pt-11)
4	Taste	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-08)
5	Turbidity	NTU	BDL(DL-1.0)	1	5	IS 3025 (Pt-10)
6	Total Dissolved Solids	mg/l	423	500	2000	IS 3025 (Pt-16)
7	Ammonia (as total ammonia-N)	mg/l	BDL (DL0.5)	0.5	No relaxation	IS 3025 (Pt-34)
8	Anionic Detergents (as MBAS)	mg/l	BDL (DL0.1)	0.2	1.0	Annex K of IS 13428
9	Calcium as Ca	mg/l	44.0	75	200	IS 3025 (Pt-40)
10	Chloramines (as Cl ₂)	mg/l	BDL (DL0.1)	4.0	No relaxation	IS 3025 (Pt-26)
11	Chloride as Cl	mg/l	12.3	250	1000	IS 3025 (Pt-32)
12	Fluoride as F	mg/l	0.50	1.0	1.5	APHA 23 rd Ed 4500F
13	Free Residual Chlorine	mg/l	BDL (DL0.05)	0.2	1	IS 3025 (Pt-26)
14	Nitrate as NO ₃	mg/l	BDL(DL-1.0)	45	No relaxation	IS 3025 (Pt-34)
15	Phenolic Compounds (as C ₆ H ₅ OH)	mg/l	BDL (DL 0.001)	0.001	0.002	IS 3025 (Pt-43)
16	Sulphate as SO ₄	mg/l	65.9	200	400	IS 3025 (Pt-24)
17	Sulphide (as H ₂ S)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-29)
18	Total Alkalinity as CaCO ₃	mg/l	225	200	600	IS 3025 (Pt-23)
19	Total Hardness as CaCO ₃	mg/l	280	200	600	IS 3025 (Pt-21)
20	Cyanide (as CN)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-27)
21	Aluminum (as Al)	mg/l	BDL(DL 0.01)	0.03	0.2	APHA23 rd Ed.3120B
22	Barium (as Ba)	mg/l	BDL (DL 0.1)	0.7	No relaxation	APHA23 rd Ed.3120B

Sneh Smita
 Checked By
 (SNEH SMITA)

Purushottam Sharma
 Authorized Signatory
 (PURUSHOTTAM SHARMA)



TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
 806, Siddarth, 96, Nehru Place,
 New Delhi- 110019

Doc No. : ELPL/IV/QF/20
 Lab Reference No. : 230512002 W
 Issue Date : 19/05/2023
 Your Reference : Email

Amend. No. & Amend. Date : 02& 17.02.2018

Sample Particulars: Borewell Water sample was collected at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh., on 08/05/2023.

Type of sample	: Borewell Water	Sample Registration Date	: 12/05/2023
Sampling Date	: 08/05/2023.	Analysis Starting Date	: 12/05/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 19/05/2023
Quantity received	: 2 Ltr approx.	Tests Required	: Mentioned below
Sample's Location	: Admin Block Area	Sampling Method	: ELPL/III/SOP/20

Test results

S.No	Test Parameters	Units	Results	IS 10500 : 2012		Test Method
				Acceptable Limit, max.	Permissible Limit in the Absence of Alternate source, max.	
23	Boron (as B)	mg/l	BDL (DL 0.1)	0.5	2.4	APHA 23 rd Ed.3120B
24	Copper (as Cu)	mg/l	BDL(DL 0.02)	0.05	1.5	APHA 23 rd Ed. 3120B
25	Iron as Fe	mg/l	BDL (DL 0.05)	1.0	No relaxation	IS 3052 (Pt-53)
26	Magnesium as Mg	mg/l	41.3	30	100	APHA 23 rd Ed.3500 B
27	Manganese as Mn	mg/l	BDL (DL 0.05)	0.1	0.3	APHA 23 rd Ed.3120B
28	Selenium (as Se)	mg/l	BDL (DL 0.01)	0.01	No relaxation	APHA 23 rd Ed.3120B
29	Silver (as Ag)	mg/l	BDL (DL 0.05)	0.1	No relaxation	APHA 23 rd Ed.3120B
30	Zinc (as Zn)	mg/l	BDL (DL 0.05)	5	15	APHA 23 rd Ed.3120B
31	Cadmium (as Cd)	mg/l	BDL (DL 0.001)	0.003	No relaxation	APHA 23 rd Ed.3120B
32	Lead (as Pb)	mg/l	BDL (DL 0.005)	0.01	No relaxation	APHA 23 rd Ed.3120B
33	Mercury (as Hg)	mg/l	BDL(DL 0.001)	0.001	No relaxation	APHA 23 rd Ed.3120B
34	Molybdenum (as MO)	mg/l	BDL (DL 0.05)	0.07	No relaxation	APHA 23 rd Ed.3120B
35	Nickel (as Ni)	mg/l	BDL(DL 0.01)	0.02	No relaxation	APHA 23 rd Ed.3120B
36	Total Arsenic (as As)	mg/l	BDL(DL 0.01)	0.01	No relaxation	APHA 23 rd Ed.3120B
37	Total Chromium (as Cr)	mg/l	BDL(DL 0.03)	0.05	No relaxation	APHA 23 rd Ed.3120B

*****END OF REPORT*****

BDL: Below Detection Limit
 DL: Detection Limit

Sneha Smita
 Checked By
 (SNEH SMITA)

Purushottam Sharma
 Authorized Signatory
 (PURUSHOTTAM SHARMA)



TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
 806, Siddarth, 96, Nehru Place,
 New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Amend. No. & Amend. Date

: 02& 17.02.2018

Lab Reference No.

: 230512003 W

Issue Date

: 19/05/2023

Your Reference

: Email

Sample Particulars: Borewell Water sample was collected at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh, on 08/05/2023.

Type of sample	: Borewell Water	Sample Registration Date	: 12/05/2023
Sampling Date	: 08/05/2023	Analysis Starting Date	: 12/05/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 19/05/2023
Quantity received	: 2 Ltr approx.	Tests Required	: Mentioned below
Sample's Location	: None SEZ SDC-2 Area	Sampling Method	: ELPL/III/SOP/20

Test Results

Page 1 of 2

S.No	Test Parameters	Units	Results	IS 10500 : 2012		Test Method
				Acceptable Limit, max.	Permissible Limit in the Absence of Alternate source, max.	
1	Color	Hazen	BDL (DL-5.0)	5	15	IS 3025 (Pt-04)
2	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-05)
3	pH	-	7.62	6.5-8.5	No relaxation	IS 3025 (Pt-11)
4	Taste	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-08)
5	Turbidity	NTU	BDL(DL-1.0)	1	5	IS 3025 (Pt-10)
6	Total Dissolved Solids	mg/l	412	500	2000	IS 3025 (Pt-16)
7	Ammonia (as total ammonia-N)	mg/l	BDL (DL0.5)	0.5	No relaxation	IS 3025 (Pt-34)
8	Anionic Detergents (as MBAS)	mg/l	BDL (DL0.1)	0.2	1.0	Annex K of IS 13428
9	Calcium as Ca	mg/l	34.0	75	200	IS 3025 (Pt-40)
10	Chloramines (as Cl ₂)	mg/l	BDL (DL0.1)	4.0	No relaxation	IS 3025 (Pt-26)
11	Chloride as Cl	mg/l	9.8	250	1000	IS 3025 (Pt-32)
12	Fluoride as F	mg/l	0.46	1.0	1.5	APHA 23 rd Ed 4500F
13	Free Residual Chlorine	mg/l	BDL (DL0.05)	0.2	1	IS 3025 (Pt-26)
14	Nitrate as NO ₃	mg/l	BDL(DL-1.0)	45	No relaxation	IS 3025 (Pt-34)
15	Phenolic Compounds (as C ₆ H ₅ OH)	mg/l	BDL (DL 0.001)	0.001	0.002	IS 3025 (Pt-43)
16	Sulphate as SO ₄	mg/l	70.2	200	400	IS 3025 (Pt-24)
17	Sulphide (as H ₂ S)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-29)
18	Total Alkalinity as CaCO ₃	mg/l	210	200	600	IS 3025 (Pt-23)
19	Total Hardness as CaCO ₃	mg/l	255	200	600	IS 3025 (Pt-21)
20	Cyanide (as CN)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-27)
21	Aluminum (as Al)	mg/l	BDL(DL 0.01)	0.03	0.2	APHA23 rd Ed.3120B
22	Barium (as Ba)	mg/l	BDL (DL 0.1)	0.7	No relaxation	APHA23 rd Ed.3120B

Sneh Smita
 Checked By
 (SNEH SMITA)

Purushottam Sharma
 Authorized Signatory
 (PURUSHOTTAM SHARMA)

TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
 806, Siddarth, 96, Nehru Place,
 New Delhi- 110019

Doc No. : ELPL/IV/QF/20
 Lab Reference No. : 230512003 W
 Issue Date : 19/05/2023
 Your Reference : Email
 Amend. No. & Amend. Date : 02& 17.02.2018

Sample Particulars: Borewell Water sample was collected at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh, on 08/05/2023.

Type of sample	: Borewell Water	Sample Registration Date	: 12/05/2023
Sampling Date	: 08/05/2023	Analysis Starting Date	: 12/05/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 19/05/2023
Quantity received	: 2 Ltr approx.	Tests Required	: Mentioned below
Sample's Location	: None SEZ SDC-2 Area	Sampling Method	: ELPL/III/SOP/20

Test Results

S.No	Test Parameters	Units	Results	IS 10500 : 2012		Test Method
				Acceptable Limit, max.	Permissible Limit in the Absence of Alternate source, max.	
23	Boron (as B)	mg/l	BDL (DL 0.1)	0.5	2.4	APHA 23 rd Ed.3120B
24	Copper (as Cu)	mg/l	BDL(DL 0.02)	0.05	1.5	APHA 23 rd Ed. 3120B
25	Iron as Fe	mg/l	BDL (DL 0.05)	1.0	No relaxation	IS 3052 (Pt-53)
26	Magnesium as Mg	mg/l	41.3	30	100	APHA 23 rd Ed.3500 B
27	Manganese as Mn	mg/l	BDL (DL 0.05)	0.1	0.3	APHA 23 rd Ed.3120B
28	Selenium (as Se)	mg/l	BDL (DL 0.01)	0.01	No relaxation	APHA 23 rd Ed.3120B
29	Silver (as Ag)	mg/l	BDL (DL 0.05)	0.1	No relaxation	APHA 23 rd Ed.3120B
30	Zinc (as Zn)	mg/l	BDL (DL 0.05)	5	15	APHA 23 rd Ed.3120B
31	Cadmium (as Cd)	mg/l	BDL (DL 0.001)	0.003	No relaxation	APHA 23 rd Ed.3120B
32	Lead (as Pb)	mg/l	BDL (DL 0.005)	0.01	No relaxation	APHA 23 rd Ed.3120B
33	Mercury (as Hg)	mg/l	BDL(DL0.001)	0.001	No relaxation	APHA 23 rd Ed.3120B
34	Molybdenum (as MO)	mg/l	BDL (DL 0.05)	0.07	No relaxation	APHA 23 rd Ed.3120B
35	Nickel (as Ni)	mg/l	BDL(DL0.01)	0.02	No relaxation	APHA 23 rd Ed.3120B
36	Total Arsenic (as As)	mg/l	BDL(DL 0.01)	0.01	No relaxation	APHA 23 rd Ed.3120B
37	Total Chromium (as Cr)	mg/l	BDL(DL 0.03)	0.05	No relaxation	APHA 23 rd Ed.3120B

*****END OF REPORT*****

BDL: Below Detection Limit
 DL: Detection Limit

Sneh Smita
 Checked By
 (SNEH SMITA)

Purushottam Sharma
 Authorized Signatory
 (PURUSHOTTAM SHARMA)



TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
 806, Siddarth, 96, Nehru Place,
 New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Amend. No. & Amend. Date

: 02& 17.02.2018

Lab Reference No.

: 230512004 W

Issue Date

: 19/05/2023

Your Reference

: Email

Sample Particulars: Borewell water sample was collected at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh., on 08/05/2023.

Type of sample	: Borewell Water	Sample Registration Date	: 12/05/2023
Sampling Date	: 08/05/2023	Analysis Starting Date	: 12/05/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 19/05/2023
Quantity received	: 2 Ltr approx.	Tests Required	: Mentioned below
Sample's Location	: IT 01 Back Side Area	Sampling Method	: ELPL/III/SOP/20

Test Results

Page 1 of 2

S.No	Test Parameters	Units	Results	IS 10500 : 2012		Test Method
				Acceptable Limit, max.	Permissible Limit in the Absence of Alternate source, max.	
1	Color	Hazen	BDL (DL-5.0)	5	15	IS 3025 (Pt-04)
2	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-05)
3	pH	-	7.64	6.5-8.5	No relaxation	IS 3025 (Pt-11)
4	Taste	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-08)
5	Turbidity	NTU	BDL(DL-1.0)	1	5	IS 3025 (Pt-10)
6	Total Dissolved Solids	mg/l	402	500	2000	IS 3025 (Pt-16)
7	Ammonia (as total ammonia-N)	mg/l	BDL (DL-0.5)	0.5	No relaxation	IS 3025 (Pt-34)
8	Anionic Detergents (as MBAS)	mg/l	BDL (DL-0.1)	0.2	1.0	Annex K of IS 13428
9	Calcium as Ca	mg/l	36.0	75	200	IS 3025 (Pt-40)
10	Chloramines (as Cl ₂)	mg/l	BDL (DL-0.1)	4.0	No relaxation	IS 3025 (Pt-26)
11	Chloride as Cl	mg/l	12.3	250	1000	IS 3025 (Pt-32)
12	Fluoride as F	mg/l	0.41	1.0	1.5	APHA 23 rd Ed 4500F
13	Free Residual Chlorine	mg/l	BDL (DL0.05)	0.2	1	IS 3025 (Pt-26)
14	Nitrate as NO ₃	mg/l	BDL(DL-1.0)	45	No relaxation	IS 3025 (Pt-34)
15	Phenolic Compounds (as C ₆ H ₅ OH)	mg/l	BDL (DL 0.001)	0.001	0.002	IS 3025 (Pt-43)
16	Sulphate as SO ₄	mg/l	69.8	200	400	IS 3025 (Pt-24)
17	Sulphide (as H ₂ S)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-29)
18	Total Alkalinity as CaCO ₃	mg/l	180	200	600	IS 3025 (Pt-23)
19	Total Hardness as CaCO ₃	mg/l	240	200	600	IS 3025 (Pt-21)
20	Cyanide (as CN)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-27)
21	Aluminum (as Al)	mg/l	BDL(DL 0.01)	0.03	0.2	APHA23 rd Ed.3120B
22	Barium (as Ba)	mg/l	BDL (DL 0.1)	0.7	No relaxation	APHA23 rd Ed.3120B

Sneh Smita
 Checked By
 (SNEH SMITA)

Purushottam Sharma
 Authorized Signatory
 (PURUSHOTTAM SHARMA)



TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
 806, Siddarth, 96, Nehru Place,
 New Delhi- 110019

Doc No. : ELPL/IV/QF/20
 Amend. No. & Amend. Date : 02& 17.02.2018
 Lab Reference No. : 230512004 W
 Issue Date : 19/05/2023
 Your Reference : Email

Sample Particulars: Borewell water sample was collected at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh., on 08/05/2023.

Type of sample	: Borewell Water	Sample Registration Date	: 12/05/2023
Sampling Date	: 08/05/2023	Analysis Starting Date	: 12/05/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 19/05/2023
Quantity received	: 2 Ltr approx.	Tests Required	: Mentioned below
Sample's Location	: IT 01 Back Side Area	Sampling Method	: ELPL/III/SOP/20

Test Results

Page 2 of 2

S.No	Test Parameters	Units	Results	IS 10500 : 2012		Test Method
				Acceptable Limit, max.	Permissible Limit in the Absence of Alternate source, max.	
23	Boron (as B)	mg/l	BDL (DL 0.1)	0.5	2.4	APHA 23 rd Ed.3120B
24	Copper (as Cu)	mg/l	BDL(DL 0.02)	0.05	1.5	APHA 23 rd Ed. 3120B
25	Iron as Fe	mg/l	BDL (DL 0.05)	1.0	No relaxation	IS 3052 (Pt-53)
26	Magnesium as Mg	mg/l	36.4	30	100	APHA 23 rd Ed.3500 B
27	Manganese as Mn	mg/l	BDL (DL 0.05)	0.1	0.3	APHA 23 rd Ed.3120B
28	Selenium (as Se)	mg/l	BDL (DL 0.01)	0.01	No relaxation	APHA 23 rd Ed.3120B
29	Silver (as Ag)	mg/l	BDL (DL 0.05)	0.1	No relaxation	APHA 23 rd Ed.3120B
30	Zinc (as Zn)	mg/l	BDL (DL 0.05)	5	15	APHA 23 rd Ed.3120B
31	Cadmium (as Cd)	mg/l	BDL (DL 0.001)	0.003	No relaxation	APHA 23 rd Ed.3120B
32	Lead (as Pb)	mg/l	BDL (DL 0.005)	0.01	No relaxation	APHA 23 rd Ed.3120B
33	Mercury (as Hg)	mg/l	BDL(DL0.001)	0.001	No relaxation	APHA 23 rd Ed.3120B
34	Molybdenum (as MO)	mg/l	BDL (DL 0.05)	0.07	No relaxation	APHA 23 rd Ed.3120B
35	Nickel (as Ni)	mg/l	BDL(DL0.01)	0.02	No relaxation	APHA 23 rd Ed.3120B
36	Total Arsenic (as As)	mg/l	BDL(DL 0.01)	0.01	No relaxation	APHA 23 rd Ed.3120B
37	Total Chromium (as Cr)	mg/l	BDL(DL 0.03)	0.05	No relaxation	APHA 23 rd Ed.3120B

*****END OF REPORT*****

BDL: Below Detection Limit
 DL: Detection Limit

Sneh Smita
 Checked By
 (SNEH SMITA)

Purushottam Sharma
 Authorized Signatory
 (PURUSHOTTAM SHARMA)



TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
 806, Siddarth, 96, Nehru Place,
 New Delhi- 110019

Doc No. : ELPL/IV/QF/20
 Lab Reference No. : 230512005 W
 Issue Date : 19/05/2023
 Your Reference : Email
 Amend. No. & Amend. Date : 02& 17.02.2018

Sample Particulars: Borewell water sample was collected at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh., on 08/05/2023.

Type of sample	: Borewell Water	Sample Registration Date	: 12/05/2023
Sampling Date	: 08/05/2023	Analysis Starting Date	: 12/05/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 19/05/2023
Quantity received	: 2 Ltr approx.	Tests Required	: Mentioned below
Sample's Location	: IT-03 Back side Area	Sampling Method	: ELPL/III/SOP/20

Test Results

Page 1 of 2

S.No	Test Parameters	Units	Results	IS 10500 : 2012		Test Method
				Acceptable Limit, max.	Permissible Limit in the Absence of Alternate source, max.	
1	Color	Hazen	BDL (DL-5.0)	5	15	IS 3025 (Pt-04)
2	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-05)
3	pH	-	7.45	6.5-8.5	No relaxation	IS 3025 (Pt-11)
4	Taste	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-08)
5	Turbidity	NTU	BDL(DL-1.0)	1	5	IS 3025 (Pt-10)
6	Total Dissolved Solids	mg/l	436	500	2000	IS 3025 (Pt-16)
7	Ammonia (as total ammonia-N)	mg/l	BDL (DL0.5)	0.5	No relaxation	IS 3025 (Pt-34)
8	Anionic Detergents (as MBAS)	mg/l	BDL (DL0.1)	0.2	1.0	Annex K of IS 13428
9	Calcium as Ca	mg/l	42.0	75	200	IS 3025 (Pt-40)
10	Chloramines (as Cl ₂)	mg/l	BDL (DL0.1)	4.0	No relaxation	IS 3025 (Pt-26)
11	Chloride as Cl	mg/l	17.2	250	1000	IS 3025 (Pt-32)
12	Fluoride as F	mg/l	0.39	1.0	1.5	APHA 23 rd Ed 4500F
13	Free Residual Chlorine	mg/l	BDL (DL0.05)	0.2	1	IS 3025 (Pt-26)
14	Nitrate as NO ₃	mg/l	BDL(DL-1.0)	45	No relaxation	IS 3025 (Pt-34)
15	Phenolic Compounds (as C ₆ H ₅ OH)	mg/l	BDL (DL 0.001)	0.001	0.002	IS 3025 (Pt-43)
16	Sulphate as SO ₄	mg/l	77.8	200	400	IS 3025 (Pt-24)
17	Sulphide (as H ₂ S)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-29)
18	Total Alkalinity as CaCO ₃	mg/l	245	200	600	IS 3025 (Pt-23)
19	Total Hardness as CaCO ₃	mg/l	285	200	600	IS 3025 (Pt-21)
20	Cyanide (as CN)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-27)
21	Aluminum (as Al)	mg/l	BDL(DL 0.01)	0.03	0.2	APHA23 rd Ed.3120B
22	Barium (as Ba)	mg/l	BDL (DL 0.1)	0.7	No relaxation	APHA23 rd Ed.3120B

Sneh Smita
 Checked By
 (SNEH SMITA)

Purushottam Sharma
 Authorized Signatory
 (PURUSHOTTAM SHARMA)



TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
 806, Siddarth, 96, Nehru Place,
 New Delhi- 110019

Doc No. : ELPL/IV/QF/20
 Lab Reference No. : 230512005 W
 Issue Date : 19/05/2023
 Your Reference : Email
 Amend. No. & Amend. Date : 02& 17.02.2018

Sample Particulars: Borewell water sample was collected at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh., on 08/05/2023.

Type of sample	: Borewell Water	Sample Registration Date	: 12/05/2023
Sampling Date	: 08/05/2023	Analysis Starting Date	: 12/05/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 19/05/2023
Quantity received	: 2 Ltr approx.	Tests Required	: Mentioned below
Sample's Location	: IT-03 Back side Area	Sampling Method	: ELPL/III/SOP/20

Test Results

S.No	Test Parameters	Units	Results	IS 10500 : 2012		Test Method
				Acceptable Limit, max.	Permissible Limit in the Absence of Alternate source, max.	
23	Boron (as B)	mg/l	BDL (DL 0.1)	0.5	2.4	APHA 23 rd Ed.3120B
24	Copper (as Cu)	mg/l	BDL(DL 0.02)	0.05	1.5	APHA 23 rd Ed. 3120B
25	Iron as Fe	mg/l	BDL (DL 0.05)	1.0	No relaxation	IS 3052 (Pt-53)
26	Magnesium as Mg	mg/l	43.7	30	100	APHA 23 rd Ed.3500 B
27	Manganese as Mn	mg/l	BDL (DL 0.05)	0.1	0.3	APHA 23 rd Ed.3120B
28	Selenium (as Se)	mg/l	BDL (DL 0.01)	0.01	No relaxation	APHA 23 rd Ed.3120B
29	Silver (as Ag)	mg/l	BDL (DL 0.05)	0.1	No relaxation	APHA 23 rd Ed.3120B
30	Zinc (as Zn)	mg/l	BDL (DL 0.05)	5	15	APHA 23 rd Ed.3120B
31	Cadmium (as Cd)	mg/l	BDL (DL 0.001)	0.003	No relaxation	APHA 23 rd Ed.3120B
32	Lead (as Pb)	mg/l	BDL (DL 0.005)	0.01	No relaxation	APHA 23 rd Ed.3120B
33	Mercury (as Hg)	mg/l	BDL(DL0.001)	0.001	No relaxation	APHA 23 rd Ed.3120B
34	Molybdenum (as MO)	mg/l	BDL (DL 0.05)	0.07	No relaxation	APHA 23 rd Ed.3120B
35	Nickel (as Ni)	mg/l	BDL(DL0.01)	0.02	No relaxation	APHA 23 rd Ed.3120B
36	Total Arsenic (as As)	mg/l	BDL(DL 0.01)	0.01	No relaxation	APHA 23 rd Ed.3120B
37	Total Chromium (as Cr)	mg/l	BDL(DL 0.03)	0.05	No relaxation	APHA 23 rd Ed.3120B

*****END OF REPORT*****

BDL: Below Detection Limit
 DL: Detection Limit

Sneh Smita
 Checked By
 (SNEH SMITA)

Purushottam Sharma
 Authorized Signatory
 (PURUSHOTTAM SHARMA)



TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
 806, Siddarth, 96, Nehru Place,
 New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Amend. No. & Amend. Date

: 02& 17.02.2018

Lab Reference No.

: 230512006 W

Issue Date

: 19/05/2023

Your Reference

: Email

Sample Particulars: Borewell water sample was collected at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh., on 08/05/2023.

Type of sample	: Borewell Water	Sample Registration Date	: 12/05/2023
Sampling Date	: 08/05/2023	Analysis Starting Date	: 12/05/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 19/05/2023
Quantity received	: 2 Ltr approx.	Tests Required	: Mentioned below
Sample's Location	: IT -02 Back Side Area	Sampling Method	: ELPL/III/SOP/20

Test Results

Page 1 of 2

S.No	Test Parameters	Units	Results	IS 10500 : 2012		Test Method
				Acceptable Limit, max.	Permissible Limit in the Absence of Alternate source, max.	
1	Color	Hazen	BDL (DL-5.0)	5	15	IS 3025 (Pt-04)
2	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-05)
3	pH	-	7.51	6.5-8.5	No relaxation	IS 3025 (Pt-11)
4	Taste	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-08)
5	Turbidity	NTU	BDL(DL-1.0)	1	5	IS 3025 (Pt-10)
6	Total Dissolved Solids	mg/l	440	500	2000	IS 3025 (Pt-16)
7	Ammonia (as total ammonia-N)	mg/l	BDL (DL0.5)	0.5	No relaxation	IS 3025 (Pt-34)
8	Anionic Detergents (as MBAS)	mg/l	BDL (DL0.1)	0.2	1.0	Annex K of IS 13428
9	Calcium as Ca	mg/l	44.0	75	200	IS 3025 (Pt-40)
10	Chloramines (as Cl ₂)	mg/l	BDL (DL0.1)	4.0	No relaxation	IS 3025 (Pt-26)
11	Chloride as Cl	mg/l	14.3	250	1000	IS 3025 (Pt-32)
12	Fluoride as F	mg/l	0.42	1.0	1.5	APHA 23 rd Ed 4500F
13	Free Residual Chlorine	mg/l	BDL (DL0.05)	0.2	1	IS 3025 (Pt-26)
14	Nitrate as NO ₃	mg/l	BDL(DL-1.0)	45	No relaxation	IS 3025 (Pt-34)
15	Phenolic Compounds (as C ₆ H ₅ OH)	mg/l	BDL (DL 0.001)	0.001	0.002	IS 3025 (Pt-43)
16	Sulphate as SO ₄	mg/l	70.0	200	400	IS 3025 (Pt-24)
17	Sulphide (as H ₂ S)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-29)
18	Total Alkalinity as CaCO ₃	mg/l	240	200	600	IS 3025 (Pt-23)
19	Total Hardness as CaCO ₃	mg/l	285	200	600	IS 3025 (Pt-21)
20	Cyanide (as CN)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-27)
21	Aluminum (as Al)	mg/l	BDL(DL 0.01)	0.03	0.2	APHA23 rd Ed.3120B
22	Barium (as Ba)	mg/l	BDL (DL 0.1)	0.7	No relaxation	APHA23 rd Ed.3120B

Sneha Smita
 Checked By
 (SNEH SMITA)

Purushottam Sharma
 Authorized Signatory
 (PURUSHOTTAM SHARMA)

TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
806, Siddarth, 96, Nehru Place,
New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Amend. No. & Amend. Date

: 02& 17.02.2018

Lab Reference No.

: 230512006 W

Issue Date

: 19/05/2023

Your Reference

: Email

Sample Particulars: Borewell water sample was collected at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh., on 08/05/2023.

Type of sample	: Borewell Water	Sample Registration Date	: 12/05/2023
Sampling Date	: 08/05/2023	Analysis Starting Date	: 12/05/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 19/05/2023
Quantity received	: 2 Ltr approx.	Tests Required	: Mentioned below
Sample's Location	: IT -02 Back Side Area	Sampling Method	: ELPL/III/SOP/20

Test Results

Page 2 of 2

S.No	Test Parameters	Units	Results	IS 10500 : 2012		Test Method
				Acceptable Limit, max.	Permissible Limit in the Absence of Alternate source, max.	
23	Boron (as B)	mg/l	BDL (DL 0.1)	0.5	2.4	APHA 23 rd Ed.3120B
24	Copper (as Cu)	mg/l	BDL(DL 0.02)	0.05	1.5	APHA 23 rd Ed. 3120B
25	Iron as Fe	mg/l	BDL (DL 0.05)	1.0	No relaxation	IS 3052 (PI-53)
26	Magnesium as Mg	mg/l	42.5	30	100	APHA 23 rd Ed. 3500 B
27	Manganese as Mn	mg/l	BDL (DL 0.05)	0.1	0.3	APHA 23 rd Ed.3120B
28	Selenium (as Se)	mg/l	BDL (DL 0.01)	0.01	No relaxation	APHA 23 rd Ed.3120B
29	Silver (as Ag)	mg/l	BDL (DL 0.05)	0.1	No relaxation	APHA 23 rd Ed.3120B
30	Zinc (as Zn)	mg/l	BDL (DL 0.05)	5	15	APHA 23 rd Ed.3120B
31	Cadmium (as Cd)	mg/l	BDL (DL 0.001)	0.003	No relaxation	APHA 23 rd Ed.3120B
32	Lead (as Pb)	mg/l	BDL (DL 0.005)	0.01	No relaxation	APHA 23 rd Ed.3120B
33	Mercury (as Hg)	mg/l	BDL(DL0.001)	0.001	No relaxation	APHA 23 rd Ed.3120B
34	Molybdenum (as MO)	mg/l	BDL (DL 0.05)	0.07	No relaxation	APHA 23 rd Ed.3120B
35	Nickel (as Ni)	mg/l	BDL(DL0.01)	0.02	No relaxation	APHA 23 rd Ed.3120B
36	Total Arsenic (as As)	mg/l	BDL(DL 0.01)	0.01	No relaxation	APHA 23 rd Ed.3120B
37	Total Chromium (as Cr)	mg/l	BDL(DL 0.03)	0.05	No relaxation	APHA 23 rd Ed.3120B

*****END OF REPORT*****

BDL: Below Detection Limit
DL: Detection Limit

Sneh Smita
Checked By
(SNEH SMITA)

Purushottam Sharma
Authorized Signatory
(PURUSHOTTAM SHARMA)

TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
806, Siddarth, 96, Nehru Place,
New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Lab Reference No.

Issue Date

Your Reference

Amend. No. & Amend.

Date : 02 & 17.02.2018

: 230512007 W

: 19/05/2023

: Email

Sample Particulars: STP Inlet water sample was collected from "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh, on 08/05/2023.

Type of sample	: STP Inlet	Sample Registration Date	: 12/05/2023
Sampling Date	: 08/05/2023	Analysis Starting Date	: 12/05/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 19/05/2023
Quantity received	: 2 Ltr approx.	Tests Required	: Mentioned below
Sample's Location	: STP Plant Room	Sampling Method	: ELPL/III/SOP/20

Test Results

Page 1 of 1

S.No.	Test Parameters	Units	Results	Test Method
1	pH	-	6.92	IS 3025 (P-11)
2	Oil and grease	mg/l	21	IS 3025 (P-39)
3	Biochemical oxygen demand as BOD at 27°C for 3 days	mg/l	170	IS 3025 (P-44)
4	Chemical oxygen demand as COD	mg/l	392	IS 3025 (P-58)
5	Total suspended solids as TSS	mg/l	98	IS 3025 (P-17)

*****END OF REPORT*****

Sneh Smita
Checked By
(SNEH SMITA)

Purushottam Sharma
Authorized Signatory
(PURUSHOTTAM SHARMA)



TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
806, Siddarth, 96, Nehru Place,
New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Amend. No. & Amend.

Date : : 02 & 17.02.2018

Lab Reference No.

: 230512008 W

Issue Date

: 19/05/2023

Your Reference

: Email

Sample Particulars: STP Outlet water sample was collected from "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh, on 08/05/2023.

Type of sample	: STP Outlet	Sample Registration Date	: 12/05/2023
Sampling Date	: 08/05/2023	Analysis Starting Date	: 12/05/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 19/05/2023
Quantity received	: 2 Ltr approx.	Tests Required	: Mentioned below
Sample's Location	: STP Plant Room	Sampling Method	: ELPL/III/SOP/20

Test Results

Page 1 of 1

S.No.	Test Parameters	Units	Results	As Per EP Rules, 1986,Max	Test Method
1	pH	-	7.12	5.5-9.0	IS 3025 (P-11)
2	Oil and grease	mg/l	BDL (DL-2.0)	10	IS 3025 (P-39)
3	Biochemical oxygen demand as BOD at 27°C for 3 days	mg/l	3.4	30	IS 3025 (P-44)
4	Chemical oxygen demand as COD	mg/l	16	250	IS 3025 (P-58)
5	Total suspended solids as TSS	mg/l	9.0	100	IS 3025 (P-17)

*****END OF REPORT*****

BDL= Below detection limit

DL = Detection limit

Sneh Smita
Checked By
(SNEH SMITA)

Purushottam Sharma
Authorized Signatory
(PURUSHOTTAM SHARMA)



TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
 806, Siddarth, 96, Nehru Place,
 New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Lab Reference No.

Issue Date

Your Reference

Amend. No. & Amend.
 Date : 02 & 17.02.2018

: 230512009 S

: 19/05/2023

: Email
 (Page1of 1)

Sample Particulars: Soil sample was collected from "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh, on 09/05/2023.

Type of sample	: Soil	Sample Registration Date	: 12/05/2023
Sampling Date	: 09/05/2023	Analysis Starting Date	: 12/05/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 19/05/2023
Quantity received	: 1 Kg approx.	Tests Required	: Mentioned below
Sample's Location	: Project Office Area(Garden)	Sampling Method	: Grab Method

Test Results

Page 1 of 1

S.No.	Test Parameters	Unit	Result	Test Method
1	pH (1:5)	-	8.45	IS 2720(P-26):1987
2	Conductivity (1:5)	µmhos/cm	349	IS 14767:2000
3	Color	-	Light Brown	ELPL/III/SOP/54
4	Texture	-	Sandy Clay Loam	
	Silt	%	13	
	Clay	%	38	ELPL/III/SOP/51
	Sand	%	49	
5	Sodium Absorption Ratio	-	0.49	ELPL/III/SOP/52
6	Cation Exchange Capacity	Meq/100gm	33.16	ELPL/III/SOP/50
7	Porosity	%	41	ELPL/III/SOP/63
8	Water Holding Capacity	%	38	ELPL/III/SOP/41
9	Bulk Density	gm/cc	1.28	ELPL/III/SOP/40
10	Chloride as Cl	mg/kg	442.5	ELPL/III/SOP/46
11	Calcium as Ca	mg/kg	5561	ELPL/III/SOP/42
12	Sodium as Na	mg/kg	144.9	ELPL/III/SOP/44
13	Potassium as K	mg/kg	105	ELPL/III/SOP/45
14	Magnesium as Mg	mg/kg	557.9	ELPL/III/SOP/43
15	Organic matter	%	0.56	IS 2720(P-22):1972
16	Available Nitrogen	mg/kg	134.1	ELPL/III/SOP/49
17	Phosphorous	mg/kg	98	ELPL/III/SOP/47

*****END OF REPORT*****

Sneha Smita
 Checked By
 (SNEH SMITA)

Purushottam Sharma
 Authorized Signatory
 (PURUSHOTTAM SHARMA)

TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
 806, Siddarth, 96, Nehru Place,
 New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Lab Reference No.

Issue Date

Your Reference

Amend. No. & Amend.

Date : 02 & 17.02.2018

: 230512010 S

: 19/05/2023

: Email

(Page 1 of 1)

Sample Particulars: Soil sample was collected from "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh, on 09/05/2023.

Type of sample	: Soil	Sample Registration Date	: 12/05/2023
Sampling Date	: 09/05/2023	Analysis Starting Date	: 12/05/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 19/05/2023
Quantity received	: 1 Kg approx.	Tests Required	: Mentioned below
Sample's Location	: None SEZ Area (Garden)	Sampling Method	: Grab Method

Test Results				Page 1 of 1
S.No.	Test Parameters	Unit	Result	Test Method
1	pH (1:5)	-	8.17	IS 2720(P-26):1987
2	Conductivity (1:5)	µmhos/cm	335	IS 14767:2000
3	Color	-	Light Brown	ELPL/III/SOP/54
4	Texture		Sandy Clay Loam	
	Silt	%	11	
	Clay	%	38	ELPL/III/SOP/51
	Sand	%	51	
5	Sodium Absorption Ratio	-	0.34	ELPL/III/SOP/52
6	Cation Exchange Capacity	Meq/100gm	46.18	ELPL/III/SOP/50
7	Porosity	%	42	ELPL/III/SOP/63
8	Water Holding Capacity	%	41	ELPL/III/SOP/41
9	Bulk Density	gm/cc	1.33	ELPL/III/SOP/40
10	Chloride as Cl	mg/kg	2065	ELPL/III/SOP/46
11	Calcium as Ca	mg/kg	8253	ELPL/III/SOP/42
12	Sodium as Na	mg/kg	120	ELPL/III/SOP/44
13	Potassium as K	mg/kg	150	ELPL/III/SOP/45
14	Magnesium as Mg	mg/kg	510	ELPL/III/SOP/43
15	Organic matter	%	0.48	IS 2720(P-22): 1972
16	Available Nitrogen	mg/kg	120	ELPL/III/SOP/49
17	Phosphorous	mg/kg	94	ELPL/III/SOP/47

*****END OF REPORT*****


 Checked By
 (SNEH SMITA)


 Authorized Signatory
 (PURUSHOTTAM SHARMA)

TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
 806, Siddarth, 96, Nehru Place,
 New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Lab Reference No.

Issue Date

Your Reference

Amend. No. & Amend.
 Date : 02 & 17.02.2018

: 230512011 E

: 19/05/2023

: Email

(Page 1 of 1)

Sample Particulars: DG Stack monitoring was done at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh., on 09/05/2023.

Type of sample	: DG Stack	Sample Registration Date	: 12/05/2023
Sampling Date	: 09/05/2023	Analysis Starting Date	: 12/05/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 18/05/2023
Quantity received	: 01 Sample	Tests Required	: Mentioned below
Sample's Location	: DG Room	Sampling Method	: ELPL/III/SOP/32

DG Capacity	: 1200 KW (1500 KVA)
Source of Emission	: Stack attached to DG Set -1
DG Engine Number	: 25417922
Make & Model	: Cummins & KTA-50-G8-1
Type of fuel used	: HSD
Type of Stack	: Round
Operating Schedule	: As per requirement
Diameter of Stack (m)	: 0.3
Height of Stack from Ground level (m)	: 50
Height of Stack from roof level (m)	: -
Time of sampling (minutes)	: 39
Ambient Temperature (k)	: 311
Stack Temperature (k)	: 416
Average velocity of flue emission (m/s)	: 8.83
Isokinetic flow rate (l/m)	: 25.85
Flue gas flow rate (Nm ³ /hr.)	: 2093.9
Control Measures (if any)	: Nil
Remark (If any)	: Nil

S.no.	Test Parameters	Results	Units	Test Method	Emission Limits as per EP Rules
1.	Particulate Matter(PM)	69.4	mg/Nm ³	IS 11255(P-1)	75
2.	Sulphur Dioxide(SO ₂)	71.1	mg/Nm ³	IS 11255(P-2)	Not specified
3.	Oxides of Nitrogen(NO ₂)	296	ppmv	IS 11255(P-7)	710
4.	Hydrocarbon(HC) as CH ₄	31	mg/Nm ³	IS 5182(P-17)	100
5.	Carbon monoxide(CO)	45	mg/Nm ³	IS 13270:1992	150

*****END OF REPORT*****


 Checked By
 (SNEH SMITA)


 Authorized Signatory
 (PURUSHOTTAM SHARMA)



TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
806, Siddarth, 96, Nehru Place,
New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Lab Reference No.

Issue Date

Your Reference

**Amend. No. & Amend.
Date :** 02 & 17.02.2018

: 230512012 DN

: 19/05/2023

: Email

(Page1of 1)

Sample Particulars: DG Noise monitoring was done at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh., on 09/05/2023.

Type of sample	: DG Noise	Sample Registration Date	: 12/05/2023
Sampling Date	: 09/05/2023	Testing Starting Date	: 12/05/2023
Sampling Done by	: Lab representative	Testing Completion Date	: 13/05/2023
Quantity received	: 01 Sample	Tests Required	: Mentioned below
Sample's Location	: DG Room	Sampling Method	: ELPL/III/SOP/37
Details of DG Set	: Capacity- 1500 KVA DG Engine Number- 25417922 DG Make & Model- Cummins & KTA-50-G8-1		


Test Results

S.no.	Description	Unit	Result	CPCB Norm	Test Method
1.	D.G. Room (Inside the room) sound level pressure	dB(A)	100.8	-	ELPL/III/SOP/37
2	D.G. Room (Closed door outside the room) Sound level Pressure	dB(A)	73.2	75	ELPL/III/SOP/37
3	Insertion Loss	dB(A)	27.6	25	ELPL/III/SOP/37

*****END OF REPORT*****

Four D.G sets capacity each1500 KVA are kept in D.G. room at the time of monitoring one D.G. set capacity 1500 KVA was running.


Checked By
(SNEH SMITA)


Authorized Signatory
(PURUSHOTTAM SHARMA)

TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
 806, Siddarth, 96, Nehru Place,
 New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Lab Reference No.

Issue Date

Your Reference

Amend. No. & Amend.

Date : 02 & 17.02.2018

: 230512013 E

: 19/05/2023

: Email

(Page1of 1)

Sample Particulars: DG Stack monitoring was done at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh., on 09/05/2023.

Type of sample	: DG Stack	Sample Registration Date	: 12/05/2023
Sampling Date	: 09/05/2023	Analysis Starting Date	: 12/05/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 18/05/2023
Quantity received	: 01 Sample	Tests Required	: Mentioned below
Sample's Location	: DG Room	Sampling Method	: ELPL/III/SOP/32

DG Capacity : 1200 KW (1500 KVA)
 Source of Emission : Stack attached to DG Set -2
 DG Engine Number : 25417923
 Make & Model : Cummins & KTA-50-G8-1
 Type of fuel used : HSD
 Type of Stack : Round
 Operating Schedule : As per requirement
 Diameter of Stack (m) : 0.3
 Height of Stack from Ground level (m) : 50
 Height of Stack from roof level (m) : -
 Time of sampling (minutes) : -
 Ambient Temperature (k) : 311
 Stack Temperature (k) : 412
 Average velocity of flue emission (m/s) : 8.79
 Isokinetic flow rate (l/m) : 25.98
 Flue gas flow rate (Nm³/hr.) : 2084.3
 Control Measures (if any) : Nil
 Remark (If any) : Nil

S.no.	Test Parameters	Results	Units	Test Method	Emission Limits as per EP Rules
1.	Particulate Matter(PM)	70.6	mg/Nm ³	IS 11255(P-1)	75
2.	Sulphur Dioxide(SO ₂)	74.2	mg/Nm ³	IS 11255(P-2)	Not specified
3.	Oxides of Nitrogen(NO ₂)	302	ppmv	IS 11255(P-7)	710
4.	Hydrocarbon(HC) as CH ₄	33	mg/Nm ³	IS 5182(P-17)	100
5.	Carbon monoxide(CO)	48	mg/Nm ³	IS 13270:1992	150

*****END OF REPORT*****

Sneh Smita
 Checked By
 (SNEH SMITA)

Purushottam Sharma
 Authorized Signatory
 (PURUSHOTTAM SHARMA)

TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
806, Siddarth, 96, Nehru Place,
New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Lab Reference No.

Issue Date

Your Reference

**Amend. No. & Amend.
Date :** 02 & 17.02.2018

: 230512014 DN

: 19/05/2023

: Email

(Page1of 1)

Sample Particulars: DG Noise monitoring was done at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh., on 09/05/2023.

Type of sample	: DG Noise	Sample Registration Date	: 12/05/2023
Sampling Date	: 09/05/2023	Testing Starting Date	: 12/05/2023
Sampling Done by	: Lab representative	Testing Completion Date	: 13/05/2023
Quantity received	: 01 Sample	Tests Required	: Mentioned below
Sample's Location	: DG Room	Sampling Method	: ELPL/III/SOP/37
Details of DG Set	: Capacity- 1500 KVA DG Engine Number- 25417923 DG Make & Model- Cummins & KTA-50-G8-1		

Test Results

S.no.	Description	Unit	Result	GPCB Norm	Test Method
1.	D.G. Room (Inside the room) sound level pressure	dB(A)	99.6	-	ELPL/III/SOP/37
2	D.G. Room (Closed door outside the room) Sound level Pressure	dB(A)	71.8	75	ELPL/III/SOP/37
3	Insertion Loss	dB(A)	27.8	25	ELPL/III/SOP/37

*****END OF REPORT*****

Four D.G sets capacity each1500 KVA are kept in D.G. room at the time of monitoring one D.G. set capacity 1500 KVA was running.


Checked By
(SNEH SMITA)


Authorized Signatory
(PURUSHOTTAM SHARMA)

TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
 806, Siddarth, 96, Nehru Place,
 New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Lab Reference No.

Issue Date

Your Reference

Amend. No. & Amend.

Date : 02 & 17.02.2018

: 230512015 E

: 19/05/2023

: Email

(Page1of 1)

Sample Particulars: DG Stack monitoring was done at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh., on 09/05/2023.

Type of sample	: DG Stack	Sample Registration Date	: 12/05/2023
Sampling Date	: 09/05/2023	Analysis Starting Date	: 12/05/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 18/05/2023
Quantity received	: 01 Sample	Tests Required	: Mentioned below
Sample's Location	: DG Room	Sampling Method	: ELPL/III/SOP/32

DG Capacity	: 1200 KW (1500 KVA)
Source of Emission	: Stack attached to DG Set -4
DG Engine Number	: 25417819
Make & Model	: Cummins & KTA-50-G8-1
Type of fuel used	: HSD
Type of Stack	: Round
Operating Schedule	: As per requirement
Diameter of Stack (m)	: 0.3
Height of Stack from Ground level (m)	: 50
Height of Stack from roof level (m)	: -
Time of sampling (minutes)	: 38
Ambient Temperature (k)	: 311
Stack Temperature (k)	: 408
Average velocity of flue emission (m/s)	: 8.84
Isokinetic flow rate (l/m)	: 26.39
Flue gas flow rate (Nm ³ /hr.)	: 2096.2
Control Measures (if any)	: Nil
Remark (If any)	: Nil

S.no.	Test Parameters	Results	Units	Test Method	Emission Limits as per EP Rules
1.	Particulate Matter(PM)	70.4	mg/Nm ³	IS 11255(P-1)	75
2.	Sulphur Dioxide(SO ₂)	72.0	mg/Nm ³	IS 11255(P-2)	Not specified
3.	Oxides of Nitrogen(NO ₂)	306	ppmv	IS 11255(P-7)	710
4.	Hydrocarbon(HC) as CH ₄	29	mg/Nm ³	IS 5182(P-17)	100
5.	Carbon monoxide(CO)	48	mg/Nm ³	IS 13270:1992	150

*****END OF REPORT*****

Sneh Smita
 Checked By
 (SNEH SMITA)

Purushottam Sharma
 Authorized Signatory
 (PURUSHOTTAM SHARMA)



TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
806, Siddarth, 96, Nehru Place,
New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Lab Reference No.

Issue Date

Your Reference

Amend. No. & Amend.
Date : 02 & 17.02.2018

: 230512016 DN

: 19/05/2023

: Email

(Page 1 of 1)

Sample Particulars: DG Noise monitoring was done at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh, on 09/05/2023.

Type of sample	: DG Noise	Sample Registration Date	: 12/05/2023
Sampling Date	: 09/05/2023	Testing Starting Date	: 12/05/2023
Sampling Done by	: Lab representative	Testing Completion Date	: 13/05/2023
Quantity received	: 01 Sample	Tests Required	: Mentioned below
Sample's Location	: DG Room	Sampling Method	: ELPL/III/SOP/37
Details of DG Set	: Capacity- 1500 KVA DG Engine Number- 25417819 DG Make & Model- Cummins & KTA-50-G8-1		

Test Results

S.no.	Description	Unit	Result	CPCB Norm	Test Method
1.	D.G. Room (Inside the room) sound level pressure	dB(A)	97.9	-	ELPL/III/SOP/37
2	D.G. Room (Closed door outside the room) Sound level Pressure	dB(A)	71.5	75	ELPL/III/SOP/37
3	Insertion Loss	dB(A)	26.4	25	ELPL/III/SOP/37

*****END OF REPORT*****

Four D.G sets capacity each 1500 KVA are kept in D.G. room at the time of monitoring one D.G. set capacity 1500 KVA was running.


Checked By
(SNEH SMITA)


Authorized Signatory
(PURUSHOTTAM SHARMA)



TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
 806, Siddarth, 96, Nehru Place,
 New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Lab Reference No.

Issue Date

Your Reference

Amend. No. & Amend.

Date : 02 & 17.02.2018

: 230512017 E

: 19/05/2023

: Email

(Page1of 1)

Sample Particulars: DG Stack monitoring was done at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh, on 09/05/2023.

Type of sample	: DG Stack	Sample Registration Date	: 12/05/2023
Sampling Date	: 09/05/2023	Analysis Starting Date	: 12/05/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 18/05/2023
Quantity received	: 01 Sample	Tests Required	: Mentioned below
Sample's Location	: DG Room	Sampling Method	: ELPL/III/SOP/32

DG Capacity	: 1200 KW (1500 KVA)
Source of Emission	: Stack attached to DG Set -3
DG Engine Number	: 25417820
Make & Model	: Cummins & KTA-50-G8-1
Type of fuel used	: HSD
Type of Stack	: Round
Operating Schedule	: As per requirement
Diameter of Stack (m)	: 0.3
Height of Stack from Ground level (m)	: 50
Height of Stack from roof level (m)	: -
Time of sampling (minutes)	: 39
Ambient Temperature (k)	: 311
Stack Temperature (k)	: 414
Average velocity of flue emission (m/s)	: 8.81
Isokinetic flow rate (l/m)	: 25.92
Flue gas flow rate (Nm ³ /hr.)	: 2089
Control Measures (if any)	: Nil
Remark (If any)	: Nil

S.no.	Test Parameters	Results	Units	Test Method	Emission Limits as per EP Rules
1.	Particulate Matter(PM)	72.8	mg/Nm ³	IS 11255(P-1)	75
2.	Sulphur Dioxide(SO ₂)	74.3	mg/Nm ³	IS 11255(P-2)	Not specified
3.	Oxides of Nitrogen(NO ₂)	309	ppmv	IS 11255(P-7)	710
4.	Hydrocarbon(HC) as CH ₄	32	mg/Nm ³	IS 5182(P-17)	100
5.	Carbon monoxide(CO)	49	mg/Nm ³	IS 13270:1992	150

*****END OF REPORT*****


 Checked By
 (SNEH SMITA)


 Authorized Signatory
 (PURUSHOTTAM SHARMA)



TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
806, Siddarth, 96, Nehru Place,
New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Lab Reference No.

Issue Date

Your Reference

Amend. No. & Amend. Date : 02 & 17.02.2018

Issue Date : 19/05/2023

Your Reference : Email

(Page 1 of 1)

Sample Particulars: DG Noise monitoring was done at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh., on 09/05/2023.

Type of sample	: DG Noise	Sample Registration Date	: 12/05/2023
Sampling Date	: 09/05/2023	Testing Starting Date	: 12/05/2023
Sampling Done by	: Lab representative	Testing Completion Date	: 13/05/2023
Quantity received	: 01 Sample	Tests Required	: Mentioned below
Sample's Location	: DG Room	Sampling Method	: ELPL/III/SOP/37
Details of DG Set	: Capacity- 1500 KVA DG Engine Number- 25417820 DG Make & Model- Cummins & KTA-50-G8-1		

Test Results

S.no.	Description	Unit	Result	CPCB Norm	Test Method
1.	D.G. Room (Inside the room) sound level pressure	dB(A)	100.1	-	ELPL/III/SOP/37
2.	D.G. Room (Closed door outside the room) Sound level Pressure	dB(A)	73.3	75	ELPL/III/SOP/37
3.	Insertion Loss	dB(A)	26.8	25	ELPL/III/SOP/37

*****END OF REPORT*****

Four D.G sets capacity each 1500 KVA are kept in D.G. room at the time of monitoring one D.G. set capacity 1500 KVA was running.


Checked By
(SNEH SMITA)


Authorized Signatory
(PURUSHOTTAM SHARMA)



TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
 806, Siddarth, 96, Nehru Place,
 New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Lab Reference No.

Issue Date

Your Reference

Amend. No. & Amend.

Date : 02 & 17.02.2018

: 230512019 E

: 19/05/2023

: Email

(Page1of 1)

Sample Particulars: DG Stack monitoring was done at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh. on 09/05/2023.

Type of sample	: DG Stack	Sample Registration Date	: 12/05/2023
Sampling Date	: 09/05/2023	Analysis Starting Date	: 12/05/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 18/05/2023
Quantity received	: 01 Sample	Tests Required	: Mentioned below
Sample's Location	: DG Room	Sampling Method	: ELPL/III/SOP/32

DG Capacity : 808 KW (1010 KVA)
 Source of Emission : Stack attached to DG Set -1
 DG Engine Number : 25417527
 Make & Model : Cummins & KTA-38-G5
 Type of fuel used : HSD
 Type of Stack : Round
 Operating Schedule : As per requirement
 Diameter of Stack (m) : 0.3
 Height of Stack from Ground level (m) : 30
 Height of Stack from roof level (m) : -
 Time of sampling (minutes) : 39
 Ambient Temperature (k) : 311
 Stack Temperature (k) : 400
 Average velocity of flue emission (m/s) : 8.56
 Isokinetic flow rate (l/m) : 26.06
 Flue gas flow rate (Nm³/hr.) : 2029.9
 Control Measures (if any) : Nil
 Remark (If any) : Nil

S.no.	Test Parameters	Results	Units	Test Method	Emission Limits as per EP Rules
1.	Particulate Matter(PM)	62.4	mg/Nm ³	IS 11255(P-1)	75
2.	Sulphur Dioxide(SO ₂)	69.6	mg/Nm ³	IS 11255(P-2)	Not specified
3.	Oxides of Nitrogen(NO ₂)	292	ppmv	IS 11255(P-7)	710
4.	Hydrocarbon(HC) as CH ₄	25.6	mg/Nm ³	IS 5182(P-17)	100
5.	Carbon monoxide(CO)	39	mg/Nm ³	IS 13270:1992	150

*****END OF REPORT*****


 Checked By
 (SNEH SMITTA)


 Authorized Signatory
 (PURUSHOTTAM SHARMA)



TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
806, Siddarth, 96, Nehru Place,
New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Lab Reference No.

Issue Date

Your Reference

Amend. No. & Amend.

Date : 02 & 17.02.2018

: 230512020 DN

: 19/05/2023

: Email

(Page1of 1)

Sample Particulars: DG Noise monitoring was done at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh., on 09/05/2023.


Type of sample	: DG Noise	Sample Registration Date	: 12/05/2023
Sampling Date	: 09/05/2023	Testing Starting Date	: 12/05/2023
Sampling Done by	: Lab representative	Testing Completion Date	: 13/05/2023
Quantity received	: 01 Sample	Tests Required	: Mentioned below
Sample's Location	: DG Room	Sampling Method	: ELPL/III/SOP/37
Details of DG Set	: Capacity- 1010 KVA DG Engine Number- 25417527 DG Make & Model- Cummins & KTA-38-G5		

Test Results

S.no.	Description	Unit	Result	CPCB Norm	Test Method
1.	Acoustic enclosure (Open Door) Sound level pressure	dB(A)	97.6	-	ELPL/III/SOP/37
2	Acoustic enclosure (Closed Door) Sound level pressure	dB(A)	72.1	75	ELPL/III/SOP/37
3	Insertion Loss	dB(A)	25.5	25	ELPL/III/SOP/37

*****END OF REPORT*****

Note – Noise Limit for DG Sets (up to 1000 KVA) manufactured on or after 1st January 2005 shall be 75 dB (A) at 1 meter from the enclosure surface, and having insertion loss minimum 25 dB(A).


Checked By
(SNEH SMITA)


Authorized Signatory
(PURUSHOTTAM SHARMA)


TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
 806, Siddarth, 96, Nehru Place,
 New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Lab Reference No.

Issue Date

Your Reference

Amend. No. & Amend.

Date : 02 & 17.02.2018

: 230512021 E

: 19/05/2023

: Email

(Page1of 1)

Sample Particulars: DG Stack monitoring was done at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh., on 09/05/2023.

Type of sample	: DG Stack	Sample Registration Date	: 12/05/2023
Sampling Date	: 09/05/2023	Analysis Starting Date	: 12/05/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 18/05/2023
Quantity received	: 01 Sample	Tests Required	: Mentioned below
Sample's Location	: DG Room	Sampling Method	: ELPL/III/SOP/32

DG Capacity	: 304 KW (380 KVA)
Source of Emission	: Stack attached to DG Set -2
DG Engine Number	: 25417808
Make & Model	: Cummins & QSN-14-G2
Type of fuel used	: HSD
Type of Stack	: Round
Operating Schedule	: As per requirement
Diameter of Stack (m)	: 0.3
Height of Stack from Ground level (m)	: 30
Height of Stack from roof level (m)	: -
Time of sampling (minutes)	: 36
Ambient Temperature (k)	: 311
Stack Temperature (k)	: 338
Average velocity of flue emission (m/s)	: 7.78
Isokinetic flow rate (l/m)	: 28.04
Flue gas flow rate (Nm ³ /hr.)	: 1844.8
Control Measures (if any)	: Nil
Remark (If any)	: Nil

S.no.	Test Parameters	Results	Units	Test Method	Emission Limits as per EP Rules
1.	Particulate Matter(PM)	0.13	g/kw-hr	IS 11255(P-1)	≤ 0.2
2.	Sulphur Dioxide(SO ₂)	0.59	g/kw-hr	IS 11255(P-2)	Not specified
3.	Oxides of Nitrogen(NO ₂)	1.51	g/kw-hr	IS 11255(P-7)	≤ 4.0
4.	Hydrocarbon(HC) as CH ₄	0.32	g/kw-hr	IS 5182(P-17)	
5.	Carbon monoxide(CO)	0.46	g/kw-hr	IS 13270:1992	≤ 3.5

*****END OF REPORT*****


 Checked By
 (SNEH SMITA)


 Authorized Signatory
 (PURUSHOTTAM SHARMA)



TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
 806, Siddarth, 96, Nehru Place,
 New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Amend. No. & Amend. Date

: 02 & 17.02.2018

Lab Reference No.

: 230512022 DN

Issue Date

: 19/05/2023

Your Reference

: Email

(Page1of 1)

Sample Particulars: DG Noise monitoring was done at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh., on 09/05/2023.

Type of sample	: DG Noise	Sample Registration Date	: 12/05/2023
Sampling Date	: 09/05/2023	Testing Starting Date	: 12/05/2023
Sampling Done by	: Lab representative	Testing Completion Date	: 13/05/2023
Quantity received	: 01 Sample	Tests Required	: Mentioned below
Sample's Location	: DG Room	Sampling Method	: ELPL/III/SOP/37
Details of DG Set	: Capacity- 380 KVA DG Engine Number- 25417808 DG Make&Model- Cummins & QSN-14-G2		

Test Results

S.no.	Description	Unit	Result	CPCB Norm	Test Method
1.	Acoustic enclosure (Open Door) Sound level pressure	dB(A)	96.4	-	ELPL/III/SOP/37
2	Acoustic enclosure (Closed Door) Sound level pressure	dB(A)	70.8	75	ELPL/III/SOP/37
3	Insertion Loss	dB(A)	25.6	25	ELPL/III/SOP/37

*****END OF REPORT*****

Note – Noise Limit for DG Sets (up to 1000 KVA) manufactured on or after 1st January 2005 shall be 75 dB (A) at 1 meter from the enclosure surface, and having insertion loss minimum 25 dB(A).


Checked By
 (SNEH SMITA)


Authorized Signatory
 (PURUSHOTTAM SHARMA)



TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
 806, Siddarth, 96, Nehru Place,
 New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Lab Reference No.

Issue Date

Your Reference

Amend. No. & Amend.

Date : 02 & 17.02.2018

: 230512023 E

: 19/05/2023

: Email

(Page1of 1)

Sample Particulars: DG Stack monitoring was done at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh., on 09/05/2023.

Type of sample	: DG Stack	Sample Registration Date	: 12/05/2023
Sampling Date	: 09/05/2023	Analysis Starting Date	: 12/05/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 18/05/2023
Quantity received	: 01 Sample	Tests Required	: Mentioned below
Sample's Location	: DG Room	Sampling Method	: ELPL/III/SOP/32

DG Capacity : 808 KW (1010 KVA)
 Source of Emission : Stack attached to DG Set -3
 DG Engine Number : 25434061
 Make & Model : Cummins & KTA-38-G5
 Type of fuel used : HSD
 Type of Stack : Round
 Operating Schedule : As per requirement
 Diameter of Stack (m) : 0.3
 Height of Stack from Ground level (m) : 30
 Height of Stack from roof level (m) : -
 Time of sampling (minutes) : 39
 Ambient Temperature (k) : 311
 Stack Temperature (k) : 399
 Average velocity of flue emission (m/s) : 8.45
 Isokinetic flow rate (l/m) : 25.79
 Flue gas flow rate (Nm³/hr.) : 2003.7
 Control Measures (if any) : Nil
 Remark (If any) : Nil

S.no.	Test Parameters	Results	Units	Test Method	Emission Limits as per EP Rules
1.	Particulate Matter(PM)	64.1	mg/Nm ³	IS 11255(P-1)	75
2.	Sulphur Dioxide(SO ₂)	71.2	mg/Nm ³	IS 11255(P-2)	Not specified
3.	Oxides of Nitrogen(NO ₂)	292	ppmv	IS 11255(P-7)	710
4.	Hydrocarbon(HC) as CH ₄	26.2	mg/Nm ³	IS 5182(P-17)	100
5.	Carbon monoxide(CO)	49.8	mg/Nm ³	IS 13270:1992	150

*****END OF REPORT*****

Sneh Smita
 Checked By
 (SNEH SMITA)


 Authorized Signatory
 (PURUSHOTTAM SHARMA)

TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
 806, Siddarth, 96, Nehru Place,
 New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Lab Reference No.

Issue Date

Your Reference

Amend. No. & Amend. Date

: 02 & 17.02.2018

: 230512024 DN

: 19/05/2023

: Email

(Page 1 of 1)

Sample Particulars: DG Noise monitoring was done at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh., on 08/05/2023.

Type of sample	: DG Noise	Sample Registration Date	: 12/05/2023
Sampling Date	: 08/05/2023	Testing Starting Date	: 12/05/2023
Sampling Done by	: Lab representative	Testing Completion Date	: 13/05/2023
Quantity received	: 01 Sample	Tests Required	: Mentioned below
Sample's Location	: DG Room	Sampling Method	: ELPL/III/SOP/37
Details of DG Set	: Capacity- 1010 KVA DG Engine Number- 25434061 DG Make & Model- Cummins & KTA-38-G5		

Test Results

S.no.	Description	Unit	Result	CPCB Norm	Test Method
1.	Acoustic enclosure (Open Door) Sound level pressure	dB(A)	93.5	-	ELPL/III/SOP/37
2	Acoustic enclosure (Closed Door) Sound level pressure	dB(A)	68.1	75	ELPL/III/SOP/37
3	Insertion Loss	dB(A)	25.4	25	ELPL/III/SOP/37

*****END OF REPORT*****

Note – Noise Limit for DG Sets (up to 1000 KVA) manufactured on or after 1st January 2005 shall be 75 dB (A) at 1 meter from the enclosure surface, and having insertion loss minimum 25 dB(A).

Sneh Smita
Checked By
 (SNEH SMITA)

Purushottam Sharma
Authorized Signatory
 (PURUSHOTTAM SHARMA)



TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
806, Siddarth, 96, Nehru Place,
New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Lab Reference No.

Issue Date

Your Reference

Amend. No. & Amend.
Date : 02 & 17.02.2018

: 230512025 A

: 19/05/2023

: Email
(Page1of 1)

Sample Particulars: Ambient Air Monitoring was done at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh, from 08/05/2023 to 09/05/2023.

Type of sample	: Ambient Air	Sample Registration Date	: 12/05/2023
Sampling Date	: 08/05/2023 to 09/05/2023	Analysis Starting Date	: 12/05/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 18/05/2023
Quantity received	: 24 Hourly Sample	Tests Required	: Mentioned below
Sample's Location	: Nearby Project Office Area	Sampling Method	: ELPL/III/SOP/21

Test Results

S.No.	Test Parameters	Units	Results	NAAQS	Test Method
1	Particulate Matter as PM ₁₀	µg/m ³	272	100 (24 Hourly)	IS 5182 (Pt-23)
2	Particulate Matter as PM _{2.5}	µg/m ³	168.3	060 (24 Hourly)	ELPL/III/SOP/23
3	Sulphur Dioxide as SO ₂	µg/m ³	20.6	080 (24 Hourly)	IS 5182 (Pt-02)
4	Oxides of Nitrogen as NO ₂	µg/m ³	43.2	080 (24 Hourly)	IS 5182 (Pt-06)
5	Carbon Monoxide as CO	mg/m ³	0.45	002 (08 Hourly)	IS 5182 (Pt-10)

*****END OF REPORT*****

Sneh Smita
Checked By
(SNEH SMITA)

Purushottam Sharma
Authorized Signatory
(PURUSHOTTAM SHARMA)

TEST REPORT

Issued to	Doc No.	Amend. No. & Amend. Date
M/s HCL IT City Lucknow Pvt. Ltd	ELPL/IV/QF/20	: 02 & 17.02.2018
806, Siddarth, 96, Nehru Place,	Lab Reference No.	: 230512026 N
New Delhi- 110019	Issue Date	: 19/05/2023
	Your Reference	: Email
		(Page1of 1)

Sample Particulars: Ambient Noise Monitoring was done at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh, from 08/05/2023 to 09/05/2023.

Type of sample	: Ambient Noise	Sample Registration Date	: 12/05/2023
Sampling Date	: 08/05/2023 to 09/05/2023	Testing Starting Date	: 12/05/2023
Sampling Done by	: Lab representative	Testing Completion Date	: 13/05/2023
Quantity received	: 24 Hourly Sample	Tests Required	: Mentioned below
Sample's Location	: Nearby Project Office Area	Sampling Method	: ELPL/III/SOP/37

Time	Unit	Leq	Method
Day Time(06:00 am to 10:00 pm)	dB(A)	59.6	ELPL/III/SOP/37
Night Time(10:00 pm to 06:00 am)	dB(A)	48.9	ELPL/III/SOP/37

Standards for Ambient Noise As per Noise Pollution (Regulation & Control Rule-2000)			
Area Code	Category of Area/Zone	Limits in dB (A) Leq*	
		Day time	Night time
(A)	Industrial area	75	70
(B)	Commercial area	65	55
(C)	Residential area	55	45
(D)	Silence Zone	50	40

*****END OF REPORT*****

*Leq : It is energy mean of the noise level over a specified period.

Sneh Smita
 Checked By
 (SNEH SMITA)

Purushottam Sharma
 Authorized Signatory
 (PURUSHOTTAM SHARMA)



TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
806, Siddarth, 96, Nehru Place,
New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Lab Reference No.

Issue Date

Your Reference

Amend. No. & Amend.

Date : 02 & 17.02.2018

: 230512027 A

: 19/05/2023

: Email

(Page 1 of 1)


Sample Particulars: Ambient Air Monitoring was done at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh, from 08/05/2023 to 09/05/2023.

Type of sample	: Ambient Air	Sample Registration Date	: 12/05/2023
Sampling Date	: 08/05/2023 to 09/05/2023	Analysis Starting Date	: 12/05/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 18/05/2023
Quantity received	: 24 Hourly Sample	Tests Required	: Mentioned below
Sample's Location	: None SEZ Area Nearby Tower -2	Sampling Method	: ELPL/III/SOP/21

Test Reports

S.No.	Test Parameters	Units	Results	NAAQS	Test Method
1	Particulate Matter as PM ₁₀	µg/m ³	259	100 (24 Hourly)	IS 5182 (Pt-23)
2	Particulate Matter as PM _{2.5}	µg/m ³	148.6	060 (24 Hourly)	ELPL/III/SOP/23
3	Sulphur Dioxide as SO ₂	µg/m ³	18.4	080 (24 Hourly)	IS 5182 (Pt-02)
4	Oxides of Nitrogen as NO ₂	µg/m ³	41.5	080 (24 Hourly)	IS 5182 (Pt-06)
5	Carbon Monoxide as CO	mg/m ³	0.44	002 (08 Hourly)	IS 5182 (Pt-10)

*****END OF REPORT*****


Checked By
(SNEH SMITA)


Authorized Signatory
(PURUSHOTTAM SHARMA)


TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
 806, Siddarth, 96, Nehru Place,
 New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Lab Reference No.

Issue Date

Your Reference

Amend. No. & Amend. Date

: 02 & 17.02.2018

: 230512028 N

: 19/05/2023

: Email

(Page1of 1)

Sample Particulars: Ambient Noise Monitoring was done at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh, from 08/05/2023 to 09/05/2023.


Type of sample	: Ambient Noise	Sample Registration Date	: 12/05/2023
Sampling Date	: 08/05/2023 to 09/05/2023	Testing Starting Date	: 12/05/2023
Sampling Done by	: Lab representative	Testing Completion Date	: 13/05/2023
Quantity received	: 24 Hourly Sample	Tests Required	: Mentioned below
Sample's Location	: Non SEZ Area Nearby Tower-2	Sampling Method	: ELPL/III/SOP/37

Time	Unit	Leq	Method
Day Time(06:00 am to 10:00 pm)	dB(A)	60.2	ELPL/III/SOP/37
Night Time(10:00 pm to 06:00 am)	dB(A)	51.3	ELPL/III/SOP/37

Standards for Ambient Noise As per Noise Pollution (Regulation & Control Rule-2000)			
Area Code	Category of Area/Zone	Limits in dB (A) Leq*	
		Day time	Night time
(A)	Industrial area	75	70
(B)	Commercial area	65	55
(C)	Residential area	55	45
(D)	Silence Zone	50	40

*****END OF REPORT*****

*Leq : It is energy mean of the noise level over a specified period.


 Checked By
 (SNEH SMITA)


 Authorized Signatory
 (PURUSHOTTAM SHARMA)



TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
806, Siddarth, 96, Nehru Place,
New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Lab Reference No.

Issue Date

Your Reference

Amend. No. & Amend.

Date : 02 & 17.02.2018

: 230512029 A

: 19/05/2023

: Email

(Page1of 1)

Sample Particulars: Ambient Air Monitoring was done at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh, from 09/05/2023 to 10/05/2023.

Type of sample	: Ambient Air	Sample Registration Date	: 12/05/2023
Sampling Date	: 09/05/2023 to 10/05/2023	Analysis Starting Date	: 12/05/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 18/05/2023
Quantity received	: 24 Hourly Sample	Tests Required	: Mentioned below
Sample's Location	: Nearby Family Bazar Area	Sampling Method	: ELPL/III/SOP/21

Test Results

S.No.	Test Parameters	Units	Results	NAAQS	Test Method
1	Particulate Matter as PM ₁₀	µg/m ³	277	100 (24 Hourly)	IS 5182 (Pt-23)
2	Particulate Matter as PM _{2.5}	µg/m ³	161.7	060 (24 Hourly)	ELPL/III/SOP/23
3	Sulphur Dioxide as SO ₂	µg/m ³	19.5	080 (24 Hourly)	IS 5182 (Pt-02)
4	Oxides of Nitrogen as NO ₂	µg/m ³	42.3	080 (24 Hourly)	IS 5182 (Pt-06)
5	Carbon Monoxide as CO	mg/m ³	0.43	002 (08 Hourly)	IS 5182 (Pt-10)

*****END OF REPORT*****


Checked By
(SNEH SMITA)


Authorized Signatory
(PURUSHOTTAM SHARMA)

TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
806, Siddarth, 96, Nehru Place,
New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Amend. No. & Amend. Date

: 02 & 17.02.2018

Lab Reference No.

: 230512030 N

Issue Date

: 19/05/2023

Your Reference

: Email

(Page 1 of 1)

Sample Particulars: Ambient Noise Monitoring was done at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh, from 09/05/2023 to 10/05/2023.

Type of sample	: Ambient Noise	Sample Registration Date	: 12/05/2023
Sampling Date	: 09/05/2023 to 10/05/2023	Testing Starting Date	: 12/05/2023
Sampling Done by	: Lab representative	Testing Completion Date	: 13/05/2023
Quantity received	: 24 Hourly Sample	Tests Required	: Mentioned below
Sample's Location	: Nearby Family Bazar- 7	Sampling Method	: ELPL/III/SOP/37

Time	Unit	Leq	Method
Day Time(06:00 am to 10:00 pm)	dB(A)	62.4	ELPL/III/SOP/37
Night Time(10:00 pm to 06:00 am)	dB(A)	53.5	ELPL/III/SOP/37

Standards for Ambient Noise As per Noise Pollution (Regulation & Control Rule-2000)			
Area Code	Category of Area/Zone	Limits in dB (A) Leq*	
		Day time	Night time
(A)	Industrial area	75	70
(B)	Commercial area	65	55
(C)	Residential area	55	45
(D)	Silence Zone	50	40

*****END OF REPORT*****

*Leq : It is energy mean of the noise level over a specified period.

Sneh Smita
Checked By
(SNEH SMITA)

Purushottam Sharma
Authorized Signatory
(PURUSHOTTAM SHARMA)

TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
806, Siddarth, 96, Nehru Place,
New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Lab Reference No.

Issue Date

Your Reference

Amend. No. & Amend.
Date : 02 & 17.02.2018

: 230512031 A

: 19/05/2023

: Email

(Page1of 1)


Sample Particulars: Ambient Air Monitoring was done at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh, from 09/05/2023 to 10/05/2023.

Type of sample	: Ambient Air	Sample Registration Date	: 12/05/2023
Sampling Date	: 09/05/2023 to 10/05/2023	Analysis Starting Date	: 12/05/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 18/05/2023
Quantity received	: 24 Hourly Sample	Tests Required	: Mentioned below
Sample's Location	: Nearby Sample Flat Area	Sampling Method	: ELPL/III/SOP/21

Test Results

S.No.	Test Parameters	Units	Results	NAAQS	Test Method
1	Particulate Matter as PM ₁₀	µg/m ³	240	100 (24 Hourly)	IS 5182 (Pt-23)
2	Particulate Matter as PM _{2.5}	µg/m ³	137.7	060 (24 Hourly)	IS 5182 (Pt-24)
3	Sulphur Dioxide as SO ₂	µg/m ³	18.8	080 (24 Hourly)	IS 5182 (Pt-02)
4	Oxides of Nitrogen as NO ₂	µg/m ³	40.7	080 (24 Hourly)	IS 5182 (Pt-06)
5	Carbon Monoxide as CO	mg/m ³	0.41	002 (08 Hourly)	IS 5182 (Pt-10)

*****END OF REPORT*****


Checked By
(SNEH SMITA)


Authorized Signatory
(PURUSHOTTAM SHARMA)



TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
806, Siddarth, 96, Nehru Place,
New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Amend. No. & Amend. Date

: 02 & 17.02.2018

Lab Reference No.

: 230512032 N

Issue Date

: 19/05/2023

Your Reference

: Email

(Page1of 1)

Sample Particulars: Ambient Noise Monitoring was done at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh, from 09/05/2023 to 10/05/2023.

Type of sample	: Ambient Noise	Sample Registration Date	: 12/05/2023
Sampling Date	: 09/05/2023 to 10/05/2023	Testing Starting Date	: 12/05/2023
Sampling Done by	: Lab representative	Testing Completion Date	: 13/05/2023
Quantity received	: 24 Hourly Sample	Tests Required	: Mentioned below
Sample's Location	: Nearby Sample Flat Area	Sampling Method	: ELPL/III/SOP/37

Time	Unit	Leq	Method
Day Time(06:00 am to 10:00 pm)	dB(A)	61.6	ELPL/III/SOP/37
Night Time(10:00 pm to 06:00 am)	dB(A)	52.2	ELPL/III/SOP/37

Standards for Ambient Noise As per Noise Pollution (Regulation & Control Rule-2000)			
Area Code	Category of Area/Zone	Limits in dB (A) Leq*	
		Day time	Night time
(A)	Industrial area	75	70
(B)	Commercial area	65	55
(C)	Residential area	55	45
(D)	Silence Zone	50	40

*****END OF REPORT*****

*Leq : It is energy mean of the noise level over a specified period.

Sneha Smita
Checked By
(SNEH SMITA)

Purushottam Sharma
Authorized Signatory
(PURUSHOTTAM SHARMA)

TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
806, Siddarth, 96, Nehru Place,
New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Lab Reference No.

Issue Date

Your Reference

Amend. No. & Amend. Date

: 02& 17.02.2018

: 230812001 W

: 19/08/2023

: Email

Sample Particulars: Borewell water sample was collected at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh., on 08/08/2023.

Type of sample	: Borewell Water	Sample Registration Date	: 12/08/2023
Sampling Date	: 08/08/2023	Analysis Starting Date	: 12/08/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 19/08/2023
Quantity received	: 2 Ltr approx.	Tests Required	: Mentioned below
Sample's Location	: IT-02 Area	Sampling Method	: ELPL/III/SOP/20

Test Results

Page 1 of 2

S.No	Test Parameters	Units	Results	IS 10500 : 2012		Test Method
				Acceptable Limit, max.	Permissible Limit in the Absence of Alternate source, max.	
1	Color	Hazen	BDL (DL-5.0)	5	15	IS 3025 (Pt-04)
2	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-05)
3	pH	-	7.54	6.5-8.5	No relaxation	IS 3025 (Pt-11)
4	Taste	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-08)
5	Turbidity	NTU	BDL(DL-1.0)	1	5	IS 3025 (Pt-10)
6	Total Dissolved Solids	mg/l	462	500	2000	IS 3025 (Pt-16)
7	Ammonia (as total ammonia-N)	mg/l	BDL (DL0.5)	0.5	No relaxation	IS 3025 (Pt-34)
8	Anionic Detergents (as MBAS)	mg/l	BDL (DL0.1)	0.2	1.0	Annex K of IS 13428
9	Calcium as Ca	mg/l	38	75	200	IS 3025 (Pt-40)
10	Chloramines (as Cl ₂)	mg/l	BDL (DL0.1)	4.0	No relaxation	IS 3025 (Pt-26)
11	Chloride as Cl	mg/l	14.9	250	1000	IS 3025 (Pt-32)
12	Fluoride as F	mg/l	0.73	1.0	1.5	APHA 23 rd Ed 4500F
13	Free Residual Chlorine	mg/l	BDL (DL0.05)	0.2	1	IS 3025 (Pt-26)
14	Nitrate as NO ₃	mg/l	BDL(DL-1.0)	45	No relaxation	IS 3025 (Pt-34)
15	Phenolic Compounds (as C ₆ H ₅ OH)	mg/l	BDL (DL 0.001)	0.001	0.002	IS 3025 (Pt-43)
16	Sulphate as SO ₄	mg/l	39.0	200	400	IS 3025 (Pt-24)
17	Sulphide (as H ₂ S)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-29)
18	Total Alkalinity as CaCO ₃	mg/l	320	200	600	IS 3025 (Pt-23)
19	Total Hardness as CaCO ₃	mg/l	285	200	600	IS 3025 (Pt-21)
20	Cyanide (as CN)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-27)
21	Aluminum (as Al)	mg/l	BDL(DL 0.01)	0.03	0.2	APHA23 rd Ed.3120B
22	Barium (as Ba)	mg/l	BDL (DL 0.1)	0.7	No relaxation	APHA23 rd Ed.3120B

Sneh Smita
Checked By
(SNEH SMITA)

Authorized Signatory
(PURUSHOTTAM SHARMA)



TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
 806, Siddarth, 96, Nehru Place,
 New Delhi- 110019

Doc No. : ELPL/IV/QF/20
 Lab Reference No. : 230812001 W
 Issue Date : 19/08/2023
 Your Reference : Email

Amend. No. & Amend. Date

: 02& 17.02.2018

: 230812001 W

: 19/08/2023

: Email

Sample Particulars: Borewell water sample was collected at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh., on 08/08/2023.

Type of sample	: Borewell Water	Sample Registration Date	: 12/08/2023
Sampling Date	: 08/08/2023	Analysis Starting Date	: 12/08/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 19/08/2023
Quantity received	: 2 Ltr approx.	Tests Required	: Mentioned below
Sample's Location	: IT-02 Area	Sampling Method	: ELPL/III/SOP/20

Test Results

Page 2 of 2

S.No	Test Parameters	Units	Results	IS 10500 : 2012		Test Method
				Acceptable Limit, max.	Permissible Limit in the Absence of Alternate source, max.	
23	Boron (as B)	mg/l	BDL (DL 0.1)	0.5	2.4	APHA 23 rd Ed.3120B
24	Copper (as Cu)	mg/l	BDL(DL 0.02)	0.05	1.5	APHA 23 rd Ed. 3120B
25	Iron as Fe	mg/l	BDL (DL 0.05)	1.0	No relaxation	IS 3052 (Pt-53)
26	Magnesium as Mg	mg/l	46.17	30	100	APHA 23 rd Ed.3500 B
27	Manganese as Mn	mg/l	BDL (DL 0.05)	0.1	0.3	APHA 23 rd Ed.3120B
28	Selenium (as Se)	mg/l	BDL (DL 0.01)	0.01	No relaxation	APHA 23 rd Ed.3120B
29	Silver (as Ag)	mg/l	BDL (DL 0.05)	0.1	No relaxation	APHA 23 rd Ed.3120B
30	Zinc (as Zn)	mg/l	BDL (DL 0.05)	5	15	APHA 23 rd Ed.3120B
31	Cadmium (as Cd)	mg/l	BDL (DL 0.001)	0.003	No relaxation	APHA 23 rd Ed.3120B
32	Lead (as Pb)	mg/l	BDL (DL 0.005)	0.01	No relaxation	APHA 23 rd Ed.3120B
33	Mercury (as Hg)	mg/l	BDL(DL0.001)	0.001	No relaxation	APHA 23 rd Ed.3120B
34	Molybdenum (as MO)	mg/l	BDL (DL 0.05)	0.07	No relaxation	APHA 23 rd Ed.3120B
35	Nickel (as Ni)	mg/l	BDL(DL0.01)	0.02	No relaxation	APHA 23 rd Ed.3120B
36	Total Arsenic (as As)	mg/l	BDL(DL 0.01)	0.01	No relaxation	APHA 23 rd Ed.3120B
37	Total Chromium (as Cr)	mg/l	BDL(DL 0.03)	0.05	No relaxation	APHA 23 rd Ed.3120B

*****END OF REPORT*****

BDL: Below Detection Limit
 DL: Detection Limit

Snehsmita
 Checked By
 (SNEH SMITA)

Purushottam Sharma
 Authorized Signatory
 (PURUSHOTTAM SHARMA)



TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
806, Siddarth, 96, Nehru Place,
New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Lab Reference No.

Issue Date

Your Reference

Amend. No. & Amend. Date

: 02& 17.02.2018

: 230812002 W

: 19/08/2023

: Email


Sample Particulars: Borewell water sample was collected at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh., on 08/08/2023.

Type of sample	: Borewell Water	Sample Registration Date	: 12/08/2023
Sampling Date	: 08/08/2023	Analysis Starting Date	: 12/08/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 19/08/2023
Quantity received	: 2 Ltr approx.	Tests Required	: Mentioned below
Sample's Location	: Admin Block Area	Sampling Method	: ELPL/III/SOP/20

Test Results

Page 1 of 2

S.No	Test Parameters	Units	Results	IS 10500 : 2012		Test Method
				Acceptable Limit, max.	Permissible Limit in the Absence of Alternate source, max.	
1	Color	Hazen	BDL (DL-5.0)	5	15	IS 3025 (Pt-04)
2	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-05)
3	pH	-	7.55	6.5-8.5	No relaxation	IS 3025 (Pt-11)
4	Taste	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-08)
5	Turbidity	NTU	BDL(DL-1.0)	1	5	IS 3025 (Pt-10)
6	Total Dissolved Solids	mg/l	489	500	2000	IS 3025 (Pt-16)
7	Ammonia (as total ammonia-N)	mg/l	BDL (DL0.5)	0.5	No relaxation	IS 3025 (Pt-34)
8	Anionic Detergents (as MBAS)	mg/l	BDL (DL0.1)	0.2	1.0	Annex K of IS 13428
9	Calcium as Ca	mg/l	42	75	200	IS 3025 (Pt-40)
10	Chloramines (as Cl ₂)	mg/l	BDL (DL0.1)	4.0	No relaxation	IS 3025 (Pt-26)
11	Chloride as Cl	mg/l	9.9	250	1000	IS 3025 (Pt-32)
12	Fluoride as F	mg/l	0.76	1.0	1.5	APHA 23 rd Ed 4500F
13	Free Residual Chlorine	mg/l	BDL (DL0.05)	0.2	1	IS 3025 (Pt-26)
14	Nitrate as NO ₃	mg/l	BDL(DL-1.0)	45	No relaxation	IS 3025 (Pt-34)
15	Phenolic Compounds (as C ₆ H ₅ OH)	mg/l	BDL (DL 0.001)	0.001	0.002	IS 3025 (Pt-43)
16	Sulphate as SO ₄	mg/l	37.4	200	400	IS 3025 (Pt-24)
17	Sulphide (as H ₂ S)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-29)
18	Total Alkalinity as CaCO ₃	mg/l	355	200	600	IS 3025 (Pt-23)
19	Total Hardness as CaCO ₃	mg/l	310	200	600	IS 3025 (Pt-21)
20	Cyanide (as CN)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-27)
21	Aluminum (as Al)	mg/l	BDL(DL 0.01)	0.03	0.2	APHA23 rd Ed.3120B
22	Barium (as Ba)	mg/l	BDL (DL 0.1)	0.7	No relaxation	APHA23 rd Ed.3120B


Checked By
(SNEH SMITA)


Authorized Signatory
(PURUSHOTTAM SHARMA)

TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
806, Siddarth, 96, Nehru Place,
New Delhi- 110019

Doc No. : ELPL/IV/QF/20
Amend. No. & Amend. Date : 02& 17.02.2018
Lab Reference No. : 230812002 W
Issue Date : 19/08/2023
Your Reference : Email

Sample Particulars: Borewell water sample was collected at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh., on 08/08/2023.

Type of sample	: Borewell Water	Sample Registration Date	: 12/08/2023
Sampling Date	: 08/08/2023	Analysis Starting Date	: 12/08/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 19/08/2023
Quantity received	: 2 Ltr approx.	Tests Required	: Mentioned below
Sample's Location	: Admin Block Area	Sampling Method	: ELPL/III/SOP/20

Test Results

Page 2 of 2

S.No	Test Parameters	Units	Results	IS 10500 : 2012		Test Method
				Acceptable Limit, max.	Permissible Limit in the Absence of Alternate source, max.	
23	Boron (as B)	mg/l	BDL (DL 0.1)	0.5	2.4	APHA 23 rd Ed.3120B
24	Copper (as Cu)	mg/l	BDL(DL 0.02)	0.05	1.5	APHA 23 rd Ed. 3120B
25	Iron as Fe	mg/l	BDL (DL 0.05)	1.0	No relaxation	IS 3052 (Pt-53)
26	Magnesium as Mg	mg/l	49.82	30	100	APHA 23 rd Ed.3500 B
27	Manganese as Mn	mg/l	BDL (DL 0.05)	0.1	0.3	APHA 23 rd Ed.3120B
28	Selenium (as Se)	mg/l	BDL (DL 0.01)	0.01	No relaxation	APHA 23 rd Ed.3120B
29	Silver (as Ag)	mg/l	BDL (DL 0.05)	0.1	No relaxation	APHA 23 rd Ed.3120B
30	Zinc (as Zn)	mg/l	BDL (DL 0.05)	5	15	APHA 23 rd Ed.3120B
31	Cadmium (as Cd)	mg/l	BDL (DL 0.001)	0.003	No relaxation	APHA 23 rd Ed.3120B
32	Lead (as Pb)	mg/l	BDL (DL 0.005)	0.01	No relaxation	APHA 23 rd Ed.3120B
33	Mercury (as Hg)	mg/l	BDL(DL0.001)	0.001	No relaxation	APHA 23 rd Ed.3120B
34	Molybdenum (as MO)	mg/l	BDL (DL 0.05)	0.07	No relaxation	APHA 23 rd Ed.3120B
35	Nickel (as Ni)	mg/l	BDL(DL0.01)	0.02	No relaxation	APHA 23 rd Ed.3120B
36	Total Arsenic (as As)	mg/l	BDL(DL 0.01)	0.01	No relaxation	APHA 23 rd Ed.3120B
37	Total Chromium (as Cr)	mg/l	BDL(DL 0.03)	0.05	No relaxation	APHA 23 rd Ed.3120B

*****END OF REPORT*****

BDL: Below Detection Limit
DL: Detection Limit

Sneh Smita
Checked By
(SNEH SMITA)

Purushottam Sharma
Authorized Signatory
(PURUSHOTTAM SHARMA)



TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
806, Siddarth, 96, Nehru Place,
New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Lab Reference No.

Issue Date

Your Reference

Amend. No. & Amend.

Date : 02 & 17.02.2018

: 230812003 W

: 19/08/2023

: Email

Sample Particulars: STP Inlet water sample was collected from "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh, on 08/08/2023.

Type of sample	: STP Inlet	Sample Registration Date	: 12/08/2023
Sampling Date	: 08/08/2023	Analysis Starting Date	: 12/08/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 19/08/2023
Quantity received	: 2 Ltr approx.	Tests Required	: Mentioned below
Sample's Location	: STP Plant Room	Sampling Method	: ELPL/III/SOP/20

Test Results

Page 1 of 1

S.No.	Test Parameters	Units	Results	Test Method
1	pH	-	7.01	IS 3025 (P-11)
2	Oil and grease	mg/l	10	IS 3025 (P-39)
3	Biochemical oxygen demand as BOD at 27°C for 3 days	mg/l	132	IS 3025 (P-44)
4	Chemical oxygen demand as COD	mg/l	348	IS 3025 (P-58)
5	Total suspended solids as TSS	mg/l	46	IS 3025 (P-17)

*****END OF REPORT*****


Checked By
(SNEH SMITA)


Authorized Signatory
(PURUSHOTTAM SHARMA)

TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
806, Siddarth, 96, Nehru Place,
New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Lab Reference No.

Issue Date

Your Reference

Amend. No. & Amend.

Date : 02 & 17.02.2018

: 230812004 W

: 19/08/2023

: Email

Sample Particulars: STP Outlet water sample was collected from "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh, on 08/08/2023.

Type of sample	: STP Outlet	Sample Registration Date	: 12/08/2023
Sampling Date	: 08/08/2023	Analysis Starting Date	: 12/08/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 19/08/2023
Quantity received	: 2 Ltr approx.	Tests Required	: Mentioned below
Sample's Location	: STP Plant Room	Sampling Method	: ELPL/III/SOP/20

Test Results

Page 1 of 1

S.No.	Test Parameters	Units	Results	As Per EP Rules, 1986,Max	Test Method
1	pH	-	7.09	5.5-9.0	IS 3025 (P-11)
2	Oil and grease	mg/l	BDL (DL-2.0)	10	IS 3025 (P-39)
3	Biochemical oxygen demand as BOD at 27 ^o C for 3 days	mg/l	4	30	IS 3025 (P-44)
4	Chemical oxygen demand as COD	mg/l	32	250	IS 3025 (P-58)
5	Total suspended solids as TSS	mg/l	08	100	IS 3025 (P-17)

*****END OF REPORT*****

BDL= Below detection limit

DL = Detection limit

Sneh Smita
Checked By
(SNEH SMITA)

Purushottam Sharma
Authorized Signatory
(PURUSHOTTAM SHARMA)



TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
 806, Siddarth, 96, Nehru Place,
 New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Lab Reference No.

Issue Date

Your Reference

Amend. No. & Amend. Date : 02 & 17.02.2018

: 230812005 E

: 19/08/2023

: Email
 (Page1of 1)

Sample Particulars: DG Stack monitoring was done at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh., on 09/08/2023.

Type of sample	: DG Stack	Sample Registration Date	: 12/08/2023
Sampling Date	: 09/08/2023	Analysis Starting Date	: 12/08/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 19/08/2023
Quantity received	: 01 Sample	Tests Required	: Mentioned below
Sample's Location	: DG Room SEZ Area	Sampling Method	: ELPL/III/SOP/32

DG Capacity : 1200 KW (1500 KVA)
 Source of Emission : Stack attached to DG Set -1
 DG Engine Number : 25417922
 Make & Model : Cummins & KTA-50-G8-1
 Type of fuel used : HSD
 Type of Stack : Round
 Operating Schedule : As per requirement
 Diameter of Stack (m) : 0.3
 Height of Stack from Ground level (m) : 50
 Height of Stack from roof level (m) : -
 Time of sampling (minutes) : 40
 Ambient Temperature (k) : 305
 Stack Temperature (k) : 508
 Average velocity of flue emission (m/s) : 10.57
 Isokinetic flow rate (l/m) : 25.39
 Flue gas flow rate (Nm³/hr.) : 2557.5
 Control Measures (if any) : Nil
 Remark (if any) : Nil

S.no.	Test Parameters	Results	Units	Test Method	Emission Limits as per EP Rules
1.	Particulate Matter(PM)	68.9	mg/Nm ³	IS 11255(P-1)	75
2.	Sulphur Dioxide(SO ₂)	71.6	mg/Nm ³	IS 11255(P-2)	Not specified
3.	Oxides of Nitrogen(NO ₂)	307.6	ppmv	IS 11255(P-7)	710
4.	Hydrocarbon(HC) as CH ₄	30.8	mg/Nm ³	IS 5182(P-17)	100
5.	Carbon monoxide(CO)	51.4	mg/Nm ³	IS 13270:1992	150

*****END OF REPORT*****


Checked By
 (SNEH SMITA)


Authorized Signatory
 (PURUSHOTTAM SHARMA)

TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
806, Siddarth, 96, Nehru Place,
New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Lab Reference No.

Issue Date

Your Reference

Amend. No. & Amend.

Date : 02 & 17.02.2018

: 230812006 DN

: 19/08/2023

: Email

(Page1of 1)

Sample Particulars: DG Noise monitoring was done at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh., on 09/08/2023.

Type of sample	: DG Noise	Sample Registration Date	: 12/08/2023
Sampling Date	: 09/08/2023	Testing Starting Date	: 12/08/2023
Sampling Done by	: Lab representative	Testing Completion Date	: 14/08/2023
Quantity received	: 01 Sample	Tests Required	: Mentioned below
Sample's Location	: DG Room SEZ Area	Sampling Method	: ELPL/III/SOP/37
Details of DG Set	: Capacity- 1500 KVA DG Engine Number- 25417922 DG Make & Model- Cummins & KTA-50-G8-1		

Test Results

S.no.	Description	Unit	Result	CPCB Norm	Test Method
1.	D.G. Room (Inside the room) sound level pressure	dB(A)	99.4	-	ELPL/III/SOP/37
2	D.G. Room (Closed door outside the room) Sound level Pressure	dB(A)	73.1	75	ELPL/III/SOP/37
3	Insertion Loss	dB(A)	26.3	25	ELPL/III/SOP/37

*****END OF REPORT*****

Four D.G sets capacity each 1500 KVA are kept in D.G. room at the time of monitoring one D.G. set capacity 1500 KVA was running.


Checked By
(SNEH SMITA)


Authorized Signatory
(PURUSHOTTAM SHARMA)

TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
 806, Siddarth, 96, Nehru Place,
 New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Lab Reference No.

Issue Date

Your Reference

Amend. No. & Amend.

Date : 02 & 17.02.2018

: 230812007 E

: 19/08/2023

: Email

(Page1of 1)

Sample Particulars: DG Stack monitoring was done at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh., on 09/08/2023.

Type of sample	: DG Stack	Sample Registration Date	: 12/08/2023
Sampling Date	: 09/08/2023	Analysis Starting Date	: 12/08/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 19/08/2023
Quantity received	: 01 Sample	Tests Required	: Mentioned below
Sample's Location	: DG Room SEZ Area	Sampling Method	: ELPL/III/SOP/32

DG Capacity	: 1200 KW (1500 KVA)
Source of Emission	: Stack attached to DG Set -2
DG Engine Number	: 25417923
Make & Model	: Cummins & KTA-50-G8-1
Type of fuel used	: HSD
Type of Stack	: Round
Operating Schedule	: As per requirement
Diameter of Stack (m)	: 0.3
Height of Stack from Ground level (m)	: 50
Height of Stack from roof level (m)	: -
Time of sampling (minutes)	: -
Ambient Temperature (k)	: 305
Stack Temperature (k)	: 512
Average velocity of flue emission (m/s)	: 10.40
Isokinetic flow rate (l/m)	: 24.81
Flue gas flow rate (Nm ³ /hr.)	: 2516.4
Control Measures (if any)	: Nil
Remark (If any)	: Nil

S.no.	Test Parameters	Results	Units	Test Method	Emission Limits as per EP Rules
1.	Particulate Matter(PM)	69.2	mg/Nm ³	IS 11255(P-1)	75
2.	Sulphur Dioxide(SO ₂)	73.6	mg/Nm ³	IS 11255(P-2)	Not specified
3.	Oxides of Nitrogen(NO ₂)	317.5	ppmv	IS 11255(P-7)	710
4.	Hydrocarbon(HC) as CH ₄	31.9	mg/Nm ³	IS 5182(P-17)	100
5.	Carbon monoxide(CO)	52.9	mg/Nm ³	IS 13270:1992	150

*****END OF REPORT*****

Snehsmita
Checked By
 (SNEH SMITA)

Authorized Signatory
 (PURUSOTTAM SHARMA)



TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
806, Siddarth, 96, Nehru Place,
New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Lab Reference No.

Issue Date

Your Reference

Amend. No. & Amend.

Date : 02 & 17.02.2018

: 230812008 DN

: 19/08/2023

: Email

(Page1of 1)

Sample Particulars: DG Noise monitoring was done at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh., on 09/08/2023.

Type of sample	: DG Noise	Sample Registration Date	: 12/08/2023
Sampling Date	: 09/08/2023	Testing Starting Date	: 12/08/2023
Sampling Done by	: Lab representative	Testing Completion Date	: 14/08/2023
Quantity received	: 01 Sample	Tests Required	: Mentioned below
Sample's Location	: DG Room SEZ Area	Sampling Method	: ELPL/III/SOP/37
Details of DG Set	: Capacity- 1500 KVA DG Engine Number- 25417923 DG Make & Model- Cummins & KTA-50-G8-1		

Test Results

S.no.	Description	Unit	Result	CPCB Norm	Test Method
1.	D.G. Room (Inside the room) sound level pressure	dB(A)	99.1	-	ELPL/III/SOP/37
2	D.G. Room (Closed door outside the room) Sound level Pressure	dB(A)	72.2	75	ELPL/III/SOP/37
3	Insertion Loss	dB(A)	26.9	25	ELPL/III/SOP/37

*****END OF REPORT*****

Four D.G sets capacity each1500 KVA are kept in D.G. room at the time of monitoring one D.G. set capacity 1500 KVA was running.

Sneh Smita
Checked By
(SNEH SMITA)

Purushottam Sharma
Authorized Signatory
(PURUSHOTTAM SHARMA)
Signatory



TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
 806, Siddarth, 96, Nehru Place,
 New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Lab Reference No.

Issue Date

Your Reference

Amend. No. & Amend.

Date : 02 & 17.02.2018

: 230812009 E

: 19/08/2023

: Email

(Page 1 of 1)

Sample Particulars: DG Stack monitoring was done at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh, on 09/08/2023.

Type of sample	: DG Stack	Sample Registration Date	: 12/08/2023
Sampling Date	: 09/08/2023	Analysis Starting Date	: 12/08/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 19/08/2023
Quantity received	: 01 Sample	Tests Required	: Mentioned below
Sample's Location	: DG Room SEZ Area	Sampling Method	: ELPL/III/SOP/32

DG Capacity	: 1200 KW (1500 KVA)
Source of Emission	: Stack attached to DG Set -3
DG Engine Number	: 25417820
Make & Model	: Cummins & KTA-50-G8-1
Type of fuel used	: HSD
Type of Stack	: Round
Operating Schedule	: As per requirement
Diameter of Stack (m)	: 0.3
Height of Stack from Ground level (m)	: 50
Height of Stack from roof level (m)	: -
Time of sampling (minutes)	: 41
Ambient Temperature (k)	: 305
Stack Temperature (k)	: 506
Average velocity of flue emission (m/s)	: 9.93
Isokinetic flow rate (l/m)	: 23.95
Flue gas flow rate (Nm ³ /hr.)	: 2402.7
Control Measures (if any)	: Nil
Remark (If any)	: Nil

S.no.	Test Parameters	Results	Units	Test Method	Emission Limits as per EP Rules
1.	Particulate Matter(PM)	71.7	mg/Nm ³	IS 11255(P-1)	75
2.	Sulphur Dioxide(SO ₂)	73.8	mg/Nm ³	IS 11255(P-2)	Not specified
3.	Oxides of Nitrogen(NO ₂)	316.3	ppmv	IS 11255(P-7)	710
4.	Hydrocarbon(HC) as CH ₄	32.9	mg/Nm ³	IS 5182(P-17)	100
5.	Carbon monoxide(CO)	56.4	mg/Nm ³	IS 13270:1992	150

*****END OF REPORT*****

Sneha Smita
 Checked By
 (SNEH SMITA)

Purushottam Sharma
 Authorized Signatory
 (PURUSHOTTAM SHARMA)



TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
 806, Siddarth, 96, Nehru Place,
 New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Lab Reference No.

Issue Date

Your Reference

Amend. No. & Amend.

Date : 02 & 17.02.2018

: 230812010 DN

: 19/08/2023

: Email

(Page1of 1)

Sample Particulars: DG Noise monitoring was done at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh., on 09/08/2023.

Type of sample	: DG Noise	Sample Registration Date	: 12/08/2023
Sampling Date	: 09/08/2023	Testing Starting Date	: 12/08/2023
Sampling Done by	: Lab representative	Testing Completion Date	: 14/08/2023
Quantity received	: 01 Sample	Tests Required	: Mentioned below
Sample's Location	: DG Room SEZ Area	Sampling Method	: ELPL/III/SOP/37
Details of DG Set	: Capacity- 1500 KVA DG Engine Number- 25417820 DG Make & Model- Cummins & KTA-50-G8-1		

Test Results

S.no.	Description	Unit	Result	CPCB Norm	Test Method
1.	D.G. Room (Inside the room) sound level pressure	dB(A)	100.2	-	ELPL/III/SOP/37
2	D.G. Room (Closed door outside the room) Sound level Pressure	dB(A)	73.2	75	ELPL/III/SOP/37
3	Insertion Loss	dB(A)	27.0	25	ELPL/III/SOP/37

*****END OF REPORT*****

Four D.G sets capacity each1500 KVA are kept in D.G. room at the time of monitoring one D.G. set capacity 1500 KVA was running.


Checked By
 (SNEH SMITA)


Authorized Signatory
 (PURUSHOTTAM SHARMA)



TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
 806, Siddarth, 96, Nehru Place,
 New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Lab Reference No.

Issue Date

Your Reference

Amend. No. & Amend.

Date : 02 & 17.02.2018

: 230812011 E

: 19/08/2023

: Email

(Page 1 of 1)

Sample Particulars: DG Stack monitoring was done at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh., on 09/08/2023.

Type of sample	: DG Stack	Sample Registration Date	: 12/08/2023
Sampling Date	: 09/08/2023	Analysis Starting Date	: 12/08/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 19/08/2023
Quantity received	: 01 Sample	Tests Required	: Mentioned below
Sample's Location	: DG Room SEZ Area	Sampling Method	: ELPL/III/SOP/32

DG Capacity	: 1200 KW (1500 KVA)
Source of Emission	: Stack attached to DG Set -4
DG Engine Number	: 25417819
Make & Model	: Cummins & KTA-50-G8-1
Type of fuel used	: HSD
Type of Stack	: Round
Operating Schedule	: As per requirement
Diameter of Stack (m)	: 0.3
Height of Stack from Ground level (m)	: 50
Height of Stack from roof level (m)	: -
Time of sampling (minutes)	: 32
Ambient Temperature (k)	: 305
Stack Temperature (k)	: 520
Average velocity of flue emission (m/s)	: 13.25
Isokinetic flow rate (l/m)	: 31.10
Flue gas flow rate (Nm ³ /hr.)	: 3206
Control Measures (if any)	: Nil
Remark (If any)	: Nil

S.no.	Test Parameters	Results	Units	Test Method	Emission Limits as per EP Rules
1.	Particulate Matter(PM)	72	mg/Nm ³	IS 11255(P-1)	75
2.	Sulphur Dioxide(SO ₂)	70.8	mg/Nm ³	IS 11255(P-2)	Not specified
3.	Oxides of Nitrogen(NO ₂)	324	ppmv	IS 11255(P-7)	710
4.	Hydrocarbon(HC) as CH ₄	33.1	mg/Nm ³	IS 5182(P-17)	100
5.	Carbon monoxide(CO)	57.5	mg/Nm ³	IS 13270:1992	150

*****END OF REPORT*****

Sneh Smita
 Checked By
 (SNEH SMITA)

Purushottam Sharma
 Authorized Signatory
 (PURUSHOTTAM SHARMA)



TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
 806, Siddarth, 96, Nehru Place,
 New Delhi- 110019

Doc No:

ELPL/IV/QF/20

Lab Reference No.

Issue Date

Your Reference

Amend. No. & Amend.

Date : 02 & 17.02.2018

: 230812012 DN

: 19/08/2023

: Email

(Page1of 1)

Sample Particulars: DG Noise monitoring was done at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh, on 09/08/2023.


Type of sample	: DG Noise	Sample Registration Date	: 12/08/2023
Sampling Date	: 09/08/2023	Testing Starting Date	: 12/08/2023
Sampling Done by	: Lab representative	Testing Completion Date	: 14/08/2023
Quantity received	: 01 Sample	Tests Required	: Mentioned below
Sample's Location	: DG Room SEZ Area	Sampling Method	: ELPL/III/SOP/37
Details of DG Set	: Capacity- 1500 KVA DG Engine Number- 25417819 DG Make & Model- Cummins & KTA-50-G8-1		

Test Results

S.no.	Description	Unit	Result	CPCB Norm	Test Method
1.	D.G. Room (Inside the room) sound level pressure	dB(A)	98.9	-	ELPL/III/SOP/37
2	D.G. Room (Closed door outside the room) Sound level Pressure	dB(A)	72.1	75	ELPL/III/SOP/37
3	Insertion Loss	dB(A)	26.8	25	ELPL/III/SOP/37

*****END OF REPORT*****

Four D.G sets capacity each1500 KVA are kept in D.G. room at the time of monitoring one D.G. set capacity 1500 KVA was running.


 Checked By
 (SNEH SMITA)


 Authorized Signatory
 (PURUSHOTTAM SHARMA)



TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
 806, Siddarth, 96, Nehru Place,
 New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Lab Reference No.

Issue Date

Your Reference

Amend. No. & Amend.
 Date : 02 & 17.02.2018

: 230812013 E

: 19/08/2023

: Email

(Page 1 of 1)

Sample Particulars: DG Stack monitoring was done at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh., on 09/08/2023.

Type of sample	: DG Stack	Sample Registration Date	: 12/08/2023
Sampling Date	: 09/08/2023	Analysis Starting Date	: 12/08/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 19/08/2023
Quantity received	: 01 Sample	Tests Required	: Mentioned below
Sample's Location	: DG Room None SEZ	Sampling Method	: ELPL/III/SOP/32

DG Capacity : 808 KW (1010 KVA)
 Source of Emission : Stack attached to DG Set -1
 DG Engine Number : 25417527
 Make & Model : Cummins & KTA-38-G5
 Type of fuel used : HSD
 Type of Stack : Round
 Operating Schedule : As per requirement
 Diameter of Stack (m) : 0.3
 Height of Stack from Ground level (m) : 30
 Height of Stack from roof level (m) : -
 Time of sampling (minutes) : 40
 Ambient Temperature (k) : 305
 Stack Temperature (k) : 458
 Average velocity of flue emission (m/s) : 9.26
 Isokinetic flow rate (l/m) : 24.67
 Flue gas flow rate (Nm³/hr.) : 2240.6
 Control Measures (if any) : Nil
 Remark (If any) : Nil

S.no.	Test Parameters	Results	Units	Test Method	Emission Limits as per EP Rules
1.	Particulate Matter(PM)	63.9	mg/Nm ³	IS 11255(P-1)	75
2.	Sulphur Dioxide(SO ₂)	67.3	mg/Nm ³	IS 11255(P-2)	Not specified
3.	Oxides of Nitrogen(NO ₂)	284.2	ppmv	IS 11255(P-7)	710
4.	Hydrocarbon(HC) as CH ₄	26.4	mg/Nm ³	IS 5182(P-17)	100
5.	Carbon monoxide(CO)	46.1	mg/Nm ³	IS 13270:1992	150

*****END OF REPORT*****

Sneh Smita
 Checked By
 (SNEH SMITA)

Purushottam Sharma
 Authorized Signatory
 (PURUSHOTTAM SHARMA)



TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
806, Siddarth, 96, Nehru Place,
New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Lab Reference No.

Issue Date

Your Reference

Amend. No. & Amend. Date : 02 & 17.02.2018

: 230812014 DN

: 19/08/2023

: Email
(Page1of 1)

Sample Particulars: DG Noise monitoring was done at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh., on 09/08/2023.

Type of sample	: DG Noise	Sample Registration Date	: 12/08/2023
Sampling Date	: 09/08/2023	Testing Starting Date	: 12/08/2023
Sampling Done by	: Lab representative	Testing Completion Date	: 14/08/2023
Quantity received	: 01 Sample	Tests Required	: Mentioned below
Sample's Location	: DG Room None SEZ	Sampling Method	: ELPL/III/SOP/37
Details of DG Set	: Capacity- 1010 KVA DG Engine Number- 25417527 DG Make & Model- Cummins & KTA-38-G5		

Test Results

S.no.	Description	Unit	Result	CPCB Norm	Test Method
1.	Acoustic enclosure (Open Door) Sound level pressure	dB(A)	97.3	-	ELPL/III/SOP/37
2	Acoustic enclosure (Closed Door) Sound level pressure	dB(A)	71.4	75	ELPL/III/SOP/37
3	Insertion Loss	dB(A)	25.9	25	ELPL/III/SOP/37

*****END OF REPORT*****

Note – Noise Limit for DG Sets (up to 1000 KVA) manufactured on or after 1st January 2005 shall be 75 dB (A) at 1 meter from the enclosure surface, and having insertion loss minimum 25 dB(A).

Sneh Smita
Checked By
(SNEH SMITA)

Purushottam Sharma
Authorized Signatory
(PURUSHOTTAM SHARMA)



TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
 806, Siddarth, 96, Nehru Place,
 New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Lab Reference No.

Issue Date

Your Reference

Amend. No. & Amend.

Date : 02 & 17.02.2018

: 230812015 E

: 19/08/2023

: Email

(Page 1 of 1)

Sample Particulars: DG Stack monitoring was done at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh., on 09/08/2023.

Type of sample	: DG Stack	Sample Registration Date	: 12/08/2023
Sampling Date	: 09/08/2023	Analysis Starting Date	: 12/08/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 19/08/2023
Quantity received	: 01 Sample	Tests Required	: Mentioned below
Sample's Location	: DG Room None SEZ	Sampling Method	: ELPL/III/SOP/32

DG Capacity	: 304 KW (380 KVA)
Source of Emission	: Stack attached to DG Set -2
DG Engine Number	: 25417808
Make & Model	: Cummins & QSN-14-G2
Type of fuel used	: HSD
Type of Stack	: Round
Operating Schedule	: As per requirement
Diameter of Stack (m)	: 0.3
Height of Stack from Ground level (m)	: 30
Height of Stack from roof level (m)	: -
Time of sampling (minutes)	: 38
Ambient Temperature (k)	: 305
Stack Temperature (k)	: 378
Average velocity of flue emission (m/s)	: 8.13
Isokinetic flow rate (l/m)	: 26.25
Flue gas flow rate (Nm ³ /hr.)	: 1967.2
Control Measures (if any)	: Nil
Remark (If any)	: Nil

S.no.	Test Parameters	Results	Units	Test Method	Emission Limits as per EP Rules
1.	Particulate Matter(PM)	0.14	g/kw-hr	IS 11255(P-1)	≤ 0.2
2.	Sulphur Dioxide(SO ₂)	0.54	g/kw-hr	IS 11255(P-2)	Not specified
3.	Oxides of Nitrogen(NO ₂)	1.47	g/kw-hr	IS 11255(P-7)	≤ 4.0
4.	Hydrocarbon(HC) as CH ₄	0.29	g/kw-hr	IS 5182(P-17)	
5.	Carbon monoxide(CO)	0.48	g/kw-hr	IS 13270:1992	≤ 3.5

*****END OF REPORT*****

Sneh Smita
 Checked By
 (SNEH SMITA)

Purushottam Sharma
 Authorized Signatory
 (PURUSHOTTAM SHARMA)



TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
 806, Siddarth, 96, Nehru Place,
 New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Lab Reference No.

Issue Date

Your Reference

Amend. No. & Amend. Date

: 02 & 17.02.2018

: 230812016 DN

: 19/08/2023

: Email

(Page1of 1)

Sample Particulars: DG Noise monitoring was done at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh., on 09/08/2023.

Type of sample	: DG Noise	Sample Registration Date	: 12/08/2023
Sampling Date	: 09/08/2023	Testing Starting Date	: 12/08/2023
Sampling Done by	: Lab representative	Testing Completion Date	: 14/08/2023
Quantity received	: 01 Sample	Tests Required	: Mentioned below
Sample's Location	: DG Room None SEZ	Sampling Method	: ELPL/III/SOP/37
Details of DG Set	: Capacity- 380 KVA DG Engine Number- 25417808 DG Make&Model- Cummins & QSN-14-G2		

Test Results

S.no.	Description	Unit	Result	CPCB Norm	Test Method
1.	Acoustic enclosure (Open Door) Sound level pressure	dB(A)	92.9	-	ELPL/III/SOP/37
2.	Acoustic enclosure (Closed Door) Sound level pressure	dB(A)	66.9	75	ELPL/III/SOP/37
3.	Insertion Loss	dB(A)	26.0	25	ELPL/III/SOP/37

*****END OF REPORT*****

Note – Noise Limit for DG Sets (up to 1000 KVA) manufactured on or after 1st January 2005 shall be 75 dB (A) at 1 meter from the enclosure surface, and having insertion loss minimum 25 dB(A).


Checked By
 (SNEH SMITA)


Authorized Signatory
 (PURUSHOTTAM SHARMA)



TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
 806, Siddarth, 96, Nehru Place,
 New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Lab Reference No.

Issue Date

Your Reference

Amend. No. & Amend.
 Date : 02 & 17.02.2018

: 230812017 E

: 19/08/2023

: Email

(Page 1 of 1)

Sample Particulars: DG Stack monitoring was done at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh., on 09/08/2023.

Type of sample	: DG Stack	Sample Registration Date	: 12/08/2023
Sampling Date	: 09/08/2023	Analysis Starting Date	: 12/08/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 19/08/2023
Quantity received	: 01 Sample	Tests Required	: Mentioned below
Sample's Location	: DG Room None SEZ	Sampling Method	: ELPL/III/SOP/32

DG Capacity	: 808 KW (1010 KVA)
Source of Emission	: Stack attached to DG Set -3
DG Engine Number	: 25434061
Make & Model	: Cummins & KTA-38-G5
Type of fuel used	: HSD
Type of Stack	: Round
Operating Schedule	: As per requirement
Diameter of Stack (m)	: 0.3
Height of Stack from Ground level (m)	: 30
Height of Stack from roof level (m)	: -
Time of sampling (minutes)	: 39
Ambient Temperature (k)	: 305
Stack Temperature (k)	: 468
Average velocity of flue emission (m/s)	: 9.65
Isokinetic flow rate (l/m)	: 25.16
Flue gas flow rate (Nm ³ /hr.)	: 2334.9
Control Measures (if any)	: Nil
Remark (If any)	: Nil

S.no.	Test Parameters	Results	Units	Test Method	Emission Limits as per EP Rules
1.	Particulate Matter(PM)	65.5	mg/Nm ³	IS 11255(P-1)	75
2.	Sulphur Dioxide(SO ₂)	69.0	mg/Nm ³	IS 11255(P-2)	Not specified
3.	Oxides of Nitrogen(NO ₂)	301.5	ppmv	IS 11255(P-7)	710
4.	Hydrocarbon(HC) as CH ₄	28.8	mg/Nm ³	IS 5182(P-17)	100
5.	Carbon monoxide(CO)	52.4	mg/Nm ³	IS 13270:1992	150

*****END OF REPORT*****

Sneh Smita
Checked By
 (SNEH SMITA)

Purushottam Sharma
Authorized Signatory
 (PURUSHOTTAM SHARMA)



TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
806, Siddarth, 96, Nehru Place,
New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Lab Reference No.

Issue Date

Your Reference

Amend. No. & Amend. Date

: 02 & 17.02.2018

: 230812018 DN

: 19/08/2023

: Email

(Page 1 of 1)

Sample Particulars: DG Noise monitoring was done at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh., on 09/08/2023.

Type of sample	: DG Noise	Sample Registration Date	: 12/08/2023
Sampling Date	: 09/08/2023	Testing Starting Date	: 12/08/2023
Sampling Done by	: Lab representative	Testing Completion Date	: 14/08/2023
Quantity received	: 01 Sample	Tests Required	: Mentioned below
Sample's Location	: DG Room None SEZ	Sampling Method	: ELPL/III/SOP/37
Details of DG Set	: Capacity- 1010 KVA DG Engine Number- 25434061 DG Make & Model- Cummins & KTA-38-G5		

Test Results

S.no.	Description	Unit	Result	CPCB Norm	Test Method
1.	Acoustic enclosure (Open Door) Sound level pressure	dB(A)	97.4	-	ELPL/III/SOP/37
2.	Acoustic enclosure (Closed Door) Sound level pressure	dB(A)	71.3	75	ELPL/III/SOP/37
3.	Insertion Loss	dB(A)	26.1	25	ELPL/III/SOP/37

*****END OF REPORT*****

Note – Noise Limit for DG Sets (up to 1000 KVA) manufactured on or after 1st January 2005 shall be 75 dB (A) at 1 meter from the enclosure surface, and having insertion loss minimum 25 dB(A).

Sneh Smita
Checked By
(SNEH SMITA)

Purushottam Sharma
Authorized Signatory
(PURUSHOTTAM SHARMA)



TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
 806, Siddarth, 96, Nehru Place,
 New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Lab Reference No.

Issue Date

Your Reference

Amend. No. & Amend.
 Date : 02 & 17.02.2018

: 230812019 A

: 19/08/2023

: Email
 (Page1of 1)

Sample Particulars: Ambient Air Monitoring was done at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh, from 08/08/2023 to 09/08/2023.

Type of sample	: Ambient Air	Sample Registration Date	: 12/08/2023
Sampling Date	: 08/08/2023 to 09/08/2023	Analysis Starting Date	: 12/08/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 19/08/2023
Quantity received	: 24 Hourly Sample	Tests Required	: Mentioned below
Sample's Location	: Project Office Area	Sampling Method	: ELPL/III/SOP/21

Test Results

S.No.	Test Parameters	Units	Results	NAAQS	Test Method
1	Particulate Matter as PM ₁₀	µg/m ³	207	100 (24 Hourly)	IS 5182 (Pt-23)
2	Particulate Matter as PM _{2.5}	µg/m ³	123	060 (24 Hourly)	ELPL/III/SOP/23
3	Sulphur Dioxide as SO ₂	µg/m ³	16.9	080 (24 Hourly)	IS 5182 (Pt-02)
4	Oxides of Nitrogen as NO ₂	µg/m ³	38.2	080 (24 Hourly)	IS 5182 (Pt-06)
5	Carbon Monoxide as CO	mg/m ³	0.46	002 (08 Hourly)	IS 5182 (Pt-10)

*****END OF REPORT*****

Sneh Smita
 Checked By
 (SNEH SMITA)

Purushottam Sharma
 Authorized Signatory
 (PURUSHOTTAM SHARMA)



TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
 806, Siddarth, 96, Nehru Place,
 New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Amend. No. & Amend. Date

: 02 & 17.02.2018

Lab Reference No.

: 230812020 N

Issue Date

: 19/08/2023

Your Reference

: Email

(Page1of 1)

Sample Particulars: Ambient Noise Monitoring was done at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh, from 08/08/2023 to 09/08/2023.

Type of sample	: Ambient Noise	Sample Registration Date	: 12/08/2023
Sampling Date	: 08/08/2023 to 09/08/2023	Testing Starting Date	: 12/08/2023
Sampling Done by	: Lab representative	Testing Completion Date	: 14/08/2023
Quantity received	: 24 Hourly Sample	Tests Required	: Mentioned below
Sample's Location	: Project Office Area	Sampling Method	: ELPL/III/SOP/37

Time	Unit	Leq	Method
Day Time(06:00 am to 10:00 pm)	dB(A)	59.1	ELPL/III/SOP/37
Night Time(10:00 pm to 06:00 am)	dB(A)	48.5	ELPL/III/SOP/37

Standards for Ambient Noise			
As per Noise Pollution (Regulation & Control Rule-2000)			
Area Code	Category of Area/Zone	Limits in dB (A) Leq*	
		Day time	Night time
(A)	Industrial area	75	70
(B)	Commercial area	65	55
(C)	Residential area	55	45
(D)	Silence Zone	50	40

*****END OF REPORT*****

*Leq : It is energy mean of the noise level over a specified period.

Sneh Smita
 Checked By
 (SNEH SMITA)

Sneh Smita
 Authorized Signatory
 (PURUSOTTAM SHARMA)



TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
806, Siddarth, 96, Nehru Place,
New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Lab Reference No.

Issue Date

Your Reference

Amend. No. & Amend. Date : 02 & 17.02.2018

: 230812021 A

: 19/08/2023

: Email
(Page1 of 1)

Sample Particulars: Ambient Air Monitoring was done at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh, from 08/08/2023 to 09/08/2023.

Type of sample	: Ambient Air	Sample Registration Date	: 12/08/2023
Sampling Date	: 08/08/2023 to 09/08/2023	Analysis Starting Date	: 12/08/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 19/08/2023
Quantity received	: 24 Hourly Sample	Tests Required	: Mentioned below
Sample's Location	: None SEZ Area Near By DG Room	Sampling Method	: ELPL/III/SOP/21

Test Reports

S.No.	Test Parameters	Units	Results	NAAQS	Test Method
1	Particulate Matter as PM ₁₀	µg/m ³	219	100 (24 Hourly)	IS 5182 (Pt-23)
2	Particulate Matter as PM _{2.5}	µg/m ³	142	060 (24 Hourly)	ELPL/III/SOP/23
3	Sulphur Dioxide as SO ₂	µg/m ³	17.8	080 (24 Hourly)	IS 5182 (Pt-02)
4	Oxides of Nitrogen as NO ₂	µg/m ³	40.1	080 (24 Hourly)	IS 5182 (Pt-06)
5	Carbon Monoxide as CO	mg/m ³	0.48	002 (08 Hourly)	IS 5182 (Pt-10)

*****END OF REPORT*****

Sneh Smita
Checked By
(SNEH SMITA)

Purushottam Sharma
Authorized Signatory
(PURUSHOTTAM SHARMA)

TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
 806, Siddarth, 96, Nehru Place,
 New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Amend. No. & Amend. Date

: 02 & 17.02.2018

Lab Reference No.

: 230812022 N

Issue Date

: 19/08/2023

Your Reference

: Email

(Page1of 1)

Sample Particulars: Ambient Noise Monitoring was done at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh, from 08/08/2023 to 09/08/2023.

Type of sample	: Ambient Noise	Sample Registration Date	: 12/08/2023
Sampling Date	: 08/08/2023 to 09/08/2023	Testing Starting Date	: 12/08/2023
Sampling Done by	: Lab representative	Testing Completion Date	: 14/08/2023
Quantity received	: 24 Hourly Sample	Tests Required	: Mentioned below
Sample's Location	: Non SEZ Area Near By DG Room	Sampling Method	: ELPL/III/SOP/37

Time	Unit	Leq	Method
Day Time(06:00 am to 10:00 pm)	dB(A)	58.5	ELPL/III/SOP/37
Night Time(10:00 pm to 06:00 am)	dB(A)	47.5	ELPL/III/SOP/37

Standards for Ambient Noise As per Noise Pollution (Regulation & Control Rule-2000)			
Area Code	Category of Area/Zone	Limits in dB (A) Leq*	
		Day time	Night time
(A)	Industrial area	75	70
(B)	Commercial area	65	55
(C)	Residential area	55	45
(D)	Silence Zone	50	40

*****END OF REPORT*****

*Leq : It is energy mean of the noise level over a specified period.

Sneh Smita
 Checked By
 (SNEH SMITA)

Purushottam Sharma
 Authorized Signatory
 (PURUSHOTTAM SHARMA)

TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
806, Siddarth, 96, Nehru Place,
New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Lab Reference No.

Issue Date

Your Reference

Amend. No. & Amend.
Date : 02 & 17.02.2018

: 230812023 A

: 19/08/2023

: Email
(Page1 of 1)


Sample Particulars: Ambient Air Monitoring was done at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh, from 09/08/2023 to 10/08/2023.

Type of sample	: Ambient Air	Sample Registration Date	: 12/08/2023
Sampling Date	: 09/08/2023 to 10/08/2023	Analysis Starting Date	: 12/08/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 19/08/2023
Quantity received	: 24 Hourly Sample	Tests Required	: Mentioned below
Sample's Location	: Family Bazar Area Near By Guard Room	Sampling Method	: ELPL/III/SOP/21

Test Results

S.No.	Test Parameters	Units	Results	NAAQS	Test Method
1	Particulate Matter as PM ₁₀	µg/m ³	243.1	100 (24 Hourly)	IS 5182 (Pt-23)
2	Particulate Matter as PM _{2.5}	µg/m ³	135.5	060 (24 Hourly)	ELPL/III/SOP/23
3	Sulphur Dioxide as SO ₂	µg/m ³	18.4	080 (24 Hourly)	IS 5182 (Pt-02)
4	Oxides of Nitrogen as NO ₂	µg/m ³	36.9	080 (24 Hourly)	IS 5182 (Pt-06)
5	Carbon Monoxide as CO	mg/m ³	0.51	002 (08 Hourly)	IS 5182 (Pt-10)

*****END OF REPORT*****


Checked By
(SNEH SMITA)


Authorized Signatory
(PURUSHOTTAM SHARMA)

TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
806, Siddarth, 96, Nehru Place,
New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Amend. No. & Amend. Date

: 02 & 17.02.2018

Lab Reference No.

: 230812024 N

Issue Date

: 19/08/2023

Your Reference

: Email

(Page1of 1)

Sample Particulars: Ambient Noise Monitoring was done at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh, from 09/08/2023 to 10/08/2023.

Type of sample	: Ambient Noise	Sample Registration Date	: 12/08/2023
Sampling Date	: 09/08/2023 to 10/08/2023	Testing Starting Date	: 12/08/2023
Sampling Done by	: Lab representative	Testing Completion Date	: 14/08/2023
Quantity received	: 24 Hourly Sample	Tests Required	: Mentioned below
Sample's Location	: Family Bazar Area Near By Guard Room	Sampling Method	: ELPL/III/SOP/37

Time	Unit	Leq	Method
Day Time(06:00 am to 10:00 pm)	dB(A)	58.0	ELPL/III/SOP/37
Night Time(10:00 pm to 06:00 am)	dB(A)	47.8	ELPL/III/SOP/37

Standards for Ambient Noise As per Noise Pollution (Regulation & Control Rule-2000)			
Area Code	Category of Area/Zone	Limits in dB (A) Leq*	
		Day time	Night time
(A)	Industrial area	75	70
(B)	Commercial area	65	55
(C)	Residential area	55	45
(D)	Silence Zone	50	40

*****END OF REPORT*****

*Leq : It is energy mean of the noise level over a specified period.

Sneh Smita
Checked By
(SNEH SMITA)

Purushottam Sharma
Authorized Signatory
(PURUSHOTTAM SHARMA)



TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
806, Siddarth, 96, Nehru Place,
New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Lab Reference No.

Issue Date

Your Reference

Amend. No. & Amend.

Date : 02 & 17.02.2018

: 230812025 A

: 19/08/2023

: Email

(Page1of 1)


Sample Particulars: Ambient Air Monitoring was done at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh, from 09/08/2023 to 10/08/2023.

Type of sample	: Ambient Air	Sample Registration Date	: 12/08/2023
Sampling Date	: 09/08/2023 to 10/08/2023	Analysis Starting Date	: 12/08/2023
Sampling Done by	: Lab representative	Analysis Completion Date	: 19/08/2023
Quantity received	: 24 Hourly Sample	Tests Required	: Mentioned below
Sample's Location	: Sample Flat Area Near By Gate -1	Sampling Method	: ELPL/III/SOP/21

Test Results

S.No.	Test Parameters	Units	Results	NAAQS	Test Method
1	Particulate Matter as PM ₁₀	µg/m ³	229.9	100 (24 Hourly)	IS 5182 (Pt-23)
2	Particulate Matter as PM _{2.5}	µg/m ³	129.3	060 (24 Hourly)	IS 5182 (Pt-24)
3	Sulphur Dioxide as SO ₂	µg/m ³	17.2	080 (24 Hourly)	IS 5182 (Pt-02)
4	Oxides of Nitrogen as NO ₂	µg/m ³	37.5	080 (24 Hourly)	IS 5182 (Pt-06)
5	Carbon Monoxide as CO	mg/m ³	0.54	002 (08 Hourly)	IS 5182 (Pt-10)

*****END OF REPORT*****


Checked By
(SNEH SMITA)


Authorized Signatory
(PURUSHOTTAM SHARMA)

TEST REPORT

Issued to

M/s HCL IT City Lucknow Pvt. Ltd
806, Siddarth, 96, Nehru Place,
New Delhi- 110019

Doc No.

ELPL/IV/QF/20

Lab Reference No.

Issue Date

Your Reference

Amend. No. & Amend. Date

: 02 & 17.02.2018

: 230812026 N

: 19/08/2023

: Email

(Page1of 1)

Sample Particulars: Ambient Noise Monitoring was done at "HCL Technology Hub" at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh, from 09/08/2023 to 10/08/2023.

Type of sample	: Ambient Noise	Sample Registration Date	: 12/08/2023
Sampling Date	: 09/08/2023 to 10/08/2023	Testing Starting Date	: 12/08/2023
Sampling Done by	: Lab representative	Testing Completion Date	: 14/08/2023
Quantity received	: 24 Hourly Sample	Tests Required	: Mentioned below
Sample's Location	: Sample Flat Area Near By Gate -1	Sampling Method	: ELPL/III/SOP/37

Time	Unit	Leq	Method
Day Time(06:00 am to 10:00 pm)	dB(A)	57.2	ELPL/III/SOP/37
Night Time(10:00 pm to 06:00 am)	dB(A)	48.1	ELPL/III/SOP/37

Standards for Ambient Noise As per Noise Pollution (Regulation & Control Rule-2000)			
Area Code	Category of Area/Zone	Limits in dB (A) Leq*	
		Day time	Night time
(A)	Industrial area	75	70
(B)	Commercial area	65	55
(C)	Residential area	55	45
(D)	Silence Zone	50	40

*****END OF REPORT*****

*Leq : It is energy mean of the noise level over a specified period.

Sneh Smita
Checked By
(SNEH SMITA)

Purushottam Sharma
Authorized Signatory
(PURUSHOTTAM SHARMA)

Environmental Monitoring Report

1. Ambient Air Quality Monitoring

Ambient air quality monitoring has been done quarterly basis at locations AAQ-1 (Project Office Area) and AAQ-2 (None SEZ Area Nearby Tower -2) AAQ-3 (Nearby Family Bazar)AAQ-4 (Nearby Sample Flat area), AAQ-1 (Project Office Area) , AAQ-2 (None SEZ Area Near By DG Room) , AAQ-3 (Family Bazar Area Near By Guard Room) , AAQ-4 (Sample Flat Area Near By Gate-1) for 24 Hrs. The detail of monitoring schedule is given in **Table-1.**

Table 1: Schedule of Ambient Air Quality Monitoring

S. No.	Duration of sampling (hours)	Date		Sample collected on	Location
		From	To		
1.	24	08/05/2023	09/05/2023	09/05/2023	AAQ-1 (Project Office Area)
2.	24	08/05/2023	09/05/2023	09/05/2023	AAQ-2 (None SEZ Area Nearby Tower -2)
3.	24	09/05/2023	10/05/2023	10/05/2023	AAQ-3 (Nearby Family Bazar)
4.	24	09/05/2023	10/05/2023	10/05/2023	AAQ-4 (Nearby Sample Flat area)
5.	24	08/08/2023	09/08/2023	09/08/2023	AAQ-1 (Project Office Area)
6.	24	08/08/2023	09/08/2023	09/08/2023	AAQ-2(None SEZ Area Near By DG Room)
7.	24	08/08/2023	09/08/2023	09/08/2023	AAQ-3(Family Bazar Area Near By Guard Room)
8.	24	08/08/2023	09/08/2023	09/08/2023	AAQ-4(Sample Flat Area Near By Gate-1)


Sulphur Dioxide (SO₂)

Monitoring results of SO₂ are given in **Table-1 (a)** and graphical representation is given in **Figure-1 (a)**

Table- 1(a): Monitoring results for SO₂

S. No.	Sampling dates	Location Code	Sampling duration	Results (µg/m ³)	NAAQS (as per CPCB), µg/m ³
1.	08/05/2023 to 09/05/2023	AAQ - 1	24 Hourly	20.6	80
2.	08/05/2023 to 09/05/2023	AAQ - 2	24 Hourly	18.4	80
3.	09/05/2023 to 10/05/2023	AAQ - 3	24 Hourly	19.5	80
4.	09/05/2023 to 10/05/2023	AAQ - 4	24 Hourly	18.8	80
5.	08/08/2023 to 09/08/2023	AAQ - 1	24 Hourly	16.9	80
6.	08/08/2023 to 09/08/2023	AAQ - 2	24 Hourly	17.8	80
7.	08/08/2023 to 09/08/2023	AAQ - 3	24 Hourly	18.4	80
8.	08/08/2023 to 09/08/2023	AAQ - 4	24 Hourly	17.2	80

The concentration of SO₂ was observed below permissible Limit as per NAAQS.



Nitrogen Dioxide (NO₂)

Monitoring results of NO₂ is given in Table-1 (b) and graphical representation is given in Figure-1 (b)

Table-1 (b) Monitoring results for NO₂

S. No.	Sampling dates	Location Code	Sampling duration	Results (µg/m ³)	NAAQS (as per CPCB), µg/m ³
1.	08/05/2023 to 09/05/2023	AAQ - 1	24 Hourly	43.2	80
2.	08/05/2023 to 09/05/2023	AAQ - 2	24 Hourly	41.5	80
3.	09/05/2023 to 10/05/2023	AAQ - 3	24 Hourly	42.3	80
4.	09/05/2023 to 10/05/2023	AAQ - 4	24 Hourly	40.7	80
5.	08/08/2023 to 09/08/2023	AAQ - 1	24 Hourly	38.2	80
6.	08/08/2023 to 09/08/2023	AAQ - 2	24 Hourly	40.1	80
7.	08/08/2023 to 09/08/2023	AAQ - 3	24 Hourly	36.9	80
8.	08/08/2023 to 09/08/2023	AAQ - 4	24 Hourly	37.5	80




Figure 1 (b): NO₂ concentrations at project site


The concentration of NO₂ was below the limits as permissible limit as per NAAQS.

Particulate Matter

PM₁₀: Monitoring results of PM₁₀ is given in Table- 1(c) and graphical representation is given in Figure- 1(c).

Table-1 (c): Monitoring results for PM₁₀

S. No.	Sampling dates	Location Code	Sampling duration	Results (µg/m ³)	NAAQS (as per CPCB), µg/m ³
1.	08/05/2023 to 09/05/2023	AAQ - 1	24 Hourly	272	100
2.	08/05/2023 to 09/05/2023	AAQ - 2	24 Hourly	259	100
3.	09/05/2023 to 10/05/2023	AAQ - 3	24 Hourly	277	100
4.	09/05/2023 to 10/05/2023	AAQ - 4	24 Hourly	240	100
5.	08/08/2023 to 09/08/2023	AAQ - 1	24 Hourly	207	100
6.	08/08/2023 to 09/08/2023	AAQ - 2	24 Hourly	219	100
7.	08/08/2023 to 09/08/2023	AAQ - 3	24 Hourly	243.1	100
8.	08/08/2023 to 09/08/2023	AAQ - 4	24 Hourly	229.9	100




The concentration of PM₁₀ was found higher than permissible limit by NAAQS.

PM_{2.5}: Monitoring results of PM_{2.5} is given in Table-1 (d) and graphical representation is given in Figure- 1 (d)

Table 1 (d): Monitoring results for PM_{2.5}

S. No.	Sampling dates	Location Code	Sampling duration	Results (µg/m ³)	NAAQS (as per CPCB), µg/m ³
1.	08/05/2023 to 09/05/2023	AAQ - 1	24 Hourly	168.3	60
2.	08/05/2023 to 09/05/2023	AAQ - 2	24 Hourly	148.6	60
3.	09/05/2023 to 10/05/2023	AAQ - 3	24 Hourly	161.7	60
4.	09/05/2023 to 10/05/2023	AAQ - 4	24 Hourly	137.7	60
5.	08/08/2023 to 09/08/2023	AAQ - 1	24 Hourly	123	60
6.	08/08/2023 to 09/08/2023	AAQ - 2	24 Hourly	142	60
7.	08/08/2023 to 09/08/2023	AAQ - 3	24 Hourly	135.5	60
8.	08/08/2023 to 09/08/2023	AAQ - 4	24 Hourly	129.3	60

PM_{2.5} Concentration Graph




The concentration of PM_{2.5} was found to be higher than permissible limit by NAAQS.

Carbon Monoxide (CO)

Monitoring results of CO is given in Table-1(e) and graphical representation is given in Figure-1(e)

Table -1 (e): Monitoring results for CO

S. No.	Sampling dates	Location Code	Sampling duration	Results (mg/m ³)	NAAQS (as per CPCB), mg/m ³
1.	08/05/2023 to 09/05/2023	AAQ - 1	24 Hourly	0.45	02
2.	08/05/2023 to 09/05/2023	AAQ - 2	24 Hourly	0.44	02
3.	09/05/2023 to 10/05/2023	AAQ - 3	24 Hourly	0.43	02
4.	09/05/2023 to 10/05/2023	AAQ - 4	24 Hourly	0.41	02
5.	08/08/2023 to 09/08/2023	AAQ - 1	24 Hourly	0.46	02
6.	08/08/2023 to 09/08/2023	AAQ - 2	24 Hourly	0.48	02
7.	08/08/2023 to 09/08/2023	AAQ - 3	24 Hourly	0.51	02
8.	08/08/2023 to 09/08/2023	AAQ - 4	24 Hourly	0.54	02



The concentration of CO was within the limit as prescribed by NAAQS.

2. Noise Monitoring

Noise monitoring was done quarterly basis at location AAQ-1 (Project Office Area) and AAQ-2 (None SEZ Area Nearby Tower -2) AAQ-3 (Nearby Family Bazar) AAQ-4 (Nearby Sample Flat area), AAQ-1 (Project Office Area), AAQ-2 (Non SEZ Area Near By DG Room), AAQ-3 (Family Bazar Area Near By Guard Room), AAQ-4 (Sample Flat area near By Gate-1) for 24 Hrs. The details of monitoring are given in **Table-(2)**

Table (2): Schedule of Noise Monitoring

S. No.	Duration of sampling (hours)	Date		Sample collected on	Location
		From	To		
1.	24	08/05/2023	09/05/2023	09/05/2023	ANQ-1(Project Office Area)
2.	24	08/05/2023	09/05/2023	09/05/2023	ANQ-2, (None SEZ Area Nearby Tower -2)
3.	24	09/05/2023	10/05/2023	10/05/2023	ANQ-3,(Nearby Family Bazar)
4.	24	09/05/2023	10/05/2023	10/05/2023	ANQ-4, (Nearby Sample Flat area)

“HCL Technology Hub” located at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh, by M/S HCL IT City Lucknow Pvt. Ltd.

5.	24	21/02/2023	22/02/2023	22/02/2023	ANQ-1,(Project Office Area)
6.	24	21/02/2023	22/02/2023	22/02/2023	ANQ-2,(Non SEZ Area Near By DG Room)
7.	24	22/02/2023	23/02/2023	23/02/2023	ANQ-3,(Family Bazar Area Near By Guard Room)
8.	24	22/02/2023	23/02/2023	23/02/2023	ANQ-4,(Sample Flat area near By Gate-1)

Monitoring has been done for 24 hours. The results for day time & night time observations are given below:

Day Time

Monitoring results of daytime is given in **Table- 2 (a)** and graphical representation is given in **Figure- 2 (a)**

Table 2 (a): Day Time monitoring result

S. No.	Monitoring Locations	Duration of Monitoring	Results dB(A)	Permissible Limit dB(A) (as per CPCB)
1.	ANQ - 1	Day time (6:00 AM to 10:00 PM)	59.7	65
2.	ANQ - 2	Day time (6:00 AM to 10:00 PM)	60.2	65
3.	ANQ - 3	Day time (6:00 AM to 10:00 PM)	62.4	65
4.	ANQ - 4	Day time (6:00 AM to 10:00 PM)	61.6	65
5.	ANQ - 1	Day time (6:00 AM to 10:00 PM)	59.1	65
6.	ANQ - 2	Day time (6:00 AM to 10:00 PM)	58.5	65
7.	ANQ - 3	Day time (6:00 AM to 10:00 PM)	58.0	65
8.	ANQ - 4	Day time (6:00 AM to 10:00 PM)	57.2	65




Figure 2 (a): Graph showing day time noise monitoring result

The day noise result was found to be within the limit as prescribed by NAAQS.

Night Time

Monitoring results of night time is given in **Table- 2 (b)** and graphical representation is given in **Figure-2 (b)**.

Table – 2 (b): Night Time monitoring result

S. No.	Monitoring Locations	Duration of Monitoring	Results dB(A)	Permissible Limit dB(A) (as per CPCB)
1.	ANQ - 1	Night time (10:00 PM to 06:00AM)	48.9	55
2.	ANQ - 2	Night time (10:00 PM to 06:00AM)	51.3	55
3.	ANQ - 3	Night time (10:00 PM to 06:00AM)	53.5	55
4.	ANQ - 4	Night time (10:00 PM to 06:00AM)	52.2	55
5.	ANQ - 1	Night time (10:00 PM to 06:00AM)	48.5	55
6.	ANQ - 2	Night time (10:00 PM to 06:00AM)	47.5	55
7.	ANQ - 3	Night time (10:00 PM to 06:00AM)	47.8	55
8.	ANQ - 4	Night time (10:00 PM to 06:00AM)	48.1	55




Figure 2 (b): Graph showing night time noise monitoring result

The night noise result was found to be within the limit as prescribed by NAAQS.

3. Diesel Generator Noise Monitoring Results

Schedule for Diesel Generator Noise monitoring is given in **Table 3**.

Table 3: Schedule for DG Noise sample collection

Sample collected on	Locations
08/05/2023	DG Room
09/05/2023	DG Room
09/05/2023	DG Room
09/05/2023	DG Room
09/05/2023	DG Room
09/05/2023	DG Room
09/05/2023	DG Room
09/08/2023	DG Room SEZ Area
09/08/2023	DG Room SEZ Area
09/08/2023	DG Room SEZ Area

“HCL Technology Hub” located at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh, by M/S HCL IT City Lucknow Pvt. Ltd.

09/08/2023	DG Room SEZ Area
09/08/2023	DG Room NON SEZ Area
09/08/2023	DG Room NON SEZ Area
09/08/2023	DG Room NON SEZ Area

D.G. set -1 with capacity 1010 kVA was monitored for noise at DG Room. The results are given **Table-3(a)** below: -

Table 3(a): D.G. set -1 Noise Monitoring Result (08/05/2023)

S.no.	Description	Unit	Result	CPCB Norm	Test Method
1.	Acoustic enclosure (open Door Sound level)	dB(A)	93.5	-	ELPL/III/SOP/37
2.	Acoustic enclosure (Closed Door) Sound level	dB(A)	68.1	75	ELPL/III/SOP/37
3.	Insertion Loss	dB(A)	25.4	25	ELPL/III/SOP/37

D.G. set 2 with capacity 380 kVA was monitored for noise at DG Room. Area. The results are given **Table-3(b)** below: -

Table 3(b): D.G. Set-2 Noise Monitoring Result (09/05/2023)

S.no.	Description	Unit	Result	CPCB Norm	Test Method
1.	Acoustic enclosure (Open Door) Sound level Pressure	dB(A)	96.4	-	ELPL/III/SOP/37
2.	Acoustic enclosure (Closed Door) Sound level Pressure	dB(A)	70.8	75	ELPL/III/SOP/37
3.	Insertion Loss	dB(A)	25.6	25	ELPL/III/SOP/37

D.G. set 3 with capacity 1010 kVA was monitored for DG Room. Area. The results are given **Table-3(c)** below: -

Table 3(c): D.G. Set-3 Noise Monitoring Result (09/05/2023)

S.no.	Description	Unit	Result	CPCB Norm	Test Method
1.	Acoustic enclosure (Open Door) Sound level Pressure	dB(A)	97.6	-	ELPL/III/SOP/37
2.	Acoustic enclosure (Closed Door) Sound level Pressure	dB(A)	72.1	75	ELPL/III/SOP/37
3.	Insertion Loss	dB(A)	25.5	25	ELPL/III/SOP/37

D.G. set 4 with capacity 1500 kVA was monitored for DG Room. The results are given **Table-3(d)** below: -

Table 3(d): D.G. Set-4 Noise Monitoring Result (09/05/2023)

S.no.	Description	Unit	Result	CPCB Norm	Test Method
1.	D.G. Room (Inside the room) sound level pressure	dB(A)	100.1	-	ELPL/III/SOP/37
2.	D.G. Room (Closed door outside the room) Sound level Pressure	dB(A)	73.3	75	ELPL/III/SOP/37
3.	Insertion Loss	dB(A)	26.8	25	ELPL/III/SOP/37

D.G. set 5 with capacity 1500 kVA was monitored for noise at S.E.Z. Area. The results are given **Table-3(e)** below: -

Table 3(e): D.G. Set-5 Noise Monitoring Result (09/05/2023)

S.no.	Description	Unit	Result	CPCB Norm	Test Method
1.	D.G. Room (Inside the room) sound level pressure	dB(A)	101.6	-	ELPL/III/SOP/37
2.	D.G. Room (Closed door outside the room) Sound level Pressure	dB(A)	74.8	75	ELPL/III/SOP/37
3.	Insertion Loss	dB(A)	26.8	25	ELPL/III/SOP/37

D.G. set 6 with capacity 1500 kVA was monitored for noise at S.E.Z. Area. The results are given **Table-3(f)** below: -

Table 3(f): D.G. Set-6 Noise Monitoring Result (09/05/2023)

S.no.	Description	Unit	Result	CPCB Norm	Test Method
1.	D.G. Room (Inside the room) sound level pressure	dB(A)	97.9	-	ELPL/III/SOP/37
2.	D.G. Room (Closed door outside the room) Sound level Pressure	dB(A)	71.5	75	ELPL/III/SOP/37
3.	Insertion Loss	dB(A)	26.4	25	ELPL/III/SOP/37

D.G. set 7 with capacity 1500 kVA was monitored for DG Room. The results are given **Table-3(g)** below: -

Table 3(g): D.G. Set-7 Noise Monitoring Result (09/05/2023)

S.no.	Description	Unit	Result	CPCB Norm	Test Method
1.	D.G. Room (Inside the room) sound level pressure	dB(A)	99.6	-	ELPL/III/SOP/37
2	D.G. Room (Closed door outside the room) Sound level Pressure	dB(A)	71.8	75	ELPL/III/SOP/37
3	Insertion Loss	dB(A)	27.8	25	ELPL/III/SOP/37

D.G. set -1 with capacity 1500 kVA was monitored for noise at DG Room SEZ Area. The results are given **Table-3(h)** below: -

Table 3(h): D.G. set -1 Noise Monitoring Result (09/08/2023)

S.no.	Description	Unit	Result	CPCB Norm	Test Method
1.	D.G. Room (Inside the room) sound level pressure	dB(A)	99.4	-	ELPL/III/SOP/37
2	D.G. Room (Closed door outside the room) Sound level Pressure	dB(A)	73.1	75	ELPL/III/SOP/37
3	Insertion Loss	dB(A)	26.3	25	ELPL/III/SOP/37

D.G. set 2 with capacity 1500 kVA was monitored for noise at DG Room S.E.Z. Area. The results are given **Table-3(i)** below: -

Table 3(i): D.G. Set-2 Noise Monitoring Result (09/08/2023)

S.no.	Description	Unit	Result	CPCB Norm	Test Method
1.	D.G. Room (Inside the room) sound level pressure	dB(A)	99.1	-	ELPL/III/SOP/37
2	D.G. Room (Closed door outside the room) Sound level Pressure	dB(A)	72.2	75	ELPL/III/SOP/37
3	Insertion Loss	dB(A)	26.9	25	ELPL/III/SOP/37

D.G. set 3 with capacity 1500 kVA was monitored for noise at DG Room S.E.Z. Area. The results are given **Table-3(j)** below: -

Table 3(j): D.G. Set-3 Noise Monitoring Result (09/08/2023)

“HCL Technology Hub” located at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh, by M/S HCL IT City Lucknow Pvt. Ltd.

S.no.	Description	Unit	Result	CPCB Norm	Test Method
1.	D.G. Room (Inside the room) sound level pressure	dB(A)	100.2	-	ELPL/III/SOP/37
2	D.G. Room (Closed door outside the room) Sound level Pressure	dB(A)	73.2	75	ELPL/III/SOP/37
3	Insertion Loss	dB(A)	27	25	ELPL/III/SOP/37

D.G. set 4 with capacity 1500 kVA was monitored for noise at DG Room S.E.Z. Area. The results are given **Table-3(k)** below: -

Table 3(k): D.G. Set-4 Noise Monitoring Result (09/08/2023)

S.no.	Description	Unit	Result	CPCB Norm	Test Method
1.	D.G. Room (Inside the room) sound level pressure	dB(A)	98.9	-	ELPL/III/SOP/37
2	D.G. Room (Closed door outside the room) Sound level Pressure	dB(A)	72.1	75	ELPL/III/SOP/37
3	Insertion Loss	dB(A)	26.8	25	ELPL/III/SOP/37

D.G. set 5 with capacity 1010 kVA was monitored for noise at DG Room None S.E.Z. Area. The results are given **Table-3(e)** below: -

Table 3(l): D.G. Set-5 Noise Monitoring Result (09/08/2023)

S.no.	Description	Unit	Result	CPCB Norm	Test Method
1.	Acoustic enclosure (open Door) Sound level pressure	dB(A)	97.3	-	ELPL/III/SOP/37
2	Acoustic enclosure Closed Door level Pressure	dB(A)	71.4	75	ELPL/III/SOP/37
3	Insertion Loss	dB(A)	25.9	25	ELPL/III/SOP/37

D.G. set 6 with capacity 380 kVA was monitored for noise at DG Room None S.E.Z. Area. The results are given **Table-3(m)** below: -

Table 3(m): D.G. Set-6 Noise Monitoring Result (09/08/2023)

S.no.	Description	Unit	Result	CPCB Norm	Test Method
-------	-------------	------	--------	-----------	-------------

“HCL Technology Hub” located at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh, by M/S HCL IT City Lucknow Pvt. Ltd.

1.	Acoustic enclosure (Open Door) Sound level pressure	dB(A)	92.9	-	ELPL/III/SOP/37
2	Acoustic enclosure (Closed Door) Sound level pressure	dB(A)	66.9	75	ELPL/III/SOP/37
3	Insertion Loss	dB(A)	26.0	25	ELPL/III/SOP/37

D.G. set 7 with capacity 1010 kVA was monitored for noise at DG Room None S.E.Z. Area. The results are given **Table-3(n)** below: -

Table 3(n): D.G. Set-7 Noise Monitoring Result (09/08/2023)

S.no.	Description	Unit	Result	CPCB Norm	Test Method
1.	D.G. Room (Inside the room) sound level pressure	dB(A)	97.4	-	ELPL/III/SOP/37
2	D.G. Room (Closed door outside the room) Sound level Pressure	dB(A)	71.3	75	ELPL/III/SOP/37
3	Insertion Loss	dB(A)	26.1	25	ELPL/III/SOP/37

Noise Limit for DG set (up to 1000 KVA) manufactured on or after 1st January 2015 shall be 75db (A) at 1 meter from the enclosed surface the result obtained above is within the permissible limit.

4. Diesel Generator Stack Monitoring Results

Schedule for Diesel Generator Stack monitoring is given in **Table 4.**

Table 4: Schedule for DG Stack sample collection

Sample collected on	Locations
09/05/2023	DG Room
09/05/2023	DG Room
09/05/2023	DG Room
09/05/2023	DG Room
09/05/2023	DG Room
09/05/2023	DG Room
09/05/2023	DG Room
09/08/2023	DG Room SEZ Area
09/08/2023	DG Room SEZ Area
09/08/2023	DG Room SEZ Area
09/08/2023	DG Room SEZ Area
09/08/2023	DG Room Non SEZ Area
09/08/2023	DG Room Non SEZ Area

09/08/2023

DG Room Non SEZ Area

D.G. set 1 with capacity 1010 KVA was monitored for stack at DG Room Area. The results are furnished in **Table-4(a)** below: -

Table 4(a)- D.G. set -1 Stack Monitoring Results (09/05/2023)

S.no.	Test Parameters	Results	Units	Test Method	Emission Limits as per EP Rules
1.	Particulate Matter (PM)	62.4	mg/Nm ³	IS 11255(P-1)	75
2.	Sulphur Dioxide (SO ₂)	69.6	mg/Nm ³	IS 11255(P-2)	Not specified
3.	Oxides of Nitrogen (NO _x)	292	ppmv	IS 11255(P-7)	710
4.	Hydrocarbon (HC) as CH ₄	25.6	mg/Nm ³	IS 5182(P-17)	100
5.	Carbon monoxide (CO)	39	mg/Nm ³	IS 13270:1992	150

D.G. set 2 with capacity 380 KVA was monitored for stack at DG Room Area. The results are furnished in **Table-4(b)** below: -

Table 4(b)- D.G. set 2 Stack Monitoring Results (09/05/2023)

S.no.	Test Parameters	Results	Units	Test Method	Emission Limits as per EP Rules
1.	Particulate Matter (PM)	0.13	g/kw - hr	IS 11255(P-1)	≤ 0.2
2.	Sulphur Dioxide (SO ₂)	0.59	g/kw - hr	IS 11255(P-2)	Not specified
3.	Oxides of Nitrogen (NO _x)	1.51	g/kw - hr	IS 11255(P-7)	≤ 4.0
4.	Hydrocarbon (HC) as CH ₄	0.32	g/kw - hr	IS 5182(P-17)	
5.	Carbon monoxide (CO)	0.46	g/kw - hr	IS 13270:1992	≤ 3.5

D.G. set 3 with capacity 1010 KVA was monitored for stack at DG Room Area. The results are furnished in **Table-4(c)** below: -

Table 4(c)- D.G. set 3 Stack Monitoring Results (09/05/2023)

S.no.	Test Parameters	Results	Units	Test Method	Emission Limits as per EP Rules
1.	Particulate Matter (PM)	64.1	mg/Nm ³	IS 11255(P-1)	75
2.	Sulphur Dioxide (SO ₂)	71.2	mg/Nm ³	IS 11255(P-2)	Not specified
3.	Oxides of Nitrogen (NO _x)	292	ppmv	IS 11255(P-7)	710
4.	Hydrocarbon (HC) as CH ₄	26.2	mg/Nm ³	IS 5182(P-17)	100
5.	Carbon monoxide (CO)	49.8	mg/Nm ³	IS 13270:1992	150

D.G. set 4 with capacity 1500 KVA was monitored for stack at DG Room Area. The results are furnished in **Table-4(d)** below: -

Table 4(d)- D.G. set 4 Stack Monitoring Results (09/05/2023)

S.no.	Test Parameters	Results	Units	Test Method	Emission Limits as per EP Rules
-------	-----------------	---------	-------	-------------	---------------------------------

“HCL Technology Hub” located at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh, by M/S HCL IT City Lucknow Pvt. Ltd.

1.	Particulate Matter (PM)	69.4	mg/Nm ³	IS 11255(P-1)	75
2.	Sulphur Dioxide (SO ₂)	71.1	mg/Nm ³	IS 11255(P-2)	Not specified
3.	Oxides of Nitrogen (NO _x)	296	ppmv	IS 11255(P-7)	710
4.	Hydrocarbon (HC) as CH ₄	31	mg/Nm ³	IS 5182(P-17)	100
5.	Carbon monoxide (CO)	45	mg/Nm ³	IS 13270:1992	150

D.G. set 5 with capacity 1500 KVA was monitored for stack at DG Room Area. The results are furnished in **Table-4(e)** below: -

Table 4(e)- D.G. set 5 Stack Monitoring Results (09/05/2023)

S.no.	Test Parameters	Results	Units	Test Method	Emission Limits as per EP Rules
1.	Particulate Matter (PM)	70.6	mg/Nm ³	IS 11255(P-1)	75
2.	Sulphur Dioxide (SO ₂)	74.2	mg/Nm ³	IS 11255(P-2)	Not specified
3.	Oxides of Nitrogen (NO _x)	302	ppmv	IS 11255(P-7)	710
4.	Hydrocarbon (HC) as CH ₄	33	mg/Nm ³	IS 5182(P-17)	100
5.	Carbon monoxide (CO)	48	mg/Nm ³	IS 13270:1992	150

D.G. set 6 with capacity 1500 KVA was monitored for DG Room Area. The results are furnished in **Table-4(f)** below: -

Table 4(f)- D.G. set 6 Stack Monitoring Results (09/05/2023)

S.no.	Test Parameters	Results	Units	Test Method	Emission Limits as per EP Rules
1.	Particulate Matter (PM)	72.6	mg/Nm ³	IS 11255(P-1)	75
2.	Sulphur Dioxide (SO ₂)	74.3	mg/Nm ³	IS 11255(P-2)	Not specified
3.	Oxides of Nitrogen (NO _x)	309	ppmv	IS 11255(P-7)	710
4.	Hydrocarbon (HC) as CH ₄	32	mg/Nm ³	IS 5182(P-17)	100
5.	Carbon monoxide (CO)	49	mg/Nm ³	IS 13270:1992	150

D.G. set 7 with capacity 1500 KVA was monitored for stack at DG Room Area. The results are furnished in **Table-4(g)** below: -

Table 4(g)- D.G set 7. Stack Monitoring Results (09/05/2023)

S.no.	Test Parameters	Results	Units	Test Method	Emission Limits as per EP Rules
1.	Particulate Matter (PM)	70.4	mg/Nm ³	IS 11255(P-1)	75
2.	Sulphur Dioxide (SO ₂)	74.0	mg/Nm ³	IS 11255(P-2)	Not specified
3.	Oxides of Nitrogen (NO _x)	306	ppmv	IS 11255(P-7)	710
4.	Hydrocarbon (HC) as CH ₄	29	mg/Nm ³	IS 5182(P-17)	100
5.	Carbon monoxide (CO)	48	mg/Nm ³	IS 13270:1992	150

D.G. set 1 with capacity 1500 KVA was monitored for stack at DG Stack Area. The results are furnished in **Table-4(a)** below: -

Table 4(h)- D.G. set -1 Stack Monitoring Results (09/08/2023)

S.no.	Test Parameters	Results	Units	Test Method	Emission Limits as per EP Rules
1.	Particulate Matter(PM)	68.9	mg/Nm ³	IS 11255(P-1)	75
2.	Sulphur Dioxide(SO ₂)	71.6	mg/Nm ³	IS 11255(P-2)	Not specified
3.	Oxides of Nitrogen(NOx)	307.6	ppmv	IS 11255(P-7)	710
4.	Hydrocarbon(HC) as CH ₄	30.8	mg/Nm ³	IS 5182(P-17)	100
5.	Carbon monoxide(CO)	51.4	mg/Nm ³	IS 13270:1992	150

D.G. set 2 with capacity 1200 KVA was monitored for stack at Non S.E.Z. Area. The results are furnished in **Table-4(b)** below: -

Table 4(i)- D.G. set 2 Stack Monitoring Results (09/08/2023)

S.no.	Test Parameters	Results	Units	Test Method	Emission Limits as per EP Rules
1.	Particulate Matter(PM)	69.2	mg/Nm ³	IS 11255(P-1)	69.2
2.	Sulphur Dioxide(SO ₂)	73.6	mg/Nm ³	IS 11255(P-2)	73.6
3.	Oxides of Nitrogen(NOx)	317.5	ppmv	IS 11255(P-7)	317.5
4.	Hydrocarbon(HC) as CH ₄	31.9	mg/Nm ³	IS 5182(P-17)	31.9
5.	Carbon monoxide(CO)	52.9	mg/Nm ³	IS 13270:1992	52.9

D.G. set 3 with capacity 1500 KVA was monitored for stack DG Room S.E.Z. Area. The results are furnished in **Table-4(c)** below: -

Table 4(j)- D.G. set 3 Stack Monitoring Results (09/08/2023)

S.no.	Test Parameters	Results	Units	Test Method	Emission Limits as per EP Rules
1.	Particulate Matter(PM)	71.7	mg/Nm ³	IS 11255(P-1)	75
2.	Sulphur Dioxide(SO ₂)	73.8	mg/Nm ³	IS 11255(P-2)	Not specified
3.	Oxides of Nitrogen(NOx)	316.3	ppmv	IS 11255(P-7)	710
4.	Hydrocarbon(HC) as CH ₄	32.9	mg/Nm ³	IS 5182(P-17)	100
5.	Carbon monoxide(CO)	56.4	mg/Nm ³	IS 13270:1992	150

D.G. set 4 with capacity 1500 KVA was monitored for DG Room S.E.Z. Area. The results are furnished in **Table-4(d)** below: -

Table 4(k)- D.G. set 4 Stack Monitoring Results (09/08/2023)

S.no.	Test Parameters	Results	Units	Test Method	Emission Limits as per EP Rules
1.	Particulate Matter(PM)	72	mg/Nm ³	IS 11255(P-1)	75
2.	Sulphur Dioxide(SO ₂)	70.8	mg/Nm ³	IS 11255(P-2)	Not specified
3.	Oxides of Nitrogen(NOx)	324	ppmv	IS 11255(P-7)	710
4.	Hydrocarbon(HC) as CH ₄	33.1	mg/Nm ³	IS 5182(P-17)	100

“HCL Technology Hub” located at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh, by M/S HCL IT City Lucknow Pvt. Ltd.

5.	Carbon monoxide(CO)	57.5	mg/Nm ³	IS 13270:1992	150
----	---------------------	------	--------------------	---------------	-----

D.G. set 5 with capacity 1010 KVA was monitored for DG Room None S.E.Z. Area. The results are furnished in **Table-4(e)** below: -

Table 4(l)- D.G. set 5 Stack Monitoring Results (09/08/2023)

S.no.	Test Parameters	Results	Units	Test Method	Emission Limits as per EP Rules
1.	Particulate Matter(PM)	63.9	mg/Nm ³	IS 11255(P-1)	75
2.	Sulphur Dioxide(SO ₂)	67.3	mg/Nm ³	IS 11255(P-2)	Not specified
3.	Oxides of Nitrogen(NO _x)	284.2	ppmv	IS 11255(P-7)	710
4.	Hydrocarbon(HC) as CH ₄	26.4	mg/Nm ³	IS 5182(P-17)	100
5.	Carbon monoxide(CO)	46.1	mg/Nm ³	IS 13270:1992	150

D.G. set 6 with capacity 1500 KVA was monitored for stack at non S.E.Z. Area. The results are furnished in **Table-4(f)** below: -

Table 4(m)- D.G. set 6 Stack Monitoring Results (09/08/2023)

S.no.	Test Parameters	Results	Units	Test Method	Emission Limits as per EP Rules
1.	Particulate Matter(PM)	0.14	g/kw-hr	IS 11255(P-1)	<0.2
2.	Sulphur Dioxide(SO ₂)	0.54	g/kw-hr	IS 11255(P-2)	Not specified
3.	Oxides of Nitrogen(NO _x)	1.47	g/kw-hr	IS 11255(P-7)	< 4.0
4.	Hydrocarbon(HC) as CH ₄	0.29	g/kw-hr	IS 5182(P-17)	
5.	Carbon monoxide(CO)	0.48	g/kw-hr	IS 13270:1992	< 3.5

D.G. set 7 with capacity 1500 KVA was monitored for stack at non S.E.Z. Area. The results are furnished in **Table-4(g)** below: -

Table 4(n)- D.G set 7. Stack Monitoring Results (09/08/2023)

S.no.	Test Parameters	Results	Units	Test Method	Emission Limits as per EP Rules
1.	Particulate Matter(PM)	65.5	mg/Nm ³	IS 11255(P-1)	75
2.	Sulphur Dioxide(SO ₂)	69.0	mg/Nm ³	IS 11255(P-2)	Not specified
3.	Oxides of Nitrogen(NO _x)	301.5	ppmv	IS 11255(P-7)	710
4.	Hydrocarbon(HC) as CH ₄	28.8	mg/Nm ³	IS 5182(P-17)	100
5.	Carbon monoxide(CO)	52.4	mg/Nm ³	IS 13270:1992	150

5. Soil monitoring

Schedule for Soil monitoring are given in **Table 5**.

Table 5: Schedule for Soil sample collection

Sample collected on	Locations
---------------------	-----------

“HCL Technology Hub” located at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh, by M/S HCL IT City Lucknow Pvt. Ltd.

09/05/2023	Project Office Area (Garden)
09/05/2023	None SEZ Area (Garden)

Soil monitoring monitored. The results are furnished in **Table-5(a)** below: -

Table 5(a): Results of Soil monitoring (09/05/2023)

S.No.	Test Parameters	Unit	Result	Test Method
1	pH (1:5)	-	8.45	IS 2720(P-26):1987
2	Conductivity (1:5)	µmhos/cm	349	IS 14767:2000
3	Color	-	Light Brown	ELPL/III/SOP/54
4.	Texture		Sandy Clay Loam	
	Silt	%	13	ELPL/III/SOP/51
	Clay	%	38	
	Sand	%	49	
5	Sodium Absorption Ratio	-	0.49	ELPL/III/SOP/52
6	Cation Exchange Capacity	Meq/100gm	33.16	ELPL/III/SOP/50
7	Porosity	%	41	ELPL/III/SOP/63
8	Water Holding Capacity	%	38	ELPL/III/SOP/41
9	Bulk Density	gm/cc	1.28	ELPL/III/SOP/40
10	Chloride as Cl	mg/kg	442.5	ELPL/III/SOP/46
11	Calcium as Ca	mg/kg	5561	ELPL/III/SOP/42
12	Sodium as Na	mg/kg	144.9	ELPL/III/SOP/44
13	Potassium as K	mg/kg	105	ELPL/III/SOP/45
14	Magnesium as Mg	mg/kg	557.9	ELPL/III/SOP/43
15	Organic matter	%	0.56	IS 2720(P-22):1972
16	Available Nitrogen	mg/kg	134.1	ELPL/III/SOP/49
17	Phosphorous	mg/kg	98	ELPL/III/SOP/47

Soil monitoring was monitored for Soil monitoring. The results are furnished in **Table-5(b)** below: -

Table 5(b): Results of Soil monitoring (09/05/2023)

S.No.	Test Parameters	Unit	Result	Test Method
1	pH (1:5)	-	8.17	IS 2720(P-26):1987
2	Conductivity (1:5)	µmhos/cm	335	IS 14767:2000
3	Color	-	Light Brown	ELPL/III/SOP/54
4.	Texture		Sandy Clay Loam	
	Silt	%	11	ELPL/III/SOP/51
	Clay	%	38	
	Sand	%	51	
5	Sodium Absorption Ratio	-	0.34	ELPL/III/SOP/52
6	Cation Exchange Capacity	Meq/100gm	46.18	ELPL/III/SOP/50
7	Porosity	%	42	ELPL/III/SOP/63
8	Water Holding Capacity	%	41	ELPL/III/SOP/41
9	Bulk Density	gm/cc	1.33	ELPL/III/SOP/40

“HCL Technology Hub” located at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh, by M/S HCL IT City Lucknow Pvt. Ltd.

10	Chloride as Cl	mg/kg	2065	ELPL/III/SOP/46
11	Calcium as Ca	mg/kg	8253	ELPL/III/SOP/42
12	Sodium as Na	mg/kg	120	ELPL/III/SOP/44
13	Potassium as K	mg/kg	150	ELPL/III/SOP/45
14	Magnesium as Mg	mg/kg	510	ELPL/III/SOP/43
15	Organic matter	%	0.48	IS 2720(P-22):1972
16	Available Nitrogen	mg/kg	120	ELPL/III/SOP/49
17	Phosphorous	mg/kg	94	ELPL/III/SOP/47

6. Borewell Water

Schedule for Borewell water monitoring are given in Table 6.

Table 6: Schedule for Borewell water monitoring sample collection

Sample collected on	Locations
08/05/2023	Admin Block Area
08/05/2023	None SEZ SDC -2 Area
08/05/2023	IT 01 Back Side Area
08/05/2023	IT 02 Back Side Area
08/05/2023	IT 03 Back Side Area
08/08/2023	IT-02 Area
08/08/2023	Admin Block Area

Table6(a): Results of Borewell water monitoring (08/05/2023)

S.No	Test Parameters	Units	Results	IS 10500: 2012		Test Method
				Acceptable Limit, max.	Permissible Limit in the Absence of Alternate source, max.	
1	Color	Hazen	BDL (DL-5.0)	5	15	IS 3025 (Pt-04)
2	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-05)
3	pH	-	8.02	6.5-8.5	No relaxation	IS 3025 (Pt-11)
4	Taste	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-08)
5	Turbidity	NTU	BDL(DL-1.0)	1	5	IS 3025 (Pt-10)
6	Total Dissolved Solids	mg/l	423	500	2000	IS 3025 (Pt-16)
7	Ammonia (as total ammonia-N)	mg/l	BDL (DL0.5)	0.5	No relaxation	IS 3025 (Pt-34)
8	Anionic Detergents (as MBAS)	mg/l	BDL (DL0.1)	0.2	1.0	Annex K of IS 13428
9	Calcium as Ca	mg/l	44.0	75	200	IS 3025 (Pt-40)
10	Chloramines (as Cl ₂)	mg/l	BDL (DL0.1)	4.0	No relaxation	IS 3025 (Pt-26)
11	Chloride as Cl	mg/l	12.3	250	1000	IS 3025 (Pt-32)
12	Fluoride as F	mg/l	0.50	1.0	1.5	APHA 23 rd Ed 4500F
13	Free Residual Chlorine	mg/l	BDL (DL0.05)	0.2	1	IS 3025 (Pt-26)
14	Nitrate as NO ₃	mg/l	BDL(DL-1.0)	45	No relaxation	IS 3025 (Pt-34)
15	Phenolic Compounds (as	mg/l	BDL (DL	0.001	0.002	IS 3025 (Pt-43)

“HCL Technology Hub” located at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh, by M/S HCL IT City Lucknow Pvt. Ltd.

	C ₆ H ₅ OH)		0.001)			
16	Sulphate as SO ₄	mg/l	65.9	200	400	IS 3025 (Pt-24)
17	Sulphide (as H ₂ S)	mg/l	BDL (DL 0.02)	0.05	No relaxation	IS 3025 (Pt-29)
18	Total Alkalinity as CaCO ₃	mg/l	225	200	600	IS 3025 (Pt-23)
19	Total Hardness as CaCO ₃	mg/l	280	200	600	IS 3025 (Pt-21)
20	Cyanide (as CN)	mg/l	BDL (DL 0.02)	0.05	No relaxation	IS 3025 (Pt-27)
21	Aluminum (as Al)	mg/l	BDL (DL 0.01)	0.03	0.2	APHA23 rd Ed.3120B
22	Barium (as Ba)	mg/l	BDL (DL 0.1)	0.7	No relaxation	APHA23 rd Ed.3120B
23	Boron (as B)	mg/l	BDL (DL 0.1)	0.5	2.4	APHA 23 rd Ed.3120B
24	Copper (as Cu)	mg/l	BDL (DL 0.02)	0.05	1.5	APHA 23 rd Ed. 3120B
25	Iron as Fe	mg/l	BDL (DL 0.05)	1.0	No relaxation	APHA23 rd Ed. 3120B
26	Magnesium as Mg	mg/l	41.3	30	100	APHA 23 rd Ed.3500 B
27	Manganese as Mn	mg/l	BDL (DL 0.05)	0.1	0.3	APHA 23 rd Ed.3120B
28	Selenium (as Se)	mg/l	BDL (DL 0.01)	0.01	No relaxation	APHA 23 rd Ed.3120B
29	Silver (as Ag)	mg/l	BDL (DL 0.05)	0.1	No relaxation	APHA 23 rd Ed.3120B
30	Zinc (as Zn)	mg/l	BDL (DL 0.05)	5	15	APHA 23 rd Ed.3120B
31	Cadmium (as Cd)	mg/l	BDL (DL 0.001)	0.003	No relaxation	APHA 23 rd Ed.3120B
32	Lead (as Pb)	mg/l	BDL (DL 0.005)	0.01	No relaxation	APHA 23 rd Ed.3120B
33	Mercury (as Hg)	mg/l	BDL(DL0.001)	0.001	No relaxation	APHA 23 rd Ed.3120B
34	Molybdenum (as MO)	mg/l	BDL (DL 0.05)	0.07	No relaxation	APHA 23 rd Ed.3120B
35	Nickel (as Ni)	mg/l	BDL(DL0.01)	0.02	No relaxation	APHA 23 rd Ed.3120B
36	Total Arsenic (as As)	mg/l	BDL (DL 0.01)	0.01	No relaxation	APHA 23 rd Ed.3120B
37	Total Chromium (as Cr)	mg/l	BDL (DL 0.03)	0.05	No relaxation	APHA 23 rd Ed.3120B

Table 6(b): Results of Borewell water monitoring (08/05/2023)

S.No	Test Parameters	Units	Results	IS 10500: 2012		Test Method
				Acceptable Limit, max.	Permissible Limit in the Absence of Alternate source, max.	
1	Color	Hazen	BDL (DL-5.0)	5	15	IS 3025 (Pt-04)
2	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-05)
3	pH	-	7.62	6.5-8.5	No relaxation	IS 3025 (Pt-11)

“HCL Technology Hub” located at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh, by M/S HCL IT City Lucknow Pvt. Ltd.

4	Taste	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-08)
5	Turbidity	NTU	BDL(DL-1.0)	1	5	IS 3025 (Pt-10)
6	Total Dissolved Solids	mg/l	412	500	2000	IS 3025 (Pt-16)
7	Ammonia (as total ammonia-N)	mg/l	BDL (DL0.5)	0.5	No relaxation	IS 3025 (Pt-34)
8	Anionic Detergents (as MBAS)	mg/l	BDL (DL0.1)	0.2	1.0	Annex K of IS 13428
9	Calcium as Ca	mg/l	34.0	75	200	IS 3025 (Pt-40)
10	Chloramines (as Cl ₂)	mg/l	BDL (DL0.1)	4.0	No relaxation	IS 3025 (Pt-26)
11	Chloride as Cl	mg/l	9.8	250	1000	IS 3025 (Pt-32)
12	Fluoride as F	mg/l	0.46	1.0	1.5	APHA 23 rd Ed 4500F
13	Free Residual Chlorine	mg/l	BDL (DL0.05)	0.2	1	IS 3025 (Pt-26)
14	Nitrate as NO ₃	mg/l	BDL(DL-1.0)	45	No relaxation	IS 3025 (Pt-34)
15	Phenolic Compounds (as C ₆ H ₅ OH)	mg/l	BDL (DL 0.001)	0.001	0.002	IS 3025 (Pt-43)
16	Sulphate as SO ₄	mg/l	70.2	200	400	IS 3025 (Pt-24)
17	Sulphide (as H ₂ S)	mg/l	BDL (DL 0.02)	0.05	No relaxation	IS 3025 (Pt-29)
18	Total Alkalinity as CaCO ₃	mg/l	210	200	600	IS 3025 (Pt-23)
19	Total Hardness as CaCO ₃	mg/l	255	200	600	IS 3025 (Pt-21)
20	Cyanide (as CN)	mg/l	BDL (DL 0.02)	0.05	No relaxation	IS 3025 (Pt-27)
21	Aluminum (as Al)	mg/l	BDL (DL 0.01)	0.03	0.2	APHA23 rd Ed.3120B
22	Barium (as Ba)	mg/l	BDL (DL 0.1)	0.7	No relaxation	APHA23 rd Ed.3120B
23	Boron (as B)	mg/l	BDL (DL 0.1)	0.5	2.4	APHA23 rd Ed.3120B
24	Copper (as Cu)	mg/l	BDL (DL 0.02)	0.05	1.5	APHA23 rd Ed.3120B
25	Iron as Fe	mg/l	BDL (DL 0.05)	1.0	No relaxation	APHA23 rd Ed.3120B
26	Magnesium as Mg	mg/l	41.3	30	100	APHA23 rd Ed.3500B
27	Manganese as Mn	mg/l	BDL (DL 0.05)	0.1	0.3	APHA23 rd Ed.3120B
28	Selenium (as Se)	mg/l	BDL (DL 0.01)	0.01	No relaxation	APHA23 rd Ed.3120B
29	Silver (as Ag)	mg/l	BDL (DL 0.05)	0.1	No relaxation	APHA23 rd Ed.3120B
30	Zinc (as Zn)	mg/l	BDL (DL	5	15	APHA23 rd Ed.3120B

			0.05)			
31	Cadmium (as Cd)	mg/l	BDL (DL 0.001)	0.003	No relaxation	APHA23 rd Ed.3120B
32	Lead (as Pb)	mg/l	BDL (DL 0.005)	0.01	No relaxation	APHA23 rd Ed.3120B
33	Mercury (as Hg)	mg/l	BDL (DL 0.001)	0.001	No relaxation	APHA23 rd Ed.3120B
34	Molybdenum (as MO)	mg/l	BDL (DL 0.05)	0.07	No relaxation	APHA23 rd Ed.3120B
35	Nickel (as Ni)	mg/l	BDL (DL 0.01)	0.02	No relaxation	APHA23 rd Ed.3120B
36	Total Arsenic (as As)	mg/l	BDL (DL 0.01)	0.01	No relaxation	APHA23 rd Ed.3120B
37	Total Chromium (as Cr)	mg/l	BDL (DL 0.03)	0.05	No relaxation	APHA23 rd Ed.3120B

Table 6(c): Results of Borewell water monitoring (08/05/2023)

S.No	Test Parameters	Units	Results	IS 10500 : 2012		Test Method
				Acceptable Limit, max.	Permissible Limit in the Absence of Alternate source, max.	
1	Color	Hazen	BDL (DL-5.0)	5	15	IS 3025 (Pt-04)
2	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-05)
3	pH	-	7.42	6.5-8.5	No relaxation	IS 3025 (Pt-11)
4	Taste	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-08)
5	Turbidity	NTU	BDL(DL-1.0)	1	5	IS 3025 (Pt-10)
6	Total Dissolved Solids	mg/l	436	500	2000	IS 3025 (Pt-16)
7	Ammonia (as total ammonia-N)	mg/l	BDL (DL0.5)	0.5	No relaxation	IS 3025 (Pt-34)
8	Anionic Detergents (as MBAS)	mg/l	BDL (DL0.1)	0.2	1.0	Annex K of IS 13428
9	Calcium as Ca	mg/l	42.0	75	200	IS 3025 (Pt-40)
10	Chloramines (as Cl ₂)	mg/l	BDL (DL0.1)	4.0	No relaxation	IS 3025 (Pt-26)
11	Chloride as Cl	mg/l	17.2	250	1000	IS 3025 (Pt-32)
12	Fluoride as F	mg/l	0.39	1.0	1.5	APHA 23 rd Ed 4500F
13	Free Residual Chlorine	mg/l	BDL (DL0.05)	0.2	1	IS 3025 (Pt-26)
14	Nitrate as NO ₃	mg/l	BDL(DL-1.0)	45	No relaxation	IS 3025 (Pt-34)
15	Phenolic	mg/l	BDL (DL	0.001	0.002	IS 3025 (Pt-43)

“HCL Technology Hub” located at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh, by M/S HCL IT City Lucknow Pvt. Ltd.

	Compounds (as C ₆ H ₅ OH)		0.001)			
16	Sulphate as SO ₄	mg/l	77.8	200	400	IS 3025 (Pt-24)
17	Sulphide (as H ₂ S)	mg/l	BDL (DL 0.02)	0.05	No relaxation	IS 3025 (Pt-29)
18	Total Alkalinity as CaCO ₃	mg/l	245	200	600	IS 3025 (Pt-23)
19	Total Hardness as CaCO ₃	mg/l	285	200	600	IS 3025 (Pt-21)
20	Cyanide (as CN)	mg/l	BDL (DL 0.02)	0.05	No relaxation	IS 3025 (Pt-27)
21	Aluminum (as Al)	mg/l	BDL (DL 0.01)	0.03	0.2	APHA23 rd Ed.3120B
22	Barium (as Ba)	mg/l	BDL (DL 0.1)	0.7	No relaxation	APHA23 rd Ed.3120B
23	Boron (as B)	mg/l	BDL (DL 0.1)	0.5	2.4	APHA23 rd Ed.3120B
24	Copper (as Cu)	mg/l	BDL (DL 0.02)	0.05	1.5	APHA23 rd Ed.3120B
25	Iron as Fe	mg/l	BDL (DL 0.05)	1.0	No relaxation	APHA23 rd Ed.3120B
26	Magnesium as Mg	mg/l	4	30	100	APHA23 rd Ed.3500B
27	Manganese as Mn	mg/l	BDL (DL 0.05)	0.1	0.3	APHA23 rd Ed.3120B
28	Selenium (as Se)	mg/l	BDL (DL 0.01)	0.01	No relaxation	APHA23 rd Ed.3120B
29	Silver (as Ag)	mg/l	BDL (DL 0.05)	0.1	No relaxation	APHA23 rd Ed.3120B
30	Zinc (as Zn)	mg/l	BDL (DL 0.05)	5	15	APHA23 rd Ed.3120B
31	Cadmium (as Cd)	mg/l	BDL (DL 0.001)	0.003	No relaxation	APHA23 rd Ed.3120B
32	Lead (as Pb)	mg/l	BDL (DL 0.005)	0.01	No relaxation	APHA23 rd Ed.3120B
33	Mercury (as Hg)	mg/l	BDL(DL0.001)	0.001	No relaxation	APHA23 rd Ed.3120B
34	Molybdenum (as MO)	mg/l	BDL (DL 0.05)	0.07	No relaxation	APHA23 rd Ed.3120B
35	Nickel (as Ni)	mg/l	BDL(DL0.01)	0.02	No relaxation	APHA23 rd Ed.3120B
36	Total Arsenic (as As)	mg/l	BDL (DL 0.01)	0.01	No relaxation	APHA23 rd Ed.3120B
37	Total Chromium (as Cr)	mg/l	BDL (DL 0.03)	0.05	No relaxation	APHA23 rd Ed.3120B

Table 6(d): Results of Borewell water monitoring (08/05/2023)

S.No	Test Parameters	Units	Results	IS 10500 : 2012		Test Method
				Acceptable	Permissible	

“HCL Technology Hub” located at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh, by M/S HCL IT City Lucknow Pvt. Ltd.

				Limit, max.	Limit in the Absence of Alternate source, max.	
1	Color	Hazen	BDL (DL-5.0)	5	15	IS 3025 (Pt-04)
2	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-05)
3	pH	-	7.64	6.5-8.5	No relaxation	IS 3025 (Pt-11)
4	Taste	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-08)
5	Turbidity	NTU	BDL(DL-1.0)	1	5	IS 3025 (Pt-10)
6	Total Dissolved Solids	mg/l	402	500	2000	IS 3025 (Pt-16)
7	Ammonia (as total ammonia-N)	mg/l	BDL (DL0.5)	0.5	No relaxation	IS 3025 (Pt-34)
8	Anionic Detergents (as MBAS)	mg/l	BDL (DL0.1)	0.2	1.0	Annex K of IS 13428
9	Calcium as Ca	mg/l	36.0	75	200	IS 3025 (Pt-40)
10	Chloramines (as Cl ₂)	mg/l	BDL (DL0.1)	4.0	No relaxation	IS 3025 (Pt-26)
11	Chloride as Cl	mg/l	12.3	250	1000	IS 3025 (Pt-32)
12	Fluoride as F	mg/l	0.41	1.0	1.5	APHA 23 rd Ed 4500F
13	Free Residual Chlorine	mg/l	BDL (DL0.05)	0.2	1	IS 3025 (Pt-26)
14	Nitrate as NO ₃	mg/l	BDL(DL-1.0)	45	No relaxation	IS 3025 (Pt-34)
15	Phenolic Compounds (as C ₆ H ₅ OH)	mg/l	BDL (DL 0.001)	0.001	0.002	IS 3025 (Pt-43)
16	Sulphate as SO ₄	mg/l	69.8	200	400	IS 3025 (Pt-24)
17	Sulphide (as H ₂ S)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-29)
18	Total Alkalinity as CaCO ₃	mg/l	180	200	600	IS 3025 (Pt-23)
19	Total Hardness as CaCO ₃	mg/l	240	200	600	IS 3025 (Pt-21)
20	Cyanide (as CN)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-27)
21	Aluminum (as Al)	mg/l	BDL(DL 0.01)	0.03	0.2	APHA23 rd Ed.3120B
22	Barium (as Ba)	mg/l	BDL (DL 0.1)	0.7	No relaxation	APHA23 rd Ed.3120B
23	Boron (as B)	mg/l	BDL (DL 0.1)	0.5	2.4	APHA23 rd Ed.3120B
24	Copper (as Cu)	mg/l	BDL(DL 0.02)	0.05	1.5	APHA23 rd Ed.3120B
25	Iron as Fe	mg/l	BDL (DL0.05)	1.0	No relaxation	APHA23 rd Ed.3120B
26	Magnesium as Mg	mg/l	36.4	30	100	APHA23 rd Ed.3500B
27	Manganese as Mn	mg/l	BDL (DL 0.05)	0.1	0.3	APHA23 rd Ed.3120B

28	Selenium (as Se)	mg/l	BDL (DL 0.01)	0.01	No relaxation	APHA23 rd Ed.3120B
29	Silver (as Ag)	mg/l	BDL (DL 0.05)	0.1	No relaxation	APHA23 rd Ed.3120B
30	Zinc (as Zn)	mg/l	BDL (DL 0.05)	5	15	APHA23 rd Ed.3120B
31	Cadmium (as Cd)	mg/l	BDL(DL0.001)	0.003	No relaxation	APHA23 rd Ed.3120B
32	Lead (as Pb)	mg/l	BDL(DL0.005)	0.01	No relaxation	APHA23 rd Ed.3120B
33	Mercury (as Hg)	mg/l	BDL(DL0.001)	0.001	No relaxation	APHA23 rd Ed.3120B
34	Molybdenum (as MO)	mg/l	BDL (DL 0.05)	0.07	No relaxation	APHA23 rd Ed.3120B
35	Nickel (as Ni)	mg/l	BDL(DL0.01)	0.02	No relaxation	APHA23 rd Ed.3120B
36	Total Arsenic (as As)	mg/l	BDL(DL 0.01)	0.01	No relaxation	APHA23 rd Ed.3120B
37	Total Chromium (as Cr)	mg/l	BDL(DL 0.03)	0.05	No relaxation	APHA23 rd Ed.3120B

Table 6(e): Results of Borewell water monitoring (08/05/2023)

S.No	Test Parameters	Units	Results	IS 10500 : 2012		Test Method
				Acceptable Limit, max.	Permissible Limit in the Absence of Alternate source, max.	
1	Color	Hazen	BDL (DL-5.0)	5	15	IS 3025 (Pt-04)
2	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-05)
3	pH	-	7.51	6.5-8.5	No relaxation	IS 3025 (Pt-11)
4	Taste	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-08)
5	Turbidity	NTU	BDL(DL-1.0)	1	5	IS 3025 (Pt-10)
6	Total Dissolved Solids	mg/l	440	500	2000	IS 3025 (Pt-16)
7	Ammonia (as total ammonia-N)	mg/l	BDL (DL0.5)	0.5	No relaxation	IS 3025 (Pt-34)
8	Anionic Detergents (as MBAS)	mg/l	BDL (DL0.1)	0.2	1.0	Annex K of IS 13428
9	Calcium as Ca	mg/l	44.0	75	200	IS 3025 (Pt-40)
10	Chloramines (as Cl ₂)	mg/l	BDL (DL0.1)	4.0	No relaxation	IS 3025 (Pt-26)
11	Chloride as Cl	mg/l	14.3	250	1000	IS 3025 (Pt-32)
12	Fluoride as F	mg/l	0.42	1.0	1.5	APHA 23 rd Ed 4500F
13	Free Residual Chlorine	mg/l	BDL (DL0.05)	0.2	1	IS 3025 (Pt-26)
14	Nitrate as	mg/l	BDL(DL-1.0)	45	No relaxation	IS 3025 (Pt-34)

“HCL Technology Hub” located at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh, by M/S HCL IT City Lucknow Pvt. Ltd.

	NO ₃					
15	Phenolic Compounds (as C ₆ H ₅ OH)	mg/l	BDL (DL 0.001)	0.001	0.002	IS 3025 (Pt-43)
16	Sulphate as SO ₄	mg/l	70.0	200	400	IS 3025 (Pt-24)
17	Sulphide (as H ₂ S)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-29)
18	Total Alkalinity as CaCO ₃	mg/l	240	200	600	IS 3025 (Pt-23)
19	Total Hardness as CaCO ₃	mg/l	285	200	600	IS 3025 (Pt-21)
20	Cyanide (as CN)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-27)
21	Aluminum (as Al)	mg/l	BDL(DL 0.01)	0.03	0.2	APHA23 rd Ed.3120B
22	Barium (as Ba)	mg/l	BDL (DL 0.1)	0.7	No relaxation	APHA23 rd Ed.3120B
23	Boron (as B)	mg/l	BDL (DL 0.1)	0.5	2.4	APHA23 rd Ed.3120B
24	Copper (as Cu)	mg/l	BDL(DL 0.02)	0.05	1.5	APHA23 rd Ed.3120B
25	Iron as Fe	mg/l	BDL (DL 0.05)	1.0	No relaxation	APHA23 rd Ed.3120B
26	Magnesium as Mg	mg/l	42.	30	100	APHA23 rd Ed.3500B
27	Manganese as Mn	mg/l	BDL (DL 0.05)	0.1	0.3	APHA23 rd Ed.3120B
28	Selenium (as Se)	mg/l	BDL (DL 0.01)	0.01	No relaxation	APHA23 rd Ed.3120B
29	Silver (as Ag)	mg/l	BDL (DL 0.05)	0.1	No relaxation	APHA23 rd Ed.3120B
30	Zinc (as Zn)	mg/l	BDL (DL 0.05)	5	15	APHA23 rd Ed.3120B
31	Cadmium (as Cd)	mg/l	BDL (DL 0.001)	0.003	No relaxation	APHA23 rd Ed.3120B
32	Lead (as Pb)	mg/l	BDL (DL 0.005)	0.01	No relaxation	APHA23 rd Ed.3120B
33	Mercury (as Hg)	mg/l	BDL(DL 0.001)	0.001	No relaxation	APHA23 rd Ed.3120B
34	Molybdenum (as MO)	mg/l	BDL (DL 0.05)	0.07	No relaxation	APHA23 rd Ed.3120B
35	Nickel (as Ni)	mg/l	BDL(DL 0.01)	0.02	No relaxation	APHA23 rd Ed.3120B
36	Total Arsenic (as As)	mg/l	BDL(DL 0.01)	0.01	No relaxation	APHA23 rd Ed.3120B
37	Total Chromium (as Cr)	mg/l	BDL(DL 0.03)	0.05	No relaxation	APHA23 rd Ed.3120B

Table 6(f): Results of Borewell water monitoring (08/05/2023)

S.No	Test Parameters	Units	Results	IS 10500 : 2012		Test Method
				Acceptable Limit,	Permissible Limit in the	

“HCL Technology Hub” located at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh, by M/S HCL IT City Lucknow Pvt. Ltd.

				max.	Absence of Alternate source, max.	
1	Color	Hazen	BDL (DL-5.0)	5	15	IS 3025 (Pt-04)
2	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-05)
3	pH	-	7.51	6.5-8.5	No relaxation	IS 3025 (Pt-11)
4	Taste	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-08)
5	Turbidity	NTU	BDL(DL-1.0)	1	5	IS 3025 (Pt-10)
6	Total Dissolved Solids	mg/l	440	500	2000	IS 3025 (Pt-16)
7	Ammonia (as total ammonia-N)	mg/l	BDL (DL0.5)	0.5	No relaxation	IS 3025 (Pt-34)
8	Anionic Detergents (as MBAS)	mg/l	BDL (DL0.1)	0.2	1.0	Annex K of IS 13428
9	Calcium as Ca	mg/l	44.0	75	200	IS 3025 (Pt-40)
10	Chloramines (as Cl ₂)	mg/l	BDL (DL0.1)	4.0	No relaxation	IS 3025 (Pt-26)
11	Chloride as Cl	mg/l	14.3	250	1000	IS 3025 (Pt-32)
12	Fluoride as F	mg/l	0.42	1.0	1.5	APHA 23 rd Ed 4500F
13	Free Residual Chlorine	mg/l	BDL (DL0.05)	0.2	1	IS 3025 (Pt-26)
14	Nitrate as NO ₃	mg/l	BDL(DL-1.0)	45	No relaxation	IS 3025 (Pt-34)
15	Phenolic Compounds (as C ₆ H ₅ OH)	mg/l	BDL(DL0.001)	0.001	0.002	IS 3025 (Pt-43)
16	Sulphate as SO ₄	mg/l	70.0	200	400	IS 3025 (Pt-24)
17	Sulphide (as H ₂ S)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-29)
18	Total Alkalinity as CaCO ₃	mg/l	240	200	600	IS 3025 (Pt-23)
19	Total Hardness as CaCO ₃	mg/l	285	200	600	IS 3025 (Pt-21)
20	Cyanide (as CN)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-27)
21	Aluminum (as Al)	mg/l	BDL(DL 0.01)	0.03	0.2	APHA23 rd Ed.3120B
22	Barium (as Ba)	mg/l	BDL (DL 0.1)	0.7	No relaxation	APHA23 rd Ed.3120B
23	Boron (as B)	mg/l	BDL (DL 0.1)	0.5	2.4	APHA23 rd Ed.3120B
24	Copper (as Cu)	mg/l	BDL(DL 0.02)	0.05	1.5	APHA23 rd Ed.3120B
25	Iron as Fe	mg/l	BDL (DL 0.05)	1.0	No relaxation	APHA23 rd Ed.3120B
26	Magnesium as Mg	mg/l	42.5	30	100	APHA23 rd Ed.3500B
27	Manganese as Mn	mg/l	BDL (DL 0.05)	0.1	0.3	APHA23 rd Ed.3120B
28	Selenium (as Se)	mg/l	BDL (DL 0.01)	0.01	No relaxation	APHA23 rd Ed.3120B
29	Silver (as Ag)	mg/l	BDL (DL 0.05)	0.1	No relaxation	APHA23 rd Ed.3120B

30	Zinc (as Zn)	mg/l	BDL (DL 0.05)	5	15	APHA23 rd Ed.3120B
31	Cadmium (as Cd)	mg/l	BDL(DL0.001)	0.003	No relaxation	APHA23 rd Ed.3120B
32	Lead (as Pb)	mg/l	BDL(DL0.005)	0.01	No relaxation	APHA23 rd Ed.3120B
33	Mercury (as Hg)	mg/l	BDL(DL0.001)	0.001	No relaxation	APHA23 rd Ed.3120B
34	Molybdenum (as MO)	mg/l	BDL (DL 0.05)	0.07	No relaxation	APHA23 rd Ed.3120B
35	Nickel (as Ni)	mg/l	BDL(DL 0.01)	0.02	No relaxation	APHA23 rd Ed.3120B
36	Total Arsenic (as As)	mg/l	BDL(DL 0.01)	0.01	No relaxation	APHA23 rd Ed.3120B
37	Total Chromium (as Cr)	mg/l	BDL(DL 0.03)	0.05	No relaxation	APHA23 rd Ed.3120B

Table 6(g): Results of Borewell water monitoring (08/08/2023)

S.No	Test Parameters	Units	Results	IS 10500 : 2012		Test Method
				Acceptable Limit, max.	Permissible Limit in the Absence of Alternate source, max.	
1	Color	Hazen	BDL (DL-5.0)	5	15	IS 3025 (Pt-04)
2	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-05)
3	pH	-	7.54	6.5-8.5	No relaxation	IS 3025 (Pt-11)
4	Taste	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-08)
5	Turbidity	NTU	BDL(DL-1.0)	1	5	IS 3025 (Pt-10)
6	Total Dissolved Solids	mg/l	462	500	2000	IS 3025 (Pt-16)
7	Ammonia (as total ammonia-N)	mg/l	BDL (DL-0.5)	0.5	No relaxation	IS 3025 (Pt-34)
8	Anionic Detergents (as MBAS)	mg/l	BDL (DL-0.1)	0.2	1.0	Annex K of IS 13428
9	Calcium as Ca	mg/l	38	75	200	IS 3025 (Pt-40)
10	Chloramines (as Cl ₂)	mg/l	BDL (DL-0.1)	4.0	No relaxation	IS 3025 (Pt-26)
11	Chloride as Cl	mg/l	14.9	250	1000	IS 3025 (Pt-32)
12	Fluoride as F	mg/l	0.73	1.0	1.5	APHA 23 rd Ed 4500F
13	Free Residual Chlorine	mg/l	BDL (DL0.05)	0.2	1	IS 3025 (Pt-26)
14	Nitrate as NO ₃	mg/l	BDL(DL-1.0)	45	No relaxation	IS 3025 (Pt-34)
15	Phenolic Compounds (as C ₆ H ₅ OH)	mg/l	BDL(DL0.001)	0.001	0.002	IS 3025 (Pt-43)
16	Sulphate as SO ₄	mg/l	39.0	200	400	IS 3025 (Pt-24)
17	Sulphide (as H ₂ S)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-29)
18	Total Alkalinity	mg/l	320	200	600	IS 3025 (Pt-23)

“HCL Technology Hub” located at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh, by M/S HCL IT City Lucknow Pvt. Ltd.

19	as CaCO ₃ Total Hardness as CaCO ₃	mg/l	285	200	600	IS 3025 (Pt-21)
20	Cyanide (as CN)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-27)
21	Aluminum (as Al)	mg/l	BDL(DL 0.01)	0.03	0.2	APHA23 rd Ed.3120B
22	Barium (as Ba)	mg/l	BDL (DL 0.1)	0.7	No relaxation	APHA23 rd Ed.3120B
23	Boron (as B)	mg/l	BDL (DL 0.1)	0.5	2.4	APHA23 rd Ed.3120B
24	Copper (as Cu)	mg/l	BDL(DL 0.02)	0.05	1.5	APHA23 rd Ed.3120B
25	Iron as Fe	mg/l	BDL (DL 0.05)	1.0	No relaxation	APHA23 rd Ed.3120B
26	Magnesium as Mg	mg/l	46.17	30	100	APHA23 rd Ed.3500B
27	Manganese as Mn	mg/l	BDL (DL 0.05)	0.1	0.3	APHA23 rd Ed.3120B
28	Selenium (as Se)	mg/l	BDL (DL 0.01)	0.01	No relaxation	APHA23 rd Ed.3120B
29	Silver (as Ag)	mg/l	BDL (DL 0.05)	0.1	No relaxation	APHA23 rd Ed.3120B
30	Zinc (as Zn)	mg/l	BDL (DL 0.05)	5	15	APHA23 rd Ed.3120B
31	Cadmium (as Cd)	mg/l	BDL(DL0.001)	0.003	No relaxation	APHA23 rd Ed.3120B
32	Lead (as Pb)	mg/l	BDL(D 0.005)	0.01	No relaxation	APHA23 rd Ed.3120B
33	Mercury (as Hg)	mg/l	BDL(DL0.001)	0.001	No relaxation	APHA23 rd Ed.3120B
34	Molybdenum (as MO)	mg/l	BDL (DL 0.05)	0.07	No relaxation	APHA23 rd Ed.3120B
35	Nickel (as Ni)	mg/l	BDL(DL0.01)	0.02	No relaxation	APHA23 rd Ed.3120B
36	Total Arsenic (as As)	mg/l	BDL(DL 0.01)	0.01	No relaxation	APHA23 rd Ed.3120B
37	Total Chromium (as Cr)	mg/l	BDL(DL 0.03)	0.05	No relaxation	APHA23 rd Ed.3120B

Table 6(h): Results of Borewell water monitoring (08/08/2023)

S.No	Test Parameters	Units	Results	IS 10500 : 2012		Test Method
				Acceptable Limit, max.	Permissible Limit in the Absence of Alternate source, max.	
1	Color	Hazen	BDL (DL-5.0)	5	15	IS 3025 (Pt-04)
2	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-05)
3	pH	-	7.55	6.5-8.5	No relaxation	IS 3025 (Pt-11)
4	Taste	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-08)
5	Turbidity	NTU	BDL(DL-1.0)	1	5	IS 3025 (Pt-10)
6	Total Dissolved Solids	mg/l	489	500	2000	IS 3025 (Pt-16)
7	Ammonia (as total ammonia-N)	mg/l	BDL (DL0.5)	0.5	No relaxation	IS 3025 (Pt-34)
8	Anionic Detergents (as MBAS)	mg/l	BDL (DL0.1)	0.2	1.0	Annex K of IS 13428
9	Calcium as Ca	mg/l	42	75	200	IS 3025 (Pt-40)
10	Chloramines (as	mg/l	BDL (DL0.1)	4.0	No relaxation	IS 3025 (Pt-26)

“HCL Technology Hub” located at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh, by M/S HCL IT City Lucknow Pvt. Ltd.

	Cl ₂)					
11	Chloride as Cl	mg/l	9.9	250	1000	IS 3025 (Pt-32)
12	Fluoride as F	mg/l	0.76	1.0	1.5	APHA 23 rd Ed 4500F
13	Free Residual Chlorine	mg/l	BDL (DL0.05)	0.2	1	IS 3025 (Pt-26)
14	Nitrate as NO ₃	mg/l	BDL(DL-1.0)	45	No relaxation	IS 3025 (Pt-34)
15	Phenolic Compounds (as C ₆ H ₅ OH)	mg/l	BDL(DL0.001)	0.001	0.002	IS 3025 (Pt-43)
16	Sulphate as SO ₄	mg/l	37.4	200	400	IS 3025 (Pt-24)
17	Sulphide (as H ₂ S)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-29)
18	Total Alkalinity as CaCO ₃	mg/l	355	200	600	IS 3025 (Pt-23)
19	Total Hardness as CaCO ₃	mg/l	310	200	600	IS 3025 (Pt-21)
20	Cyanide (as CN)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-27)
21	Aluminum (as Al)	mg/l	BDL(DL 0.01)	0.03	0.2	APHA23 rd Ed.3120B
22	Barium (as Ba)	mg/l	BDL (DL 0.1)	0.7	No relaxation	APHA23 rd Ed.3120B
23	Boron (as B)	mg/l	BDL (DL 0.1)	0.5	2.4	APHA23 rd Ed.3120B
24	Copper (as Cu)	mg/l	BDL(DL 0.02)	0.05	1.5	APHA23 rd Ed.3120B
25	Iron as Fe	mg/l	BDL (DL 0.05)	1.0	No relaxation	APHA23 rd Ed.3120B
26	Magnesium as Mg	mg/l	49.82	30	100	APHA23 rd Ed.3500B
27	Manganese as Mn	mg/l	BDL (DL 0.05)	0.1	0.3	APHA23 rd Ed.3120B
28	Selenium (as Se)	mg/l	BDL (DL 0.01)	0.01	No relaxation	APHA23 rd Ed.3120B
29	Silver (as Ag)	mg/l	BDL (DL 0.05)	0.1	No relaxation	APHA23 rd Ed.3120B
30	Zinc (as Zn)	mg/l	BDL (DL 0.05)	5	15	APHA23 rd Ed.3120B
31	Cadmium (as Cd)	mg/l	BDL(DL0.001)	0.003	No relaxation	APHA23 rd Ed.3120B
32	Lead (as Pb)	mg/l	BDL(DL0.005)	0.01	No relaxation	APHA23 rd Ed.3120B
33	Mercury (as Hg)	mg/l	BDL(DL0.001)	0.001	No relaxation	APHA23 rd Ed.3120B
34	Molybdenum (as MO)	mg/l	BDL (DL 0.05)	0.07	No relaxation	APHA23 rd Ed.3120B
35	Nickel (as Ni)	mg/l	BDL(DL0.01)	0.02	No relaxation	APHA23 rd Ed.3120B
36	Total Arsenic (as As)	mg/l	BDL(DL 0.01)	0.01	No relaxation	APHA23 rd Ed.3120B
37	Total Chromium (as Cr)	mg/l	BDL(DL 0.03)	0.05s	No relaxation	APHA23 rd Ed.3120B

7. STP Inlet monitoring.

Schedule for STP Inlet monitoring are given in Table 7.

Table 7: Schedule for STP Inlet sample collection

Sample collected on	Locations
---------------------	-----------

08/05/2023	STP Plant Room
08/08/2023	STP Plant Room

Table 7(a): Results of STP Inlet monitoring (08/05/2023)

S.No.	Test Parameters	Units	Results	Test Method
1	pH	-	6.92	IS 3025 (P-11)
2	Oil and grease	mg/l	21	IS 3025 (P-39)
3	Biochemical oxygen demand as BOD at 27°C for 3 days	mg/l	170	IS 3025 (P-44)
4	Chemical oxygen demand as COD	mg/l	392	IS 3025 (P-58)
5	Total suspended solids as TSS	mg/l	98	IS 3025 (P-17)

Table 7(b): Results of STP Inlet monitoring (08/08/2023)

S.No.	Test Parameters	Units	Results	Test Method
1	pH	-	7.01	IS 3025 (P-11)
2	Oil and grease	mg/l	10	IS 3025 (P-39)
3	Biochemical oxygen demand as BOD at 27°C for 3 days	mg/l	132	IS 3025 (P-44)
4	Chemical oxygen demand as COD	mg/l	348	IS 3025 (P-58)
5	Total suspended solids as TSS	mg/l	46	IS 3025 (P-17)

8. STP Outlet monitoring

Schedule for STP Outlet monitoring are given in **Table 8**.

Table 8: Schedule for STP Outlet sample collection

Sample collected on	Locations
08/05/2023	STP Plant Room
08/08/2023	STP Plant Room

Table 8(a): Results of STP Outlet monitoring (1/05/2023)

S.No.	Test Parameters	Units	Results	As Per EP Rules, 1986,Max	Test Method
1	pH	-	7.12	5.5-9.0	IS 3025 (P-11)
2	Oil and grease	mg/l	BDL (DL-2.0)	10	IS 3025 (P-39)
3	Biochemical oxygen demand as BOD at 27°C for 3 days	mg/l	3.4	30	IS 3025 (P-44)

4	Chemical oxygen demand as COD	mg/l	16	250	IS 3025 (P-58)
5	Total suspended solids as TSS	mg/l	9.0	100	IS 3025 (P-17)

Table 8(b): Results of STP Outlet monitoring (08/08/2023)

S.No.	Test Parameters	Units	Results	As Per EP Rules, 1986,Max	Test Method
1	pH	-	7.09	5.5-9.0	IS 3025 (P-11)
2	Oil and grease	mg/l	BDL (DL-2.0)	10	IS 3025 (P-39)
3	Biochemical oxygen demand as BOD at 27°C for 3 days	mg/l	4	30	IS 3025 (P-44)
4	Chemical oxygen demand as COD	mg/l	32	250	IS 3025 (P-58)
5	Total suspended solids as TSS	mg/l	08	100	IS 3025 (P-17)

S.No.	Test Parameters	Units	Results	Specification IS 10500:2012	Test Method
Microbiological Parameter					
1.	Total Coliform	Per 100ml	Absent	Absent/ 100ml	IS: 15185:2016
2.	E.coli	Per 100ml	Absent	Absent/ 100ml	IS: 15185:2016

S.No.	Test Parameters	Units	Results	Specification IS 10500:2012	Test Method
Microbiological Parameter					
1.	Total Coliform	Per 100ml	Absent	Absent/ 100ml	IS: 15185:2016
2.	E.coli	Per 100ml	Absent	Absent/ 100ml	IS: 15185:2016

9. Drinking Water

Schedule for Drinking water monitoring are given in **Table 9**.

Table 6(a): Results of Drinking water monitoring (08/05/2023)

S.No	Test Parameters	Units	Results	IS 10500 : 2012		Test Method
				Acceptable Limit, max.	Permissible Limit in the Absence of Alternate source, max.	
1	Color	Hazen	BDL (DL-5.0)	5	15	IS 3025 (Pt-04)

“HCL Technology Hub” located at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh, by M/S HCL IT City Lucknow Pvt. Ltd.

2	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-05)
3	pH	-	7.95	6.5-8.5	No relaxation	IS 3025 (Pt-11)
4	Taste	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-08)
5	Turbidity	NTU	BDL(DL-1.0)	1	5	IS 3025 (Pt-10)
6	Total Dissolved Solids	mg/l	122	500	2000	IS 3025 (Pt-16)
7	Ammonia (as total ammonia-N)	mg/l	BDL (DL0.5)	0.5	No relaxation	IS 3025 (Pt-34)
8	Anionic Detergents (as MBAS)	mg/l	BDL (DL0.1)	0.2	1.0	Annex K of IS 13428
9	Calcium as Ca	mg/l	10.0	75	200	IS 3025 (Pt-40)
10	Chloramines (as Cl ₂)	mg/l	BDL (DL0.1)	4.0	No relaxation	IS 3025 (Pt-26)
11	Chloride as Cl	mg/l	9.8	250	1000	IS 3025 (Pt-32)
12	Fluoride as F	mg/l	0.08	1.0	1.5	APHA 23 rd Ed 4500F
13	Free Residual Chlorine	mg/l	BDL (DL0.05)	0.2	1	IS 3025 (Pt-26)
14	Nitrate as NO ₃	mg/l	BDL(DL-1.0)	45	No relaxation	IS 3025 (Pt-34)
15	Phenolic Compounds (as C ₆ H ₅ OH)	mg/l	BDL(DL0.001)	0.001	0.002	IS 3025 (Pt-43)
16	Sulphate as SO ₄	mg/l	BDL(DL5.0)	200	400	IS 3025 (Pt-24)
17	Sulphide (as H ₂ S)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-29)
18	Total Alkalinity as CaCO ₃	mg/l	50	200	600	IS 3025 (Pt-23)
19	Total Hardness as CaCO ₃	mg/l	85	200	600	IS 3025 (Pt-21)
20	Cyanide (as CN)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-27)
21	Aluminum (as Al)	mg/l	BDL(DL 0.01)	0.03	0.2	APHA23 rd Ed.3120B
22	Barium (as Ba)	mg/l	BDL (DL 0.1)	0.7	No relaxation	APHA23 rd Ed.3120B
23	Boron (as B)	mg/l	BDL (DL 0.1)	0.5	2.4	APHA23 rd Ed.3120B
24	Copper (as Cu)	mg/l	BDL(DL 0.02)	0.05	1.5	APHA23 rd Ed.3120B
25	Iron as Fe	mg/l	BDL (DL 0.05)	1.0	No relaxation	APHA23 rd Ed.3120B
26	Magnesium as Mg	mg/l	14.5	30	100	APHA23 rd Ed.3500B
27	Manganese as Mn	mg/l	BDL (DL 0.05)	0.1	0.3	APHA23 rd Ed.3120B
28	Selenium (as Se)	mg/l	BDL (DL 0.01)	0.01	No relaxation	APHA23 rd Ed.3120B
29	Silver (as Ag)	mg/l	BDL (DL 0.05)	0.1	No relaxation	APHA23 rd Ed.3120B
30	Zinc (as Zn)	mg/l	BDL (DL 0.05)	5	15	APHA23 rd Ed.3120B
31	Cadmium (as Cd)	mg/l	BDL(DL0.001)	0.003	No relaxation	APHA23 rd Ed.3120B
32	Lead (as Pb)	mg/l	BDL(DL0.005)	0.01	No relaxation	APHA23 rd Ed.3120B

“HCL Technology Hub” located at Chack Gajaria Farms, Sultanpur Road, Lucknow, Uttar Pradesh, by M/S HCL IT City Lucknow Pvt. Ltd.

33	Mercury (as Hg)	mg/l	BDL(DL0.001)	0.001	No relaxation	APHA23 rd Ed.3120B
34	Molybdenum (as MO)	mg/l	BDL (DL 0.05)	0.07	No relaxation	APHA23 rd Ed.3120B
35	Nickel (as Ni)	mg/l	BDL(DL0.01)	0.02	No relaxation	APHA23 rd Ed.3120B
36	Total Arsenic (as As)	mg/l	BDL(DL 0.01)	0.01	No relaxation	APHA23 rd Ed.3120B
37	Total Chromium (as Cr)	mg/l	BDL(DL 0.03)	0.05s	No relaxation	APHA23 rd Ed.3120B

ANNEXURE-XII

Copy of HWA and copy of Agreement
with New Lubrisales India Pvt Ltd



UTTAR PRADESH POLLUTION CONTROL BOARD

TC-12V, Vibhuti Khand, Gomti Nagar, Lucknow-226010

Ref. No : 7714/UPPCB/Lucknow(UPPCBRO)/HWM/LUCKNOW/2019 Dated: 17/06/2019

To,

M/s HCL IT CITY LUCKNOW PVT LTD

Chack Gajaria Farms, Sultanpur Road, Lucknow ,LUCKNOW,226002

Tehsil :Lucknow

District :LUCKNOW

Sub :- Authorisation issued under the provisions of Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016

1. Number of authorization and date of issue 7714 and 17/06/2019 .
2. Reference of application (No. and date) 4803869 and 02/04/2019 .
3. Mr VENUGOPAL RAJESH of M/s HCL IT CITY LUCKNOW PVT LTD is hereby granted an authorization based on the enclosed signed inspection report for generation, collection, utilization, storage and disposal or any other use of hazardous or other wastes or both on the premises situated at Chack Gajaria Farms, Sultanpur Road, Lucknow .

Details of Authorisation

S No.	Category of Hazardous Waste as per the Schedules I,II and III of these rules	Authorised mode of disposal or recycling or utilization or co-processing, etc.	Quantity(ton/annum)
1	Sch-1, Cat.-5.1 (Used or spent oil)	TSDF	02 KL/annum

1. The authorization shall be valid for a period of 30/06/2024 from the date of issue of this letter .
2. The authorization is subject to the following general and specific conditions (please specify any conditions that need to be imposed over and above general conditions, if any) .

A General Conditions of Authorization -

1. The authorised person shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under .
2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the State Pollution Board .
3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorization .
4. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorisation .
5. The person authorised shall implement Emergency Response Procedure (ERP) for which this authorisation is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time .
6. The person authorised shall comply with the provisions outlined in the Central Pollution Control Board guidelines on Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and penalty .
7. It is the duty of the authorised person to take prior permission of the State Pollution Control Board to close down the facility .

8. The imported hazardous and other wastes shall be fully insured for transit as well as for any accidental occurrence and its clean-up operation .
9. The record of consumption and fate of the imported hazardous and other wastes shall be maintained .
10. The hazardous and other waste which gets generated during recycling or reuse or recovery or pre-processing or utilisation of imported hazardous or other wastes shall be treated and disposed of as per specific conditions of authorisation .
11. The importer or exporter shall bear the cost of Import or export and mitigation of damages if any
12. An application for the renewal of an authorisation shall be made as laid down under these Rules .
13. Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Changes or Central Pollution Control Board from time to time .
14. Annual return shall be filed by June 30th for the period ensuring 31st March of the year .

B Specific Conditions of Authorization

1.The authorization shall be valid for a period of Five Years from the date of issue, if not suspended or cancelled earlier.

2.The wastes must be safely collected in leak proof containers and shall be duly marked in a manner suitable for handling, storage and transport and the packaging shall be easily visible and be able to withstand physical conditions and climatic factors. All hazardous waste containers / bags shall be provided with a general label. The storage area should be at an isolated spot in the premises and must be fenced, covered and duly marked.

3.The authorized person/agency shall ensure that no adverse impact on the air, soil and water including groundwater takes place due to activities for which authorization has been requested. Comprehensive safety measures must be followed in handling of wastes and the staff must be properly trained.

4. It is brought to your notice that as per the order dated 14-11-2003 passed by the Hon'ble Supreme Court in W.P. (c) No. 657 of 1995, no industry covered under Hazardous and other Wastes (Management and Tran boundary Movement) Rules, 2016 shall be allowed to operate without valid authorization. It is also provided in the same orders that industries which are not complying with the conditions of authorization shall not be allowed to operate. Hence in case you fail to apply for authorization, before its expiry or fail to comply with conditions of the earlier authorization issued to you, closure order shall be issued against your industry without any further notice.

5.The applicant must file returns on prescribed Form- 4 along with a compliance report of this letter and should also maintain records on Form 3 and present it to Board's inspecting officials.

6. In case of occurrence of an accident, complete details on form must be sent to U.P. Pollution Control Board at the earliest along with details of mitigative and remedial measures taken.

7.The authorized person/agency shall not receive, collect, or store any hazardous waste from any unauthorized occupier or generator of hazardous wastes. In case any hazardous wastes is sold to any other reprocessing unit it must be ensured that such unit is fully complying with environmental

requirements and has a valid authorization of the Board.

8. In no case any hazardous wastes shall be disposed off on land, in any drain or stream. All spillages of hazardous chemicals, used containers, of hazardous chemicals such as flammable corrosive, explosive and toxic nature must be safely collected and stored. Non-compatible wastes must be suitably and safely handled.

9. It is within the powers and functions of the U.P. Pollution Control Board to modify / revoke the terms and conditions of the authorization/Registration issued under the Rule – 7 of Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.

10. You are directed to display on-line data/display board outside the main factory gate with regard to quantity and nature of hazardous chemicals being handled in the plant, including waste water and air emission and solid hazardous waste generated within the factory premises. Necessary compliance should be sent within 15 days of receipt of this letter.

11. It is the mandatory duty of the authorized person/agency to comply with the guidelines for transportation of hazardous waste in accordance with rule 18 of Hazardous and Other Waste (Management and Transboundary Movement) Rules, 2016.

12. It should be ensured that hazardous wastes shall be properly collected and packed in HDPE bags and then temporarily stored in a lined RCC tank/pit with suitable shed.

13. An ETP sludge test report of a laboratory approved under E.P. Act shall be submitted along with compliance of this letter of this office.

14. Used oil shall be sold only to recyclers registered with U.P. Pollution Control Board. The record shall be maintained.

15. The occupier, transporter and operator of a facility shall be liable for damages caused to the environment resulting due to improper handling and disposal of hazardous waste listed in schedule 1, 2, and 3 and shall be liable to pay a fine as levied by the State Pollution Control Board under the rules.

16. Details of raw material (which is Hazardous waste) and product along with quantity shall be sent within a month.

17. You shall become the member of any common TSDF for S.L.F. which has been authorized by UPPCB and send the stored hazardous wastes for final disposal to the TSDF and report back to U.P.P.C.B. with the required manifesto (document of proof) within one/three month of this letter.

18. The unit shall ensure that H.W. is regularly sent to Authorized common TSDF and shall not store for more than 90 days in accordance with under rule 8 of HOWM Rules, 2016.

19. Emission from the Common/Captive incinerator stack shall meet the prescribed standards under Environmental Protection Act. 1986.

20. Copies of Hazardous Waste Manifest in Form-10 shall be sent regularly to UPPCB for each category of waste sent to TSDF/Incinerator.

21. This authorization/Registration is valid till the industry is having valid consent as per the provisions of Air(Prevention and Control of Pollution) Act 1981 and Water (Prevention and Control of Pollution) Act, 1974.

22. Industry shall comply the provisions of EP Act, 1986, Water (Prevention and Control of Pollution) Act, 1974 as amended, Air (Prevention and Control of Pollution) Act, 1981 as amended and E-waste (Management and Handling) Rules, 2016.

23. The authorized actual user of hazardous and other wastes shall maintain records of hazardous and other wastes purchased in a passbook issued by the State Pollution Control Board along with the authorization.

(Authorized Signatory)

UTTAR PRADESH POLLUTION CONTROL BOARD

Copy to: To the Regional Officer, U.P. Pollution Control Board, Lucknow. for information and necessary action .

CEO/EE, I/C Circle_____

SERVICES AGREEMENT

This Services Agreement (hereinafter referred to as the "Agreement") is entered on this the **15th day of November, 2021** and effective from **25th day of November, 2021 to 24th day of November, 2022** ("Effective Date") between:

HCL Technologies Limited, a company incorporated in India under provisions of the Companies Act, 1956 and having its registered office at 806-808, Siddharth, 96 Nehru Place, New Delhi – 110 019 (hereinafter referred to as "**HCL/Company**") which expression shall unless repugnant to the context and meaning thereof mean and include its successors and assigns) of the One Part.

AND

Bharat Oil Company (India) Registered (BOC) a partnership concern registered under the Partnership Act with its registered office at 169 Kailash Hills, New Delhi 110065, duly registered with Central Pollution Control Board, having its CHWTSDF at E-18, Site IV, Sahibabad Industrial Area, Ghaziabad, (UP), duly authorized by the UPPCB, under the Environment Protection Act 1986 (for short the "Act") and the Hazardous and Other Wastes (Management & Transboundary Movement) Rules, 2016 and / or the E-Waste (Management) Rules 2016 (for short "The Rules") as amended from time to time, represented by its Director/Partner, as the case may be (hereinafter called as "**SECOND PART** " which expression shall, unless repugnant to the context or meaning thereof, be deemed to mean and include its successors, nominees and assigns of the **SECOND PART**

WHEREAS:

- (a) HCL is engaged in the business of Information Technology through its various offices situated in India & abroad.
- (b) The Service Provider is engaged in the business of providing services to collect, Transport, Treat, Store and Dispose Hazardous waste (Lube oil) to its various clients. The Service Provider is authorized and listed in UPSPCB authorized vendor lists for the hazardous waste (Lube Oil) disposal with any combined law defining in intrastate.
- (c) The Service Provider has represented to HCL that the Service Provider has the requisite skills, experience for providing services as contemplated herein and that it is engaged in providing same and/or similar services to a large number of other reputed establishments and shall provide the services contemplated herein in an ethical and bona fide manner. The Service Provider shall collect the waste from the HCL's premises within 7 days from the date of receipt of information from HCL. Safety of community during transportation is prime and thus safety information will have to be provided by HCL in Form 8, Waste transportation Manifest (Form 10) and TREM Card (Form 9) for every WASTE as per Hazardous Waste (Management and Handling) Rules, 1989 as amended in 2016.
- (d) HCL, relying on the Service Provider's representations, has agreed to avail the services of the Service Provider and the Service Provider has agreed to provide services for premises (Facility/Site) as identified in Annexure -1 below, upon the terms and conditions contained hereinafter on a non-exclusive basis.

NOW THIS AGREEMENT WITNESSETH THAT THE PARTIES HEREBY AGREE AS FOLLOWS: -

1. SCOPE OF SERVICE

HCL hereby appoints the Service Provider on a non-exclusive basis and the Service Provider hereby agrees to provide scrap removal services including but not limiting to Treatment/Recycling/disposal of

hazardous waste for HCL, more fully described in **Annexure-1** hereto (hereinafter referred to as "Services").

2. Term:

This Agreement shall commence from **25th day of November, 2021** (the "Effective Date") and remain in force until **24th day of November, 2022**, unless terminated earlier as agreed herein. Parties shall mutually agree to renew this Agreement for further terms in writing.

3. Obligations of the Service Provider:

- a. The Service Provider hereby covenants to perform the Services with the highest degree of commitment and to the total satisfaction of HCL.
- b. It is Service Provider's duty and responsibility to bring to notice of HCL immediately at the time of inspection, if any of scraps contains or may contain any hazardous waste or materials to ensure safe Treatment/ Recycling /disposal of the same; failing which Service Provider shall be held liable for all consequences arising out of the handling of such wastes.
- c. The Service Provider agrees and undertakes to abide by the procedure and processes as may be prescribed by HCL, from time to time, in relation to the Services or any part thereof and shall ensure that its employees also comply with such procedure/processes.
- d. The Service Provider undertakes and confirms that it/its personnel shall comply with applicable statutes and laws including but not limited to applicable health safety and environmental laws and shall comply with all clauses in this Agreement;
- e. Service Provider shall effect and maintain at its own cost, all applicable insurances as required by law and to cover Service Provider's responsibilities and liabilities under this Agreement. Nothing contained herein shall serve in any way to limit or waive Service Provider's responsibilities or liabilities under this Agreement;
- f. Service Provider represents and warrants that it has the right to enter into this Agreement and perform the Services and the Services will be performed in a professional manner in accordance with the highest standards in the industry. Service Provider shall at all times perform the obligations and activities under this Agreement through lawful and proper methods, in full compliance with the laws and regulations of all of the jurisdiction(s) in which and with respect to which the Services as well as all other obligations and activities are performed.
- g. Service Provider confirms that it has all the permissions, licenses and authorizations to perform Services under this Agreement.
- h. Service Provider acknowledges that all of the information disclosed to it in connection with this Agreement and/or the Services and other information generated by it in connection with its performance of the Services is considered confidential information of HCL and Service Provider shall maintain confidentiality of such information at all times.
- i. The Service Provider undertakes and confirms that it/its personnel shall adhere to the following:

- i. Service Provider's personnel shall not be under the influence of alcohol while on duty;
- ii. Service Provider's personnel shall not be found sleeping during duty hours;
- iii. Service Provider's personnel shall not be found indulging in fraudulent act/theft;
- iv. Service Provider and/or their personnel shall not divulge any company information to unauthorized person;
- v. Service Provider shall comply with applicable statutes;
- vi. Service Provider shall comply with all clauses to this Agreement;
- vii. Service Provider shall ensure timely & at-least minimum payment & statutory benefits to its personnel in accordance with applicable statutes;
- viii. Service Provider's personnel shall be properly dressed in uniforms (provided by the Service Provider)
- ix. Service Provider's personnel shall always carry with them proper identity cards issued by the Service Provider.
- x. Service Provider's personnel shall adhere to proper work discipline, in conformity with the office decorum and etiquette, as may be laid down by HCL from time to time.
- xi. Service Provider represents and warrants that it shall deploy only such of its employees to provide Services hereunder who have gone through and successfully cleared sufficient criminal background check / police verification and shall be fully responsible for any loss/damage caused to HCL due to breach hereof.
- xii. HCL reserves the unqualified right to direct the Service Provider to remove/ replace any personnel of the Service Provider who in the opinion of the HCL does not meet any of the standards set out in this Agreement.

4. CHARGES & PAYMENT TERMS

The Parties agree that the charges and payment terms shall be as per Annexure-1 herein below. Service Provider agrees to provide 100% advance payment either through DD/RTGS to HCL before starting the Services and / or within 2 days of receipt of invoice from HCL or mail.

5. TERMINATION

This Agreement can be terminated earlier by the Parties as provided herein.

- a. **Breach.** - HCL has the right to terminate the Agreement immediately in the following cases below:
 - (i) If Service Providers materially breaches any term of this Agreement and does not cure the breach within five (5) days after receipt of notice specifying the breach.
 - (ii) Service Provider fails to commence the work, or has without any lawful excuse suspended the progress of the work for ten days after receiving written notice to proceed from HCL, or
 - (iii) Service Provider fails to proceed with the work with such diligence and fails to make such due progress as would enable the works to be completed within the time agreed upon, or
 - (iv) Service Provider fails to remove materials from the Site or to pull down and replace the work for five days after receiving written notice that the said materials or work were condemned/ rejected by HCL, or
 - (v) Service Provider neglects or fails to observe and perform all or any of the acts, matters or things by this Agreement to be observed and performed by the Service Provider for 5 (five) days after written notice from HCL requiring the Service Provider to observe or perform the same
- b. **Involuntary Termination.** If either Party is unable to pay its debts generally as they come due, or is declared insolvent or bankrupt, is the subject of any proceedings relating to its liquidation, insolvency or

HCLT Legal Confidential

for the appointment of a receiver or similar officer for it, makes an assignment for the benefit of all or substantially all of its creditors, or enters into an agreement for the composition, extension or readjustment of all or substantially all of its obligations, then the other Party may, by giving prior written notice thereof to such Party, terminate this Agreement as of a date specified in such notice of termination.

- c. **Convenience:** HCL may terminate this Agreement either whole or in part for convenience, without incurring any additional costs or liability, upon HCL providing Service Providers not less than fifteen (15) days written notice.

Upon expiry of Agreement, when the work is completed or the Agreement is terminated, Service Provider shall provide clean Site to HCL after removing his surplus materials and equipment etc at its own cost from the Site immediately, and should the Service Provider fail to do so, then Service Provider, without demur, authorizes HCL to sell the same by public auction and Service Provider waives off any claim on amount realized from the sale.

6. Insurance:

- a) The Service Provider must ensure that the policy amounts cover the contract value and adequately cover the maximum possible liability that may arise on the occurrence of the risks covered. The Service Provider must also ensure that all the insurance policies should be valid till the date of completion of the Agreement. The Service Provider shall furnish along with the tender all the details of the insurance policies taken in accordance with the requirements of this Agreement i.e., name of the insurance company, the risks covered, amount of coverage, premium for the policies, discounts being received, net cost to the Service Provider etc.

7. COMPLIANCE WITH LAWS

- a. The Service Provider hereby covenants that the employees involved in rendering Services hereunder are its bonafide employees and that they shall always be under the Service Provider's direct control and supervision while rendering the Services hereunder and shall in no event be deemed to be employees of HCL or have any right/claim against HCL.
- b. Service Provider shall at all times perform the obligations and activities under this Agreement through lawful and proper methods, in full compliance with laws and regulations of all of the jurisdiction(s) in which and with respect to which the Services as well as all other obligations and activities are performed.

8. LIABILITIES AND INDEMNITIES:

- a. **Limitation of Liability.** In no event shall either Party be liable with respect to its obligations under or arising out of this Agreement for indirect or consequential damages.
- b. In no event shall HCL be liable under this Agreement. It is agreed between the Parties that HCL has no liability under this Agreement. Service Provider waives all the claims against HCL under this Agreement.
- c. **Indemnity:**

The Service Provider hereby undertakes and agrees to indemnify and keep and hold HCL, its affiliates, and their respective officers, directors, employees, consultants and agents ("Indemnified Persons")

HCL Legal Confidential

harmless from and against any and all losses, expenses, claims, demands, actions and/or causes of action (regardless of when accrued or asserted), damages, penalties, fines, assessment and the like caused by, arising out of, resulting from, or as a consequence of:

- (a) Failure of Service Provider or its employees to comply with the provisions of the applicable laws or this Agreement; or
- (b) breach of any provision of this Agreement by the Service Provider; or
- (c) Anything done or omitted to be done through the negligence, default or misconduct of the Service Provider or of its officers, directors, employees or agents; or
- (d) death, injury or third party property damage to the extent caused by the wrongful or negligent acts or omissions of the Service Provider or its employees; or
- (e) In addition to the above, the Service Provider shall defend, indemnify and hold harmless the Indemnified Persons from and against any and all liabilities, claims, demands, damages, or costs, including, without limitation, settlement sums, attorneys' fees, consultant fees and experts' fees and costs incurred in connection with any cleanup, remedial, removal, or restoration work, alleged or incurred in connection with any and all claims or proceedings (whether brought by private or governmental parties), including workers' compensation claims, arising out of, or alleged to arise out of, any and all toxic or hazardous substances, materials or wastes) brought onto the Site during performance of the Services, causing, or alleged to cause, bodily injury (or fear thereof), death, property damage, environmental damage or impairment, or loss of natural resources, or involving any violation or alleged violations of, or any liability under any local environmental law, whether codified or common law.
- (f) The Service Provider indemnifies HCL from all the liabilities associated with Transport, Treatment, Storage and Disposal of Wastes outside the HCL's premises, subject to compliance with all the conditions of the agreement and subject to the Laws of the Land.

9. GENERAL

- a. The parties hereto acknowledge, agree and declare that the Service Provider and HCL are independent contracting entities which have entered into a confidential contractual relationship through this Agreement. The Parties acknowledge that this Agreement does not constitute either a partnership or a joint venture or a master and servant relationship or a principal and agent relationship between the parties hereto. Under no circumstances shall any employee of the Service Provider be deemed to be an employee of HCL for any purpose whatsoever, nor shall they have any right/claim against HCL.
- b. If by some reason of acts of God, winds, fires, epidemics, landslides, floods, droughts, famines, acts of public enemies, actor or orders or any kind of any governmental authority, insurrection, military actions, war (whether or not declared), sabotage, riots, civil disturbances, terrorist acts, or explosions, or any other event beyond the reasonable control of either Party (a "Force Majeure Event"), Service Provider is unable in whole or in part to carry out his/her duties and obligations on its part herein contained, Service Provider shall promptly notify HCL of such event. Either party shall not be liable for any delay in or failure to perform any of their respective obligations

HCLT Legal Confidential

except payment obligations under or arising out of this Agreement if the delay or failure results from any of Force Majeure Events. Service Provider shall, however, promptly use its best efforts to remedy the cause or causes preventing Service Provider from carrying out his/her duties and obligations hereunder. In the event that a Force Majeure Event remains un-remedied, or if Service Provider is unable to recommence performance of the Services within fifteen (15) days of any Force Majeure Event, HCL may terminate this Agreement.

- c. The Service Provider may not use any of HCL's names, marks or logos without express advance written permission from HCL. By way of non-limiting example, the Service Provider will not directly or indirectly identify HCL in press releases, customer lists or promotional materials of the Service Provider without prior express written consent of HCL.
- d. Any notice to be given by either party hereunder shall be addressed to the other at the following address :

Service Provider:
Address:
Email Address:

HCL: Legal Department

The notice can also be sent vide email or delivered by hand and acknowledgment obtained or dispatched by Registered Post with A.D at the last known business address or Registered office address of the Party.

- e. The waiver of any term, condition, or provision of this Agreement by HCL or the Service Provider must be in writing. No such waiver shall be construed as a waiver of any other term, condition, or provision except as provided in writing, nor as a waiver of any subsequent breach of the same term, condition, or provision.
- f. The Service Provider shall bind itself and its employees, agents, servants, etc. to maintain in strict confidence this Agreement and any confidential information, material or data, provided by the HCL.

This Agreement with the Service Provider is on a non-exclusive basis and at all times HCL shall be free to avail the services from any other person/agency.

- g. This Agreement constitutes the entire understanding and agreement of the parties, and supersedes all previous or contemporaneous agreement or communications, both oral and written, representations and understandings among the parties with respect to the subject matter hereof.
- h. Such provisions of this Agreement, which generally by their nature can survive after termination or expiration of any similar agreement, shall survive any termination or expiration of this Agreement, including but not limited to the provisions relating to confidentiality, indemnity and compliance with laws.
- i. This Agreement shall be governed by, and construed in accordance with, the laws of India without regard to principles of conflict of laws. Courts in New Delhi shall have exclusive jurisdiction to try all matters and disputes arising out of this Agreement.

- j. Service Provider shall register or record this Agreement with the relevant government agency as may be required by the laws of a country as a prerequisite to enforceability of this Agreement in the courts and will be responsible for all costs, legal fees and stamp tax/duty in connection therewith or otherwise.

11. **HCL Anti-Bribery & Anti-Corruption.**

HCL is committed to conducting its business ethically and lawfully. To that end, HCL expects that the Service Provider also will conduct its business ethically and lawfully, and accordingly, the Service Provider hereby acknowledges, declares and agrees that:

- a. It shall, at all times, comply with all applicable laws, statutes, regulations, and codes relating to anti-bribery and anti-corruption and will not take any action or fail to take any action that would cause HCL or any of its [affiliates] or its customers / clients to fail to comply with any applicable anti-corruption legislation (including the Prevention of Corruption Act, 1988; Foreign Corrupt Practices Act of 1977, as amended, 15 U.S.C. §§ 78dd-1, et seq. and the UK Bribery Act of 2010);
- b. It has read and understood the Anti-Bribery and Anti-Corruption Policy (the "ABAC Policy") of HCL given in its website at <http://www.hcltech.com/about-us/corporate-governance/governance-policies>;
- c. This Agreement was awarded to it in a fair and transparent selection process.
- d. Throughout the term of the Agreement, the Service Provider shall maintain in place its own policies and procedures to ensure compliance with the provisions of this Section and will enforce them where appropriate;
- e. It shall comply with ABAC Policy of HCL as applicable to an employee of HCL, and that no gratuities (in the form of entertainment, gifts or otherwise) or kickbacks shall be offered or given by Service Provider or any of directors, senior executives, offices or other employees (whether permanent, fixed-term or temporary), consultants, contractors or agents (such personnel, collectively, "Executive(s)") of the Service Provider to any HCL Executive or members of their immediate families with a view toward securing a favorable treatment from HCL. If HCL has cause to believe that the Service Provider or any Executive of the Service Provider has violated the provisions of this Section or behaved unethically or unlawfully under, or in connection with, this Agreement, HCL shall terminate this Agreement immediately with no further obligations to the Service Provider and shall further blacklist the Service Provider and its affiliates.
- f. It will promptly report through an email to whistleblower@hcl.com or to the local compliance or HR manager, any request or demand for any undue financial or other advantage of any kind, received by it or its Executive from any HCL Executive in connection with the performance of this Agreement or any other transaction with HCL in violation of the ABAC Policy.
- g. It will immediately notify HCL, in writing, if a government or public official becomes an officer or employee of the Service Provider organization or acquires a direct or indirect shareholding interest in the Service Provider organization. The Service Provider warrants and represents that as of the Effective Date, there are no government or public officials who are officers, employees or direct or indirect owners of the Service Provider organization.
- h. It will ensure that any person associated with the Service Provider (including but not limited to any subcontractor, supplier or service provider of the Service Provider), in performing services or providing goods in connection with this Agreement does so only on the basis of a written contract which imposes on and secures from such person terms equivalent to those imposed on the Service Provider under this Agreement and that the Service Provider shall be fully responsible for the non-observance and/ or non-performance by such persons of the provisions of this Section.

Failure to comply with the provisions of this Section shall constitute a material breach of the Agreement.

Upon such failure, notwithstanding any other provisions of the Agreement, HCL shall have a right to terminate the Agreement and all [work orders] hereunder immediately without any notice or cure period. In addition, the Service Provider shall indemnify, defend and hold harmless HCL, [HCL] affiliates and its and their Executives from and against any and all damages, fines, penalties, deficiencies, losses, liabilities (including settlements and judgments) and expenses (including interest, court costs, reasonable fees and expenses of attorneys, accountants and other experts and professionals or other reasonable fees and expenses of litigation) or other proceedings or of any claim, default or assessment suffered, incurred or sustained by any of the HCL Executives or to which any of the HCL Executive becomes subject, resulting from, arising out of or relating to the Service Provider's breach of this Section.

12. Anti-Slavery.

The Service Provider represents, warrants and undertakes that it conducts and will conduct its business in a manner that is consistent with the applicable Anti-Slavery laws. The Service Provider undertakes not to avail any services / deliverables from vendors of a country where forced labour is permitted and shall implement due diligence procedures for its sub-contractors and vendors, to ensure that there is no slavery or human trafficking in its supply chains. It shall provide complete and accurate information to any queries raised by HCL with respect to Service Provider's compliance with slavery and human trafficking provisions under applicable laws. The Service Provider shall notify the HCL as soon as it becomes aware of any breach, or potential breach, of the Anti-Slavery laws; or any actual or suspected slavery or human trafficking in a supply chain which has a connection with its deliverables under the Agreement. The Service Provider shall maintain a complete set of records to trace the supply chain of all deliverables provided to the HCL in connection with this agreement; implement annual audits for itself and its subcontractors/vendors either directly or through a third party auditor. The Service Provider shall provide requisite training to its employees, Service Providers and subcontractors to ensure compliance with the Anti-Slavery laws.

13. Assignment.

Service Provider shall not assign this Agreement or any of its rights or obligations hereunder without the prior written consent of HCL. Service Provider shall not subcontract the performance of any of the obligations under this Agreement without the prior written consent of HCL. Notwithstanding any such subcontracting, Service Provider shall remain primarily liable and obligated to HCL at all times hereunder.

14. Service Provider may write to procurementconcerns@hcl.com in case Service Provider has any questions or concerns regarding the HCL Procurement function and HCL will endeavor to address such concerns appropriately.

IN WITNESS WHEREOF the parties hereto have duly caused these presents to be executed on the day, month and year first above written.

SIGNED AND DELIVERED by the]
Within named **HCL Technologies Ltd.**]

Name: Meenu Chandra]
Designation: VP Legal Commercial & Compliance]
Date: 26-Nov-21 | 12:54 PM IST]

DocuSigned by:

D8E8F0304387474]

SIGNED AND DELIVERED by the]
Within named **Bharat Oil Company (India)**]

Name: Naresh Manglani]
Designation: Director]
Date: 25-Nov-21 | 10:10 PM PST]

DocuSigned by:

CC8094A3029344D]

DS
PP
Pavitra Parab

ANNEXURE – I**(Description of Services)****Scope of Work:**

1. As directed time to time by government and in accordance with site team the service provider shall be responsible for and perform the removal, handling, transportation, and disposal or recycling or reclamation of the Waste Material from the Business Units in accordance with all applicable Laws.
2. The service provider shall transport and take the Waste Material, accompanied by the appropriate manifests or shipping documents only to the Designated Disposal Facility specified in the manifests or shipping papers or to a designated recycling facility or subsequent transporter.
3. Service Provider is authorized and listed in UPPCB authorized vendor lists for the hazardous waste (Lube Oil) disposal with any combined law defining in intrastate.
4. Service Provider will respond within 72 hours after written mail confirmation from HCL.
5. Service provider will be informed once the considerable material at any office stored to pick up or on monthly/ fortnightly basis or as per PCB norms 90 days once it need to be moved even with lesser quantity.
6. Service provider should pay advance against the confirmations original invoice will be produced before shipment and the payment should be in NEFT/RTGS mode.
7. Vendor should provide required certificates against all the Hazardous Waste (Lube Oil) within 15 days of the pickup.
8. Service provider should share the valid UPPCB approval documents with pass book (for recyclable items) copy of disposal proof (Form 10 Blue Copy) shall be provided after disposal by the Service Provider.
9. Service provider will be submitting the Form 10 (manifest) at the time of lube oil taken from the facility, while before moving the materials from HCL premises.
10. Gate pass / De-bonding will be issued post payment confirmation received from HCL FSS and in the chance of any delay in producing from our side the same the buyer need to bear until the details need to produce from site.
11. Service provider will follow all the PCB guidance during the lube oil taken from the facility.
12. Finally, the vendor should submit destruction/recycling certificate in a period of one week or any other proof stating the recycling/disposed properly in accordance with government law
13. The service provider should take disposal of agreed waste collections from site within 10 days from the date of intimations against our site clearance with all documents like BOE / Gate pass / SEZ clearance and other timely documents, whatever is applicable here.
14. Service Provider on disposal of any materials for movements need to be borne by the vendor itself from site team they can't expect any support physically on loading, transportations, unloading during this waste material movement from site locations.

Disposal of following scraps at the locations and rates as specified below:**Locations:Noida, Gurgaon, Lucknow**

Category	Material description	UOM	Initial Rate
A	Used Lube/Transformer Oil With Drum – NCR	Liter	10.45/- Per Ltr (Payable by vendor)
	Used Lube/Transformer Oil With Drum – LKO	Liter	10.45/- Per Ltr (Payable by vendor)

HCL Legal Confidential

B	Resin, waste polytene, Ink sludge, Waste Ink, Oily sludge, Expired/waste paints & sludge, Chemical waste, Cotton waste, Hand gloves, Oily soaked clothes/Varnish mix clothes, Plastic strips etc.	Kg	18/- Per Kg (Payable by HCL)
	Filter (Air/Oil/AC)	Each	35/- Per Pcs (Payable by HCL)
	CFLs, Tube lights & bulbs	KG	22/- Per Liter (Payable by HCL)
	Coolant	Ltr	10/- Per Kg (Payable by HCL)

- Rates are inclusive GST& TCS for Category A. The rate shall include any and all applicable taxes, duties, cess, levies etc. If the price quoted is inclusive of all taxes, the percentage of tax considered shall be mentioned.
- Rates are exclusive GST for Category B.

Payment term

- 100% advance payment either through NEFT/RTGS to HCL before start the Services and / or within 2 days of receipt of invoice from HCL or mail for Category A listed
- Disposal Charges is involved for Category B items and payable by HCL to vendor as per rate mentioned in the rate card and Payment term is 30 days. If HCL fails to pay in settlement of the Invoice, it shall be liable to pay interest @ 18% per annum.

HCL units address: (Delhi NCR & Lucknow)

1. Plot 3A Sec 126 Noida (All Tower)
2. Loutus Business park Sec 127 Noida.
3. A11 Sec 16 Noida
4. A10/11 Sec 3 Noida
5. A2 Sec 3 Noida
6. B34/3 Sec 59 Noida
7. A22 Sec 60 Noida
8. A8/9 Sec 60 Noida
9. NSL Tech Zone Plot no-8 Sec 144 Noida.
10. Village Kanjehara and Mastemau ChukGajarie farms, Sultanpur Road, Lucknow Utter Pradesh
11. SEZ tower 11 Sec 21 Dundahera Gurugram. (Lifting shall be only recyclable waste from Hayana)

Addendum 1 to Services Agreement dated 25th November, 2021

This addendum to services agreement is entered into on this 26th July 2022 (hereinafter the “**Addendum 1**”)

BY AND BETWEEN

HCL Technologies Ltd., a Company incorporated under the Companies Act, 1956 having its registered office at 806, Siddharth, 96 Nehru Place, New Delhi – 110 019 (hereinafter referred to as “**Company/ HCL**” which expression shall, unless repugnant to the meaning or context, mean and include its successors and assigns) **OF THE ONE PART**

AND

Bharat Oil Company (India) Registered (BOC), partnership concern registered under the Partnership Act with its registered office at 169 Kailash Hills, New Delhi 110065, duly registered with Central Pollution Control Board, having its CHWTSDf at E-18, Site IV, Sahibabad Industrial Area, Ghaziabad, (UP), duly authorized by the UPPCB, under the Environment Protection Act 1986 (for short the ‘Act’) and the Hazardous and Other Wastes (Management & Transboundary Movement) Rules, 2016 and / or the E-Waste (Management) Rules 2016 (for short ‘The Rules’) as amended from time to time, represented by its Director/Partner, as the case may be (hereinafter called as “**Service Provider**” which expression shall, unless repugnant to the context or meaning thereof, be deemed to mean and include its successors, nominees and assigns) **OF THE SECOND PART**

Company and Service Provider shall hereinafter be referred to individually as “**Party**” and collectively as “**Parties**”.

WHEREAS, the Parties had entered into services Agreement dated 25th November, 2021 (hereinafter “**Agreement**”) valid till 24th November, 2022 for providing hazardous waste (Lube Oil) disposal services to Company.

AND WHEREAS the Parties after mutual discussion have decided to extend the Term of the Agreement as follows:

NOW THEREFORE THIS ADDENDUM 1 WITNESSETH AS UNDER

1. This Addendum 1 shall form an integral part of the Agreement.
2. The Parties hereby agree and record that the Agreement is extended /renewed further with effect from **25th November, 2022 up till 31st December, 2023**.

3. The Parties hereby mutually agreed to amend rate card attached in Annexure-I of the Agreement and revised rates are attached herein below in this Addendum 1.
4. The Parties understand and agree that in case of contradiction in the contents of this Addendum 1 and the Agreement the terms of this Addendum 1 shall prevail and would be binding between the Parties.
5. Save as above, the remaining terms and conditions of the Agreement shall continue to have full force and effect.

By signatures of their duly authorized representatives below, Company and Service Provider, intending to be legally bound, agree to all of the provisions of this Addendum 1 and ratify the Agreement

For & on behalf of

HCL Technologies Ltd.

DocuSigned by:
Amita Sharma
6A37C08CE12B4AD

Amita Sharma

Group manager - legal
09-Aug-22 | 10:51 AM IST

For & on behalf of

Bharat Oil Company (India) Registered (BOC)

DocuSigned by:
Naresh Manglani
CC8094A3029344D

Naresh Manglani

Director
08-Aug-22 | 9:02 PM PDT

Annexure – I**Rate Card for locations: Noida, Gurgaon, Lucknow**

Category	Material description	UOM	Initial Rate
A	Used Lube/Transformer Oil With Drum – NCR	Liter	11.36 /- Per Ltr
A	Used Lube/Transformer Oil With Drum – LKO	Liter	11.36 /- Per Ltr
B	Resin, waste polytene, Ink sludge, Waste Ink, Oily sludge, Expired/waste	Kg	18/- Per Kg
B	paints & sludge, Chemical waste, Cotton waste, Hand gloves, Oily soaked	Kg	18/- Per Kg
B	clothes/Varnish mix clothes, Plastic strips etc.	Kg	18/- Per Kg
B	Filter (Air/Oil/AC)	Each	35/- Per Pcs
B	CFLs, Tube lights & bulbs	KG	22/- Per Liter
B	Coolant	Ltr	10/- Per Kg

ANNEXURE-XIII

A Photographs of DG set





AMUL
4110

Chak Kajehra, Uttar Pradesh, India

Annexure-XIV
Copy of Diesel Bills

Order Fulfilled by : TankUp

Telephone: +91-7800008800

Email: info@tankup.co.in

Website: <http://www.tankup.co.in>




Tax Invoice


Seller Invoice Number : TUVFE24-04263 TankUp Petro Ventures LLP, 1262SA,Goyala Industrial Area,UPSIDC,Dewa Road,Chinhat,Lucknow-226019	Invoice Date: 2023-09-25 GSTIN : 09AALFT3740M1ZM
Billing Address M/S SCG Contracts India Pvt. Ltd. C/o HCL IT City Lucknow Pvt. Ltd , Check Gajaria Farms Sultanpur Road Lucknowp, Lucknow, 226021, GSTIN: 09AAGCS3020B1ZW	Shipping Address C/o HCL IT City Lucknow Pvt. Ltd , Check Gajaria Farms Sultanpur Road Lucknowp, Lucknow, 226021.
Order Id: 78342	Delivery Date: 2023-09-24 16:21:46

S.No	Product	HSN/SAC Code	Supply ID	Tank Detail	Rate(₹/ltr)	Quantity(Ltrs.)	Amount(₹)
1	HSD	NA	82505	DRUM	89.76	500.00	44820.00
2	HSD	NA	82505	DRUM	89.76	100.00	8976.00
	Shipping Charge	996813			1.00	600.00	600.00
	CGST on Shipping Charge @ 9%						₹54.00
	SGST on Shipping Charge @ 9%						₹54.00
Total(Rounded Off) (In Words) - Fifty Four Thousand Five Hundred Sixty Four Rupees Only							₹54564

*Diesel is a pretaxed commodity; hence no tax charged on High Speed Diesel
*Whether tax is payable under reverse charge - NO

<p>*The Payment has to be made under the name of :- "TANK-UP PETRO VENTURES LLP" Bank : Central Bank Of India A/C No. : 5186347422 IFSC Code : CBIN0282768 Branch : 25-A, Joppling Road, Lucknow</p> 	<p>TankUp Features: Convenience and Quality: TankUp provides high quality and double filtered fuel at your location. Quantity: Our scales are approved by W&M Department thus ensuring that we provide the exact quantity as ordered. Flexibility: TankUp provide both cash on delivery and card on delivery. Safety: For Tankup, safety is of utmost importance. Our drivers are highly trained and have gone under a special training to handle any unforeseeable instances.</p> <p>Note: As Per section 16 of the The MSME Act, 2006 If any buyer fails to make payment of the amount to the supplier who is registered under the MSME Act in 45 days , the buyer shall be liable to pay compound interest with monthly rests to the supplier on that amount from the appointed day or, as the case may be, from the date immediately following the date agreed upon, at three times of the bank rate notified by the Reserve Bank of India.</p>
--	---

*This is a computer-generated invoice.



Order Fullfilled by : TankUp

Telephone: +91-7800008800

Email: info@tankup.co.in

Website: <http://www.tankup.co.in>



Tax Invoice

Seller Invoice Number : TUVFE24-04093

TankUp Petro Ventures LLP,
1262SA, Goyala Industrial
Area, UPSIDC, Dewa
Road, Chinhath, Lucknow-226019

Invoice Date: 2023-09-16

GSTIN : 09AALFT3740M1ZM

Billing Address

M/S SCG Contracts India Pvt. Ltd,
C/o HCL IT City Lucknow Pvt. Ltd ,
Check Gajaria Farms Sultanpur
Road Lucknow, Lucknow, 226021,
GSTIN: 09AAGCS3020B1ZW

Shipping Address

C/o HCL IT City Lucknow Pvt. Ltd ,
Check Gajaria Farms Sultanpur
Road Lucknow, Lucknow, 226021,

Order Id: 78119

Delivery Date: 2023-09-16
11:45:46

S.No	Product	HSN/SAC Code	Supply ID	Tank Detail	Rate(₹/ltr)	Quantity(Ltrs.)	Amount(₹)
1	HSD	NA	82282	DRUM	89.76	500.00	44880.00
	Shipping Charge	996813			1.00	500.00	500.00
	CGST on Shipping Charge @ 9%						₹45.00
	SGST on Shipping Charge @ 9%						₹45.00
Total(Rounded Off) (In Words) - Forty Five Thousand Four Hundred Seventy Rupees Only							₹45470

*Diesel is a pretaxed commodity: hence no tax charged on High Speed Diesel

*Whether tax is payable under reverse charge - NO

*The Payment has to be made under the name of :-

"TANK-UP PETRO VENTURES LLP"

Bank : Central Bank Of India

A/C No. : 5186347422

IFSC Code : CBIN0282758

Branch : 25-A, Joppling Road, Lucknow

TankUp Features:

Convenience and Quality: TankUp provides high quality and double filtered fuel at your location.

Quantity: Our scales are approved by W&M Department thus ensuring that we provide the exact quantity as ordered.

Flexibility: TankUp provide both cash on delivery and card on delivery.

Safety: For Tankup, safety is of utmost importance. Our drivers are highly trained and have gone under a special training to handle any unforeseeable instances.

Note: As Per section 16 of the The MSME Act, 2006 If any buyer fails to make payment of the amount to the supplier who is registered under the MSME Act in 45 days , the buyer shall be liable to pay compound interest with monthly rests to the supplier on that amount from the appointed day or, as the case may be, from the date immediately following the date agreed upon, at three times of the bank rate notified by the Reserve Bank of India.

*This is a computer generated invoice.

Navendu Kumar

Order Fullfilled by : TankUp

Telephone: +91-7800008800

Email: info@tankup.co.in

Website: <http://www.tankup.co.in>



Tax Invoice

Seller Invoice Number : TUVFE24-03857						Invoice Date: 2023-09-09	
TankUp Petro Ventures LLP, 1262SA,Goyala Industrial Area,UPSIDC,Dewa Road,Chinhat,Lucknow-226019						GSTIN : 09AALFT3740M1ZM	
Billing Address						Shipping Address	
M/S SCG Contracts India Pvt. Ltd. C/o HCL IT City Lucknow Pvt. Ltd , Check Gajaria Farms Sultanpur Road Lucknowp, Lucknow, 226021, GSTIN: 09AAGCS3020B1ZW						C/o HCL IT City Lucknow Pvt. Ltd , Check Gajaria Farms Sultanpur Road Lucknowp, Lucknow, 226021,	
Order Id: 77887						Delivery Date: 2023-09-08 12:06:46	
S.No	Product	HSN/SAC Code	Supply ID	Tank Detail	Rate(₹/ltr)	Quantity(Ltrs.)	Amount(₹)
1	HSD	NA	B2050	DRUM	89.76	600.00	53856.00
	Shipping Charge	996813			1.00	600.00	600.00
	CGST on Shipping Charge @ 9%						₹54.00
	SGST on Shipping Charge @ 9%						₹54.00
Total(Rounded Off) (In Words) - Fifty Four Thousand Five Hundred Sixty Four Rupees Only							₹54564
*Diesel is a pretaxed commodity: hence no tax charged on High Speed Diesel							
*Whether tax is payable under reverse charge - NO							
*The Payment has to be made under the name of :- "TANK-UP PETRO VENTURES LLP" Bank : Central Bank Of India A/C No. : 5186347422 IFSC Code : CBIN0282768 Branch : 25-A, Jopling Road, Lucknow				TankUp Features: Convenience and Quality: TankUp provides high quality and double filtered fuel at your location. Quantity: Our scales are approved by W&M Department thus ensuring that we provide the exact quantity as ordered. Flexibility: TankUp provide both cash on delivery and card on delivery. Safety: For Tankup, safety is of utmost importance. Our drivers are highly trained and have gone under a special training to handle any unforeseeable instances. Note: As Per section 16 of the The MSME Act, 2006 If any buyer fails to make payment of the amount to the supplier who is registered under the MSME Act in 45 days, the buyer shall be liable to pay compound interest with monthly rests to the supplier on that amount from the appointed day or, as the case may be, from the date immediately following the date agreed upon, at three times of the bank rate notified by the Reserve Bank of India.			

*This is a computer-generated invoice.

Nandini Kumar

Order Fullfilled by : TankUp

Telephone: +91-7800008800
Email: info@tankup.co.in
Website: <http://www.tankup.co.in>



Tax Invoice

Seller Invoice Number : TUVFE24-03745

TankUp Petro Ventures LLP,
12625A, Goyala Industrial
Area, UPSIDC, Dewa
Road, Chinhāt, Lucknow-226019

Invoice Date: 2023-09-02

GSTIN : 09AALFT3740M1ZM

Billing Address

M/S SCG Contracts India Pvt. Ltd.
C/o HCL IT City Lucknow Pvt. Ltd.,
Check Gajaria Farms Sultanpur
Road Lucknow, Lucknow, 226021,

GSTIN: 09AAGCS3020B1ZW

Order Id: 77754

Shipping Address

C/o HCL IT City Lucknow Pvt. Ltd.,
Check Gajaria Farms Sultanpur
Road Lucknow, Lucknow, 226021.

Delivery Date: 2023-09-02
12:52:38

S.No	Product	HSN/SAC Code	Supply ID	Tank Detail	Rate(₹/ltr)	Quantity(Ltrs.)	Amount(₹)
1	HSD	NA	81916	DRUM	89.76	✓ 493.03	44254.37
	Shipping Charge	996813			1.00	493.03	493.03
	CGST on Shipping Charge @ 9%						₹44.38
	SGST on Shipping Charge @ 9%						₹44.38
Total(Rounded Off) (In Words) - Forty Four Thousand Eight Hundred Thirty Six Rupees Only							₹44836

*Diesel is a pretaxed commodity: hence no tax charged on High Speed Diesel

*Whether tax is payable under reverse charge - NO

*The Payment has to be made under the name of :-
"TANK-UP PETRO VENTURES LLP"
Bank : Central Bank Of India
A/C No. : 5186347422
IFSC Code : CBIN0282768
Branch : 25-A, Jopling Road, Lucknow

Del
Thy

TankUp Features:

Convenience and Quality: TankUp provides high quality and double filtered fuel at your location.

Quantity: Our scales are approved by W&M Department thus ensuring that we provide the exact quantity as ordered.

Flexibility: TankUp provide both cash on delivery and card on delivery.

Safety: For Tankup, safety is of utmost importance. Our drivers are highly trained and have gone under a special training to handle any unforeseeable instances.

Note: As Per section 16 of the The MSME Act, 2006 If any buyer fails to make payment of the amount to the supplier who is registered under the MSME Act in 45 days, the buyer shall be liable to pay compound interest with monthly rests to the supplier on that amount from the appointed day or, as the case may be, from the date immediately following the date agreed upon, at three times of the bank rate notified by the Reserve Bank of India.

*This is a computer-generated invoice.

Vikram
03/09/2023

Order Fulfilled by : TankUp

Telephone: +91-7800008800
Email: info@tankup.co.in
Website: <http://www.tankup.co.in>



Tax Invoice

Seller Invoice Number : TUVFE24-03616

TankUp Petro Ventures LLP,
12625A, Goyala Industrial
Area UPSIDC, Dewa
Road, Chinhhat, Lucknow-226019

Invoice Date: 2023-08-26

GSTIN : 09AALFT3740M1ZM

Billing Address

M/S SCG Contracts India Pvt. Ltd.
C/o HCL IT City Lucknow Pvt. Ltd.,
Check Gajaria Farms Sultanpur
Road Lucknowp, Lucknow, 226021.
GSTIN: 09AAGCS3020B1ZW

Shipping Address

C/o HCL IT City Lucknow Pvt. Ltd.
Check Gajaria Farms Sultanpur
Road Lucknowp, Lucknow, 226021

Order Id: 77622

Delivery Date: 2023-08-26
13:23:46

S.No	Product	HSN/SAC Code	Supply ID	Tank Detail	Rate(₹/ltr)	Quantity(Ltrs.)	Amount(₹)
1	HSD	NA	81785	DRUM	89.76	600.00	53856.00
	Shipping Charge	996813			1.00	600.00	600.00
	CGST on Shipping Charge @ 9%						154.00
	SGST on Shipping Charge @ 9%						154.00
Total(Rounded Off) (In Words) - Fifty Four Thousand Five Hundred Sixty Four Rupees Only							154504

- *Diesel is a pretaxed commodity; hence no tax charged on High Speed Diesel
- *Whether tax is payable under reverse charge - NO

*The Payment has to be made under the name of :-
"TANK-UP PETRO VENTURES LLP"
Bank - Central Bank Of India
A/C No. : 5186347422
IFSC Code - CBIN0282768
Branch : 25-A, Jopling Road, Lucknow

TankUp Features:

Convenience and Quality: TankUp provides high quality and double filtered diesel at your location.
Quantity: Our scales are approved by W&M Department thus ensuring that we provide the exact quantity as ordered.
Flexibility: TankUp provide both cash on delivery and card on delivery.
Safety: For Tankup, safety is of utmost importance. Our drivers are highly trained and have gone under a special training to handle any unforeseeable instances.

Note: As Per section 16 of the The MSME Act, 2006 If any buyer fails to make payment of the amount to the supplier who is registered under the MSME Act within 15 days, the buyer shall be liable to pay compound interest with monthly rests to the supplier on that amount from the appointed day or, as the case may be, from the date immediately following the date agreed upon, at three times of the bank rate notified by the Reserve Bank of India.

This is a computer-generated invoice

Vikash Kumar
26/08/2023

Order Fulfilled by : TankUp

Telephone: +91-7800008800
 Mail: info@tankup.com
 Website: http://www.tankup.com



Tax Invoice

Seller Invoice Number : TUVFE24-03426

TankUp Petro Ventures LLP,
 12625A, Goyala Industrial
 Area, UPSIDC, Dewa
 Road, Chinhali, Lucknow-226019

Invoice Date: 2023-08-18

GSTIN : 09AALFT3740M1ZTM

Billing Address

M/S ACE Contracts India Pvt. Ltd.
 C/o HCL IT City, Lucknow Pvt. Ltd.
 Check Gajaria Farms Sultanpur
 Road Lucknow, Lucknow, 226021.

Shipping Address

C/o HCL IT City Lucknow Pvt. Ltd.
 Check Gajaria Farms Sultanpur
 Road Lucknow, Lucknow, 226021.

GSTIN: 09AAGCS3020B1ZW

Order Id: 77364

Delivery Date: 2023-08-18
 12:32:00

S.No	Product	HSN/SAC Code	Supply ID	Tank Detail	Rate(₹/ltr)	Quantity(Ltrs.)	Amount(₹)
	HSD	NA	81528	DRUM	89.76	500.00	44880.00
	Shipping Charge	996813			1.00	500.00	500.00
	CGST on Shipping Charge @ 9%						45.00
	SGST on Shipping Charge @ 9%						45.00
Total(Rounded Off) (In Words) - Forty Five Thousand Four Hundred Seventy Rupees Only							₹45470

- *Diesel is a pretaxed commodity; hence no tax charged on High Speed Diesel
- *Whether tax is payable under reverse charge - NO

*The Payment has to be made under the name of :-
"TANK-UP PETRO VENTURES LLP"
 Bank: Central Bank Of India
 A/C No. 5186347422
 IFSC Code: CBIN0282768
 Branch: 25-A, Joppling Road, Lucknow

TankUp Features:

Convenience and Quality: TankUp provides high quality and double filtered fuel at your location.

Quantity: Our scales are approved by W&M Department thus ensuring that we provide the exact quantity as ordered.

Flexibility: TankUp provide both cash on delivery and card on delivery.

Safety: For Tankup, safety is of utmost importance. Our drivers are highly trained and have gone under a special training to handle any unforeseeable instances.

Note: As Per section 16 of the The MSME Act, 2006 if any buyer fails to make payment of the amount to the supplier who is registered under the MSME Act within 45 days, the buyer shall be liable to pay compound interest with penalties to the supplier on that amount from the appointed day or, as the case may be, the date immediately following the date agreed upon, at three times of the rate notified by the Reserve Bank of India.

This is a computer-generated invoice

*Nand Lal Singh
 Receiver*

Order Fullfilled by : TankUp

Telephone: +91-7800008800

Email: info@tankup.co.in

Website: <http://www.tankup.co.in>



Tax Invoice

Seller Invoice Number : TUVFE24-03272	Invoice Date: 2023-08-12
TankUp Petro Ventures LLP, 1262SA, Goyala Industrial Area, UPSIDC, Dewa Road, Chinhat, Lucknow-226019	GSTIN : 09AALFT3740M1ZM
Billing Address M/S SCG Contracts India Pvt. Ltd. C/o HCL IT City Lucknow Pvt. Ltd., Check Gajaria Farms Sultanpur Road Lucknow, Lucknow, 226021, GSTIN: 09AAGCS3020B1ZW	Shipping Address C/o HCL IT City Lucknow Pvt. Ltd., Check Gajaria Farms Sultanpur Road Lucknow, Lucknow, 226021.
Order Id: 77203	Delivery Date: 2023-08-11 11:53:24

S.No	Product	HSN/SAC Code	Supply ID	Tank Detail	Rate(₹/ltr)	Quantity(Ltrs.)	Amount(₹)
1	HSD	NA	81369	DRUM	89.76	400.00	35904.00
	Shipping Charge	996813			1.00	400.00	400.00
	CGST on Shipping Charge @ 9%						₹36.00
	SGST on Shipping Charge @ 9%						₹36.00
Total(Rounded Off) (In Words) - Thirty Six Thousand Three Hundred Seventy Six Rupees Only							₹36376

*Diesel is a pretaxed commodity: hence no tax charged on High Speed Diesel

*Whether tax is payable under reverse charge - NO

*The Payment has to be made under the name of :-
"TANK-UP PETRO VENTURES LLP"
Bank : Central Bank Of India
A/C No. : 5186347422
IFSC Code : CBIN0282768
Branch : 25-A, Jopling Road, Lucknow

TankUp Features:

Convenience and Quality: TankUp provides high quality and double filtered fuel at your location.

Quantity: Our scales are approved by W&M Department thus ensuring that we provide the exact quantity as ordered.

Flexibility: TankUp provide both cash on delivery and card on delivery.

Safety: For Tank.up, safety is of utmost importance. Our drivers are highly trained and have gone under a special training to handle any unforeseeable instances.

Note: As Per section 16 of the The MSME Act, 2006 if any buyer fails to make payment of the amount to the supplier who is registered under the MSME Act in 45 days, the buyer shall be liable to pay compound interest with monthly rests to the supplier on that amount from the appointed day or, as the case may be, from the date immediately following the date agreed upon, at three times of the bank rate notified by the Reserve Bank of India.

*This is a computer-generated invoice.

Order Fulfilled by : TankUp

Telephone: +91-7800008800

Email: info@tankup.co.in

Website: <http://www.tankup.co.in>



Tax Invoice

Seller Invoice Number : TUVFE24-03145

TankUp Petro Ventures LLP,
12625A, Goyala Industrial
Area, UPSIDC, Dewa
Road, Chinhath, Lucknow-226019

Billing Address

M/S SCG Contracts India Pvt. Ltd.
C/o HCL IT City Lucknow Pvt. Ltd.,
Check Gajaria Farms Sultanpur
Road Lucknowp, Lucknow, 226021,
GSTIN: 09AAGCS3020B1ZW

Order Id: 77099

Invoice Date: 2023-08-07

GSTIN : 09AALFT3740M1ZM

Shipping Address

C/o HCL IT City Lucknow Pvt. Ltd.,
Check Gajaria Farms Sultanpur
Road Lucknowp, Lucknow, 226021.

Delivery Date: 2023-08-06
21:06:26

S.No	Product	HSN/SAC Code	Supply ID	Tank Detail	Rate(₹/ltr)	Quantity(Ltrs.)	Amount(₹)
1	HSD	NA	81265	DRUM	89.76	✓ 500.00	44880.00
	Shipping Charge	996813			1.00	500.00	500.00
	CGST on Shipping Charge @ 9%						₹45.00
	SGST on Shipping Charge @ 9%						₹45.00
Total(Rounded Off) (In Words) - Forty Five Thousand Four Hundred Seventy Rupees Only							₹45470

*Diesel is a pretaxed commodity; hence no tax charged on High Speed Diesel

*Whether tax is payable under reverse charge - NO

*The Payment has to be made under the name of :-
"TANK-UP PETRO VENTURES LLP"
Bank : Central Bank Of India
A/C No. : 5186347422
IFSC Code : CBIN0282768
Branch : 25-A, Jopling Road, Lucknow

TankUp Features:

Convenience and Quality: TankUp provides high quality and double filtered fuel at your location.

Quantity: Our scales are approved by W&M Department thus ensuring that we provide the exact quantity as ordered.

Flexibility: TankUp provide both cash on delivery and card on delivery.

Safety: For Tankup, safety is of utmost importance. Our drivers are highly trained and have gone under a special training to handle any unforeseeable instances.

Note: As Per section 16 of the The MSME Act, 2006 If any buyer fails to make payment of the amount to the supplier who is registered under the MSME Act in 45 days , the buyer shall be liable to pay compound interest with monthly rests to the supplier on that amount from the appointed day or, as the case may be, from the date immediately following the date agreed upon, at three times of the bank rate notified by the Reserve Bank of India.

*This is a computer-generated invoice.

Naxendra Kumar

Order Fulfilled by : TankUp

Telephone: +91-7800008800

Email: info@tankup.co.in

Website: <http://www.tankup.co.in>



Tax Invoice

Seller Invoice Number : TUVFE24-02962

TankUp Petro Ventures LLP,
12625A, Goyala Industrial
Area, UPSIDC, Dewa
Road, Chinhhat, Lucknow-226019

Invoice Date: 2023-07-31

GSTIN : 09AALFT3740M1ZM

Billing Address

M/S SCG Contracts India Pvt. Ltd.
C/o HCL IT City Lucknow Pvt. Ltd.,
Check Gajaria Farms Sultanpur
Road Lucknowp. Lucknow, 226021,

GSTIN: 09AAGCS3020B1ZW

Order Id: 76886

Shipping Address

C/o HCL IT City Lucknow Pvt Ltd
Check Gajaria Farms Sultanpur
Road Lucknowp, Lucknow, 226021.

Delivery Date: 2023-07-30
13:17:09

S.No	Product	HSN/SAC Code	Supply ID	Tank Detail	Rate(₹/ltr)	Quantity(Ltrs.)	Amount(₹)
1	HSD	NA	81052	DRUM	89.76	✓ 600.00	53856.00
	Shipping Charge	996813			1.00	600.00	600.00
	CGST on Shipping Charge @ 9%						₹54.00
	SGST on Shipping Charge @ 9%						₹54.00
Total(Rounded Off) (In Words) - Fifty Four Thousand Five Hundred Sixty Four Rupees Only							₹54564

*Diesel is a pretaxed commodity; hence no tax charged on High Speed Diesel
*Whether tax is payable under reverse charge - NO

*The Payment has to be made under the name of :-
"TANK-UP PETRO VENTURES LLP"
Bank : Central Bank Of India
A/C No. : 5186347422
IFSC Code : CBIN0282768
Branch : 25-A, Joppling Road, Lucknow

TankUp Features:

Convenience and Quality: TankUp provides high quality and double filtered fuel at your location.

Quantity: Our scales are approved by W&M Department thus ensuring that we provide the exact quantity as ordered.

Flexibility: TankUp provide both cash on delivery and card on delivery.

Safety: For Tankup, safety is of utmost importance. Our drivers are highly trained and have gone under a special training to handle any unforeseeable instances.

Note: As Per section 16 of the The MSME Act, 2006 If any buyer fails to make payment of the amount to the supplier who is registered under the MSME Act in 45 days, the buyer shall be liable to pay compound interest with monthly rests to the supplier on that amount from the appointed day or, as the case may be, from the date immediately following the date agreed upon, at three times of the bank rate notified by the Reserve Bank of India.

*This is a computer-generated invoice.

Naseemba Idema

Order Fulfilled by : TankUp

Telephone: +91-7800008800

Email: info@tankup.co.in

Website: <http://www.tankup.co.in>



Tax Invoice

Seller Invoice Number : TUVFE24-02812

TankUp Petro Ventures LLP,
12625A, Goyala Industrial
Area, UPSIDC, Dewa
Road, Chinhat, Lucknow-226019

Billing Address

M/S SCG Contracts India Pvt. Ltd.
C/o HCL IT City Lucknow Pvt. Ltd.,
Check Gajaria Farms Sultanpur
Road Lucknow, Lucknow, 226021.

GSTIN: 09AAGCS3020B1ZW

Order Id: 76718

Invoice Date: 2023-07-25

GSTIN : 09AALFT3740M1ZM

Shipping Address

C/o HCL IT City Lucknow Pvt. Ltd.,
Check Gajaria Farms Sultanpur
Road Lucknow, Lucknow, 226021.

Delivery Date: 2023-07-24
12:04:08

S.No	Product	HSN/SAC Code	Supply ID	Tank Detail	Rate(₹/ltr)	Quantity(Ltrs.)	Amount(₹)
1	HSD	NA	80884	DRUM	89.76	500.00	44880.00
	Shipping Charge	996813			1.00	500.00	500.00
	CGST on Shipping Charge @ 9%						₹45.00
	SGST on Shipping Charge @ 9%						₹45.00
Total(Rounded Off) (In Words) - Forty Five Thousand Four Hundred Seventy Rupees Only							₹45470

*Diesel is a pretaxed commodity: hence no tax charged on High Speed Diesel

*Whether tax is payable under reverse charge - NO

"The Payment has to be made under the name of :-
"TANK-UP PETRO VENTURES LLP"
Bank : Central Bank Of India
A/C No. : 5186347422
IFSC Code : CBIND282768
Branch : 25-A, Jopling Road, Lucknow

Handwritten signature and stamp

TankUp Features:

Convenience and Quality: TankUp provides high quality and double filtered fuel at your location.

Quantity: Our scales are approved by W&M Department thus ensuring that we provide the exact quantity as ordered.

Flexibility: TankUp provide both cash on delivery and card on delivery.

Safety: For Tankup, safety is of utmost importance. Our drivers are highly trained and have gone under a special training to handle any unforeseeable instances.

Note: As Per section 16 of the The MSME Act, 2006 If any buyer fails to make payment of the amount to the supplier who is registered under the MSME Act in 45 days, the buyer shall be liable to pay compound interest with monthly rests to the supplier on that amount from the appointed day or, as the case may be, from the date immediately following the date agreed upon, at three times of the bank rate notified by the Reserve Bank of India.

*This is a computer-generated invoice.

Handwritten signature and stamp

Order Fulfilled by : TankUp

Telephone: +91-7800008800
Email: info@tankup.co.in
Website: <http://www.tankup.co.in>



Tax Invoice

Seller Invoice Number : TUVFE24-02675

TankUp Petro Ventures LLP,
12625A, Goyala Industrial
Area, UPSIDC, Dewa
Road, Chinhat, Lucknow-226019

Billing Address

M/S SCG Contracts India Pvt. Ltd.
C/o HCL IT City Lucknow Pvt. Ltd.,
Check Gajaria Farms Sultanpur
Road Lucknow, Lucknow, 226021,
GSTIN: 09AAGCS3020B1ZW

Order Id: 76566

Invoice Date: 2023-07-18

GSTIN : 09AALFT3740M1ZM

Shipping Address

C/o HCL IT City Lucknow Pvt. Ltd.,
Check Gajaria Farms Sultanpur
Road Lucknow, Lucknow, 226021.

Delivery Date: 2023-07-18
15:47:13

S.No	Product	HSN/SAC Code	Supply ID	Tank Detail	Rate(₹/ltr)	Quantity(Ltrs.)	Amount(₹)
1	HSD	NA	80732	DRUM	89.76	461.01	41380.26
	Shipping Charge	996813			1.00	461.01	461.01
	CGST on Shipping Charge @ 9%						₹41.49
	SGST on Shipping Charge @ 9%						₹41.49
Total(Rounded Off) (In Words) - Forty One Thousand Nine Hundred Twenty Four Rupees Only							₹41924

*Diesel is a pretaxed commodity: hence no tax charged on High Speed Diesel

*Whether tax is payable under reverse charge - NO

*The Payment has to be made under the name of :-
"TANK-UP PETRO VENTURES LLP"
Bank : Central Bank Of India
A/C No. : 5186347422
IFSC Code : CBIN0282768
Branch : 25-A, Jopling Road, Lucknow

TankUp Features:

Convenience and Quality: TankUp provides high quality and double filtered fuel at your location.

Quantity: Our scales are approved by W&M Department thus ensuring that we provide the exact quantity as ordered

Flexibility: TankUp provide both cash on delivery and card on delivery.

Safety: For Tankup, safety is of utmost importance. Our drivers are highly trained and have gone under a special training to handle any unforeseeable instances.

Note: As Per section 16 of the The MSME Act, 2006 If any buyer fails to make payment of the amount to the supplier who is registered under the MSME Act in 45 days, the buyer shall be liable to pay compound interest with monthly rests to the supplier on that amount from the appointed day or, as the case may be, from the date immediately following the date agreed upon, at three times of the bank rate notified by the Reserve Bank of India.

*This is a computer-generated invoice.

OK

Nakendra
Kumar
18/07/2023

Order Fullfilled by : TankUp

Telephone: +91-7800008800
Email: info@tankup.co.in
Website: <http://www.tankup.co.in>



Tax Invoice

Seller Invoice Number : TUVFE24-02493

TankUp Petro Ventures LLP,
1262SA,Goyala Industrial
Area,UPSIDC,Dewa
Road,Chinhat,Lucknow-226019

Billing Address

M/S SCG Contracts India Pvt. Ltd.
C/o HCL IT City Lucknow Pvt. Ltd ,
Check Gajaria Farms Sultanpur
Road Lucknowp, Lucknow, 226021,

GSTIN: 09AAGCS3020B1ZW

Order Id: 76381

Invoice Date: 2023-07-11
GSTIN : 09AALFT3740M1ZM

Shipping Address

C/o HCL IT City Lucknow Pvt. Ltd ,
Check Gajaria Farms Sultanpur
Road Lucknowp, Lucknow, 226021.

Delivery Date: 2023-07-11
16:51:40

S.No	Product	HSN/SAC Code	Supply ID	Tank Detail	Rate(₹/ltr)	Quantity(Ltrs.)	Amount(₹)
1	HSD	NA	80547	DRUM	89.76	600.00	53856.00
Shipping Charge					1.00	600.00	600.00
CGST on Shipping Charge @ 9%							₹54.00
SGST on Shipping Charge @ 9%							₹54.00
Total(Rounded Off) (In Words) - Fifty Four Thousand Five Hundred Sixty Four Rupees Only							₹54564

*Diesel is a pretaxed commodity: hence no tax charged on High Speed Diesel
*Whether tax is payable under reverse charge - NO

*The Payment has to be made under the name of :-
"TANK-UP PETRO VENTURES LLP"
Bank : Central Bank Of India
A/C No. : 5186347422
IFSC Code : CBIN0282768
Branch : 25-A, Jopling Road, Lucknow

TankUp Features:
Convenience and Quality: TankUp provides high quality and double filtered fuel at your location.
Quantity: Our scales are approved by W&M Department thus ensuring that we provide the exact quantity as ordered.
Flexibility: TankUp provide both cash on delivery and card on delivery.
Safety: For Tankup, safety is of utmost importance. Our drivers are highly trained and have gone under a special training to handle any unforeseeable instances.

Note: As Per section 16 of the The MSME Act, 2006 If any buyer fails to make payment of the amount to the supplier who is registered under the MSME Act in 45 days , the buyer shall be liable to pay compound interest with monthly rests to the supplier on that amount from the appointed day or, as the case may be, from the date immediately following the date agreed upon, at three times of the bank rate notified by the Reserve Bank of India.

*This is a computer-generated invoice.

Received
By
K. Tharmar

Nasirul
Kumar

Order Fulfilled by : TankUp

Telephone: +91-7800008800
Email: info@tankup.co.in
Website: <http://www.tankup.co.in>



Tax Invoice

Seller Invoice Number : TUVFE24-02320

TankUp Petro Ventures LLP,
12625A, Goyala Industrial
Area, UPSIDC, Dewa
Road, Chinhat, Lucknow-226019

Invoice Date: 2023-07-05
GSTIN : 09AALFT3740M1ZM

Billing Address

M/S SCG Contracts India Pvt. Ltd.
C/o HCL IT City Lucknow Pvt. Ltd.,
Check Gajaria Farms Sultanpur
Road Lucknow, Lucknow, 226021,
GSTIN: 09AAGCS3020B1ZW

Shipping Address

C/o HCL IT City Lucknow Pvt. Ltd.,
Check Gajaria Farms Sultanpur
Road Lucknow, Lucknow, 226021.

Order Id: 76171

Delivery Date: 2023-07-04
11:54:45

S.No	Product	HSN/SAC Code	Supply ID	Tank Detail	Rate(₹/ltr)	Quantity(Ltrs.)	Amount(₹)
1	HSD	NA	80337	GENERATOR	89.76	90.09	8086.48
2	HSD	NA	80337	DRUM	89.76	490.03	43985.09
	Shipping Charge	996813			1.00	580.12	580.12
	CGST on Shipping Charge @ 9%						₹52.21
	SGST on Shipping Charge @ 9%						₹52.21
Total(Rounded Off) (In Words) - Fifty Two Thousand Seven Hundred Fifty Six Rupees Only							₹52756

*Diesel is a pretaxed commodity: hence no tax charged on High Speed Diesel

*Whether tax is payable under reverse charge - NO

*The Payment has to be made under the name of :-
"TANK-UP PETRO VENTURES LLP"
Bank : Central Bank Of India
A/C No. : 5186347422
IFSC Code : CBIN0282768
Branch : 25-A, Jopling Road, Lucknow

TankUp Features:

Convenience and Quality: TankUp provides high quality and double filtered fuel at your location.
Quantity: Our scales are approved by W&M Department thus ensuring that we provide the exact quantity as ordered.
Flexibility: TankUp provide both cash on delivery and card on delivery.
Safety: For Tankup, safety is of utmost importance. Our drivers are highly trained and have gone under a special training to handle any unforeseeable instances.

Note: As Per section 16 of the The MSME Act, 2006 If any buyer fails to make payment of the amount to the supplier who is registered under the MSME Act in 45 days, the buyer shall be liable to pay compound interest with monthly rests to the supplier on that amount from the appointed day or, as the case may be, from the date immediately following the date agreed upon, at three times of the bank rate notified by the Reserve Bank of India.

*This is a computer-generated invoice.

Received
Mr. Sharma

Nasirulhaq
Kumar

Order Fulfilled by : TankUp

Telephone: +91.7800008800

Email: info@tankup.co.in

Website: <http://www.tankup.co.in>



Tax Invoice

Seller Invoice Number: TUVFE24-02113

Invoice Date: 2023-06-27

TankUp Petro Ventures LLP,
1262SA, Goyala Industrial
Area, UPSIDC, Dewa
Road, Chinhath, Lucknow-226019

GSTIN : 09AALFT3740M1ZM

Billing Address

M/S SCG Contracts India Pvt. Ltd.
C/o HCL IT City Lucknow Pvt. Ltd.,
Check Gajaria Farms Sultanpur
Road Lucknow, Lucknow, 226021,

Shipping Address

C/o HCL IT City Lucknow Pvt. Ltd.,
Check Gajaria Farms Sultanpur
Road Lucknow, Lucknow, 226021,

GSTIN: 09AAGCS3020B1ZW

Order Id: 75968

Delivery Date: 2023-06-26
17:47:19

S.No	Product	HSN/SAC Code	Supply ID	Tank Detail	Rate(₹/ltr)	Quantity(Ltrs.)	Amount(₹)
1	HSD	NA	80135	DRUM	89.76	✓ 570.04	51166.79
	Shipping Charge	996813			1.00	570.04	570.04
	CGST on Shipping Charge @ 9%						₹51.30
	SGST on Shipping Charge @ 9%						₹51.30
Total(Rounded Off)		(In Words) - Fifty One Thousand Eight Hundred Thirty Nine Rupees Only					₹51839

*Diesel is a pretaxed commodity: hence no tax charged on High Speed Diesel

*Whether tax is payable under reverse charge - NO

***The Payment has to be made under the name of :-**
"TANK-UP PETRO VENTURES LLP"
Bank : Central Bank Of India
A/C.No. : 5186347422
IFSC Code : CBIN0282768
Branch : 25-A, Jopling Road, Lucknow

TankUp Features:

Convenience and Quality: TankUp provides high quality and double filtered fuel at your location.

Quantity: Our scales are approved by W&M Department thus ensuring that we provide the exact quantity as ordered.

Flexibility: TankUp provide both cash on delivery and card on delivery.

Safety: For Tankup, safety is of utmost importance. Our drivers are highly trained and have gone under a special training to handle any unforeseeable instances.

Note: As Per section 16 of the The MSME Act, 2006 If any buyer fails to make payment of the amount to the supplier who is registered under the MSME Act in 45 days, the buyer shall be liable to pay compound interest with monthly rests to the supplier on that amount from the appointed day or, as the case may be, from the date immediately following the date agreed upon, at three times of the bank rate notified by the Reserve Bank of India.

*This is a computer generated invoice.

Handwritten signature

Order Fulfilled by : TankUp

Telephone: +91-7800008800
Email: info@tankup.co.in
Website: <http://www.tankup.co.in>



Tax Invoice

Seller Invoice Number : TUVFE24-01977

TankUp Petro Ventures LLP,
12625A, Goyala Industrial
Area, UPSIDC, Dewa
Road, Chinhāt, Lucknow-226019

Billing Address

M/S SCG Contracts India Pvt. Ltd.
C/o HCL IT City Lucknow Pvt. Ltd.,
Check Gajaria Farms Sultanpur
Road Lucknow, Lucknow, 226021,
GSTIN: 09AAGCS3020B1ZW

Order Id: 75797

Invoice Date: 2023-06-21
GSTIN : 09AALFT3740M1ZM

Shipping Address

C/o HCL IT City Lucknow Pvt. Ltd ,
Check Gajaria Farms Sultanpur
Road Lucknow, Lucknow, 226021,

Delivery Date: 2023-06-20
16:59:30

S.No	Product	HSN/SAC Code	Supply ID	Tank Detail	Rate(₹/ltr)	Quantity(Ltrs.)	Amount(₹)
1	HSD	NA	79964	GENERATOR	89.76	486.75	43690.68
	Shipping Charge	996813			1.00	486.75	486.75
	CGST on Shipping Charge @ 9%						₹43.80
	SGST on Shipping Charge @ 9%						₹43.80
Total(Rounded Off) (In Words) - Forty Four Thousand Two Hundred Sixty Five Rupees Only							₹44265

*Diesel is a pretaxed commodity: hence no tax charged on High Speed Diesel
*Whether tax is payable under reverse charge - NO

*The Payment has to be made under the name of :-
"TANK-UP PETRO VENTURES LLP"
Bank: Central Bank Of India
A/C No. : 5186347422
IFSC Code : CBIN0282768
Branch : 25-A, Joppling Road, Lucknow

TankUp Features:

Convenience and Quality: TankUp provides high quality and double filtered fuel at your location.

Quantity: Our scales are approved by W&M Department thus ensuring that we provide the exact quantity as ordered.

Flexibility: TankUp provide both cash on delivery and card on delivery.

Safety: For Tankup, safety is of utmost importance. Our drivers are highly trained and have gone under a special training to handle any unforeseeable instances.

Note: As Per section 16 of the The MSME Act, 2006 If any buyer fails to make payment of the amount to the supplier who is registered under the MSME Act in 45 days , the buyer shall be liable to pay compound interest with monthly rests to the supplier on that amount from the appointed day or, as the case may be, from the date immediately following the date agreed upon, at three times of the bank rate notified by the Reserve Bank of India.

*This is a computer-generated invoice.

Order Fulfilled by : TankUp

Telephone: +91-7800008800
Email: info@tankup.co.in
Website: <http://www.tankup.co.in>



Tax Invoice

Seller Invoice Number : TUVFE24-01881

TankUp Petro Ventures LLP,
12625A, Goyala Industrial
Area, UPSIDC, Dewa
Road, Chinhaf, Lucknow-226019

Billing Address

M/S SCG Contracts India Pvt. Ltd.
C/o HCL IT City Lucknow Pvt. Ltd.,
Check Gajaria Farms Sultanpur,
Road Lucknowp, Lucknow, 226021,
GSTIN: 09AAGCS3020B1ZW

Order Id: 75669

Invoice Date: 2023-06-17
GSTIN : 09AALFT3740M1ZM

Shipping Address

C/o HCL IT City Lucknow Pvt. Ltd ,
Check Gajaria Farms Sultanpur
Road Lucknowp, Lucknow, 226021,

Delivery Date: 2023-06-16
18:11:45

S.No	Product	HSN/SAC Code	Supply ID	Tank Detail	Rate(₹/ltr)	Quantity(Ltrs.)	Amount(₹)
1	HSD	NA	79836	DRUM	89.76	600.00	53856.00
	Shipping Charge	996813			1.00	600.00	600.00
	CGST on Shipping Charge @ 9%						₹54.00
	SGST on Shipping Charge @ 9%						₹54.00
	Total(Rounded Off)						₹54564

*Diesel is a pretaxed commodity; hence no tax charged on High Speed Diesel
*Whether tax is payable under reverse charge - NO

*The Payment has to be made under the name of :-
"TANK-UP PETRO VENTURES LLP"
Bank : Central Bank Of India
A/C No. : 5186347422
IFSC Code : CBIN0282768
Branch : 25-A, Joppling Road, Lucknow

TankUp Features:

Convenience and Quality: TankUp provides high quality and double filtered fuel at your location.
Quantity: Our scales are approved by W&M Department thus ensuring that we provide the exact quantity as ordered.
Flexibility: TankUp provide both cash on delivery and card on delivery.
Safety: For Tankup, safety is of utmost importance. Our drivers are highly trained and have gone under a special training to handle any unforeseeable instances.

Note: As Per section 16 of the The MSME Act, 2006 If any buyer fails to make payment of the amount to the supplier who is registered under the MSME Act in 45 days, the buyer shall be liable to pay compound interest with monthly rests to the supplier on that amount from the appointed day or, as the case may be, from the date immediately following the date agreed upon, at three times of the bank rate notified by the Reserve Bank of India.

*This is a computer-generated invoice.

Nataraj Kumar

Order Fulfilled by: TankUp

Telephone: +91-7800008800
Email: info@tankup.co.in
Website: <http://www.tankup.co.in>



Tax Invoice

Seller Invoice Number: TUVFE24-01674

TankUp Petro Ventures LLP,
1262SA, Goyala Industrial
Area, UPSIDC, Dewa
Road, Chinhat, Lucknow-226019

Billing Address

M/S SCG Contracts India Pvt. Ltd.
C/o HCL IT City Lucknow Pvt. Ltd.,
Check Gajaria Farms Sultanpur
Road Lucknow, Lucknow, 226021,
GSTIN: 09AAGCS3020B1ZW

Order Id: 75467

Invoice Date: 2023-06-10
GSTIN: 09AALFT3740M1ZM

Shipping Address

C/o HCL IT City Lucknow Pvt. Ltd.,
Check Gajaria Farms Sultanpur
Road Lucknow, Lucknow, 226021.

Delivery Date: 2023-06-09
14:53:50

S.No	Product	HSN/SAC Code	Supply ID	Tank Detail	Rate(₹/ltr)	Quantity(Ltrs.)	Amount(₹)	
1	HSD	NA	79634	DRUM	89.76	575.00	51612.00	
					1.00	575.00	575.00	
	Shipping Charge	996813					₹51.75	
	CGST on Shipping Charge @ 9%						₹51.75	
	SGST on Shipping Charge @ 9%						₹52291	
Total(Rounded Off)		(In Words) - Fifty Two Thousand Two Hundred Ninety One Rupees Only						

*Diesel is a pretaxed commodity: hence no tax charged on High Speed Diesel
*Whether tax is payable under reverse charge - NO

*The Payment has to be made under the name of :-
"TANK-UP PETRO VENTURES LLP"
Bank : Central Bank Of India
A/C No. : 5186347422
IFSC Code : CBIN0282768
Branch :-25-A, Joppling Road, Lucknow

TankUp Features:
Convenience and Quality: TankUp provides high quality and double filtered fuel at your location.
Quantity: Our scales are approved by W&M Department thus ensuring that we provide the exact quantity as ordered.
Flexibility: TankUp provide both cash on delivery and card on delivery.
Safety: For Tankup, safety is of utmost importance. Our drivers are highly trained and have gone under a special training to handle any unforeseeable instances.
Note: As-Per section 16 of the The MSME Act, 2006 If any buyer fails to make payment of the amount to the supplier who is registered under the MSME Act in 45 days, the buyer shall be liable to pay compound interest with monthly rests to the supplier on that amount from the appointed day or, as the case may be, from the date immediately following the date agreed upon, at three times of the bank rate notified by the Reserve Bank of India.

*This is a computer-generated Invoice.

Naveen Kumar

Order Fulfilled by: TankUp

Telephone: +91-7800008800
Email: info@tankup.co.in
Website: http://www.tankup.co.in



Tax Invoice

Seller Invoice Number : TUVFE24-01556

TankUp Petro Ventures LLP,
1262SA, Goyala Industrial
Area, UPSIDC, Dewa
Road, Chinhhat, Lucknow-226019

Billing Address

M/S SCG Contracts India Pvt. Ltd.,
C/o HCL IT City Lucknow Pvt. Ltd.,
Check Gajaria Farms Sultanpur
Road Lucknow, Lucknow, 226021,

GSTIN: 09AAGCS3020B1ZW

Order Id: 75311

Invoice Date: 2023-06-04
GSTIN : 09AALFT3740M1ZM

Shipping Address

C/o HCL IT City Lucknow Pvt. Ltd.,
Check Gajaria Farms Sultanpur
Road Lucknow, Lucknow, 226021,

Delivery Date: 2023-06-04
12:14:02

S.No	Product	HSN/SAC Code	Supply ID	Tank Detail	Rate(₹/ltr)	Quantity(Ltrs.)	Amount(₹)
1	HSD	NA	79478	DRUM	89.76	500.00	44880.00
	Shipping Charge	996813			1.00	500.00	500.00
	CGST on Shipping Charge @ 9%						₹45.00
	SGST on Shipping Charge @ 9%						₹45.00
Total(Rounded Off) (In Words) - Forty Five Thousand Four Hundred Seventy Rupees Only							₹45470

*Diesel is a pretaxed commodity: hence no tax charged on High Speed Diesel

*Whether tax is payable under reverse charge - NO

*The Payment has to be made under the name of :-
"TANK-UP PETRO VENTURES LLP"
Bank : HDFC Bank
A/C No. : 50200027261661
IFSC Code : HDFC0004805
Branch : Gomti Nagar, Lucknow

TankUp Features:

Convenience and Quality: TankUp provides high quality and double filtered fuel at your location.

Quantity: Our scales are approved by W&M Department thus ensuring that we provide the exact quantity as ordered.

Flexibility: TankUp provide both cash on delivery and card on delivery.

Safety: For Tankup, safety is of utmost importance. Our drivers are highly trained and have gone under a special training to handle any unforeseeable instances.

Note: As Per section 16 of the The MSME Act, 2006 If any buyer fails to make payment of the amount to the supplier who is registered under the MSME Act in 45 days, the buyer shall be liable to pay compound interest with monthly rests to the supplier on that amount from the appointed day or, as the case may be, from the date immediately following the date agreed upon, at three times of the bank rate notified by the Reserve Bank of India.

*This is a computer generated invoice.

Nabeendra Kumar

Order Fulfilled by : TankUp

Telephone: +91-7800008800
Email: info@tankup.co.in
Website: <http://www.tankup.co.in>



Tax Invoice

Seller Invoice Number : TUVFE24-01370						Invoice Date: 2023-05-29	
TankUp Petro Ventures LLP, 12625A,Goyala Industrial Area,UPSIDC,Dewa Road,Chinhat,Lucknow-226019						GSTIN : 09AALFT3740M1ZM	
Billing Address						Shipping Address	
M/S SCG Contracts India Pvt. Ltd. C/o HCL IT City Lucknow Pvt. Ltd , Check Gajaria Farms Sultanpur Road Lucknowp, Lucknow, 226021, GSTIN: 09AAGCS3020B1ZW						C/o HCL IT City Lucknow Pvt. Ltd . Check Gajaria Farms Sultanpur Road Lucknowp, Lucknow, 226021.	
Order Id: 75094						Delivery Date: 2023-05-29 10:48:46	
S.No	Product	HSN/SAC Code	Supply ID	Tank Detail	Rate(₹/ltr)	Quantity(Ltrs.)	Amount(₹)
1	HSD	NA	79261	DRUM	89.76	600.00	53856.00
Shipping Charge		996813			1.00	600.00	600.00
CGST on Shipping Charge @ 9%							₹54.00
SGST on Shipping Charge @ 9%							₹54.00
Total(Rounded Off) (In Words) - Fifty Four Thousand Five Hundred Sixty Four Rupees Only							₹54564
*Diesel is a pretaxed commodity: hence no tax charged on High Speed Diesel							
*Whether tax is payable under reverse charge - NO							
*The Payment has to be made under the name of :- "TANK-UP PETRO VENTURES LLP" Bank : HDFC Bank A/C No. : 50200027261661 IFSC Code : HDFC0004805 Branch : Gomti Nagar, Lucknow				TankUp Features: Convenience and Quality: TankUp provides high quality and double filtered fuel at your location. Quantity: Our scales are approved by W&M Department thus ensuring that we provide the exact quantity as ordered. Flexibility: TankUp provide both cash on delivery and card on delivery. Safety: For Tankup, safety is of utmost importance. Our drivers are highly trained and have gone under a special training to handle any unforeseeable instances. Note: As Per section 16 of the The MSME Act, 2006 If any buyer fails to make payment of the amount to the supplier who is registered under the MSME Act in 45 days , the buyer shall be liable to pay compound interest with monthly rests to the supplier on that amount from the appointed day or, as the case may be, from the date immediately following the date agreed upon, at three times of the bank rate notified by the Reserve Bank of India.			

*This is a computer-generated invoice.

Out
[Signature]

Natasha
[Signature]

Order Fulfilled by : TankUp

Telephone: +91-7800008800
Email: info@tankup.co.in
Website: <http://www.tankup.co.in>



Tax Invoice

Seller Invoice Number : TUVFE24-01218 TankUp Petro Ventures LLP, 12625A,Goyala Industrial Area,UPSIDC,Dewa Road,Chinhat,Lucknow-226019	Invoice Date : 2023-05-24 GSTIN : 09AALFT3740M1ZM
Billing Address M/S SCG Contracts India Pvt. Ltd. C/o HCL IT City Lucknow Pvt. Ltd , Check Gajaria Farms Sultanpur Road Lucknowp, Lucknow, 226021, GSTIN : 09AAGCS3020B1ZW	Shipping Address C/o HCL IT City Lucknow Pvt. Ltd , Check Gajaria Farms Sultanpur Road Lucknowp, Lucknow, 226021,
Order Id : 74895	Delivery Date : 2023-05-23 19:52:29

S.No	Product	HSN/SAC Code	Supply ID	Tank Detail	Rate(₹/ltr)	Quantity(Ltrs.)	Amount(₹)
1	HSD	NA	79062	DRUM	89.76	600.00	53856.00
	Shipping Charge	996813			1.00	600.00	600.00
	CGST on Shipping Charge @ 9%						₹54.00
	SGST on Shipping Charge @ 9%						₹54.00
Total(Rounded Off) (In Words) - Fifty Four Thousand Five Hundred Sixty Four Rupees Only							₹54564

*Diesel is a pretaxed commodity: hence no tax charged on High Speed Diesel
*Whether tax is payable under reverse charge - NO

*The Payment has to be made under the name of :-
"TANK-UP PETRO VENTURES LLP"
Bank : HDFC Bank
A/C No. : 50200027261661
IFSC Code : HDFC0004805
Branch : Gomti Nagar, Lucknow

Handwritten signature

TankUp Features:
Convenience and Quality: TankUp provides high quality and double filtered fuel at your location.
Quantity: Our scales are approved by W&M Department thus ensuring that we provide the exact quantity as ordered.
Flexibility: TankUp provide both cash on delivery and card on delivery.
Safety: For Tankup, safety is of utmost importance. Our drivers are highly trained and have gone under a special training to handle any unforeseeable instances.

Note: As Per section 16 of the The MSME Act, 2006 If any buyer fails to make payment of the amount to the supplier who is registered under the MSME Act in 45 days , the buyer shall be liable to pay compound interest with monthly rests to the supplier on that amount from the appointed day or, as the case may be, from the date immediately following the date agreed upon, at three times of the bank rate notified by the Reserve Bank of India.

*This is a computer-generated invoice.

Handwritten signature

Order Fulfilled by : TankUp

Telephone: +91-7800008800

Email: info@tankup.co.in

Website: <http://www.tankup.co.in>



Tax Invoice

Seller Invoice Number : TUVFE24-01042

TankUp Petro Ventures LLP,
12625A, Goyal Industrial
Area, UPSIDC, Dewa
Road, Chinhaj, Lucknow-226019

Invoice Date: 2023-05-16

GSTIN : 09AALFT3740M1ZM

Billing Address

M/S SCG Contracts India Pvt. Ltd.,
C/o HCL IT City Lucknow Pvt. Ltd.,
Check Gajaria Farms, Sultanpur
Road Lucknow, Lucknow, 226021.

GSTIN: 09AAGCS3020B1ZW

Order Id: 74696

Shipping Address

C/o HCL IT City Lucknow Pvt. Ltd.,
Check Gajaria Farms Sultanpur
Road Lucknow, Lucknow, 226021.

Delivery Date: 2023-05-16
13:05:41

S.No	Product	HSN/SAC Code	Supply ID	Tank Detail	Rate(₹/ltr)	Quantity(Ltrs.)	Amount(₹)
1	HSD	NA	78863	DRUM	89.75	500.00	44880.00
	Shipping Charge	996813			1.00	✓ 500.00	500.00
	CGST on Shipping Charge @ 9%						₹45.00
	SGST on Shipping Charge @ 9%						₹45.00
Total(Rounded Off) (In Words) - Forty Five Thousand Four Hundred Seventy Rupees Only							₹45470

*Diesel is a pretaxed commodity; hence no tax charged on High Speed Diesel

*Whether tax is payable under reverse charge - NO

*The Payment has to be made under the name of :-
"TANK-UP PETRO VENTURES LLP"
Bank : HDFC Bank
A/C No. : 50200027261661
IFSC Code : HDFC0004805
Branch : Gomti Nagar, Lucknow

TankUp Features:

Convenience and Quality: TankUp provides high quality and double filtered fuel at your location.

Quantity: Our scales are approved by W&M Department thus ensuring that we provide the exact quantity as ordered.

Flexibility: TankUp provide both cash on delivery and card on delivery.

Safety: For Tankup, safety is of utmost importance. Our drivers are highly trained and have gone under a special training to handle any unforeseeable instances.

Note: As Per section 16 of the MSME Act, 2006 If any buyer fails to make payment of the amount to the supplier who is registered under the MSME Act in 45 days, the buyer shall be liable to pay compound interest with monthly rests to the supplier on that amount from the appointed day or, as the case may be, from the date immediately following the date agreed upon, at three times of the bank rate notified by the Reserve Bank of India.

*This is a computer-generated invoice.

Handwritten signature

Handwritten signature

Order Fulfilled by : TankUp

Telephone: +91-7800008800
Email: info@tankup.com
Website: http://www.tankup.co.in

TANKUP
FUELLING YOUR GROWTH

Tax Invoice

Seller Invoice Number : TUVFE24-00590

Invoice Date: 2023-04-29

TankUp Petro Ventures LLP,
12625A, Goyala Industrial
Area, UPSIDC, Dewa
Road, Chinhat, Lucknow-226019

GSTIN : 09AALFT3740M1ZM

Billing Address

M/S SCG Contracts India Pvt. Ltd.
C/o HCL IT City Lucknow Pvt. Ltd.
Check Gajana Farms Sultanpur
Road Lucknoww, Lucknow, 226021,

Shipping Address

C/o HCL IT City Lucknow Pvt. Ltd.,
Check Gajana Farms Sultanpur
Road Lucknoww, Lucknow, 226021.

GSTIN: 09AAGCS3020B1ZW

Order Id: 74180

Delivery Date: 2023-04-28
18:05:51

S.No.	Product	HSN/SAC Code	Supply ID	Tank Detail	Rate(₹/ltr)	Quantity(Ltrs.)	Amount(₹)	
1	HSD	NA	78347	DRUM	89.76	400.00	35904.00	
	Shipping Charge	996813			1.00	400.00	400.00	
	CGST on Shipping Charge @ 9%						₹36.00	
	SGST on Shipping Charge @ 9%						₹36.00	
Total(Rounded Off)		(In Words) - Thirty Six Thousand Three Hundred Seventy Six Rupees Only						₹36376

*Diesel is a pretaxed commodity; hence no tax charged on High Speed Diesel

*Whether tax is payable under reverse charge - NO

*The Payment has to be made under the name of :-

"TANK-UP PETRO VENTURES LLP"

Bank - HDFC Bank

A/C No. : 50200027261661

IFSC Code : HDFC0004805

Branch : Gomti Nagar, Lucknow

TankUp Features:

Convenience and Quality: TankUp provides high quality and double filtered fuel at your location.

Quantity: Our scales are approved by W&M Department thus ensuring that we provide the exact quantity as ordered.

Flexibility: TankUp provide both cash on delivery and card on delivery.

Safety: For Tankup, safety is of utmost importance. Our drivers are highly trained and have gone under a special training to handle any unforeseeable instances.

Note: As Per section 16 of the The MSME Act, 2006 If any buyer fails to make payment of the amount to the supplier who is registered under the MSME Act in 45 days, the buyer shall be liable to pay compound interest with monthly rests to the supplier on that amount from the appointed day or, as the case may be, from the date immediately following the date agreed upon, at three times of the bank rate notified by the Reserve Bank of India.

*This is a computer-generated invoice.

Received

[Signature]

[Signature]

Order Fullfilled by : TankUp

Telephone: +91-7800008800

Email: info@tankup.co.in

Website: <http://www.tankup.co.in>



Tax Invoice

Seller Invoice Number : TUVFE24-00530

Invoice Date: 2023-04-26

TankUp Petro Ventures LLP,
1262SA,Goyala Industrial
Area,UPSIDC,Dewa
Road,Chinhat,Lucknow-226019

GSTIN : 09AALFT3740M1ZM

Billing Address

M/S SCG Contracts India Pvt. Ltd.
C/o HCL IT City Lucknow Pvt. Ltd ,
Check Gajaria Farms Sultanpur
Road Lucknowp, Lucknow, 226021,
GSTIN: 09AAGCS3020B1ZW

Shipping Address

C/o HCL IT City Lucknow Pvt. Ltd ,
Check Gajaria Farms Sultanpur
Road Lucknowp, Lucknow, 226021,

Order Id: 74081

Delivery Date: 2023-04-25
16:18:51

S.No	Product	HSN/SAC Code	Supply ID	Tank Detail	Rate(₹/ltr)	Quantity(Ltrs.)	Amount(₹)	
1	HSD	NA	78248	DRUM	89.76	400.00	35904.00	
	Shipping Charge	996813			1.00	400.00	400.00	
	CGST on Shipping Charge @ 9%						₹36.00	
	SGST on Shipping Charge @ 9%						₹36.00	
Total(Rounded Off)		(In Words) - Thirty Six Thousand Three Hundred Seventy Six Rupees Only						₹36376

*Diesel is a pretaxed commodity: hence no tax charged on High Speed Diesel

*Whether tax is payable under reverse charge - NO

*The Payment has to be made under the name of :-

"TANK-UP PETRO VENTURES LLP"

Bank : HDFC Bank

A/C No. : 50200027261661

IFSC Code : HDFC0004805

Branch : Ganti Nagar, Lucknow

TankUp Features:

Convenience and Quality: TankUp provides high quality and double filtered fuel at your location.

Quantity: Our scales are approved by W&M Department thus ensuring that we provide the exact quantity as ordered.

Flexibility: TankUp provide both cash on delivery and card on delivery.

Safety: For Tankup, safety is of utmost importance. Our drivers are highly trained and have gone under a special training to handle any unforeseeable instances.

Note: As Per section 16 of the The MSME Act, 2006 If any buyer fails to make payment of the amount to the supplier who is registered under the MSME Act in 45 days, the buyer shall be liable to pay compound interest with monthly rests to the supplier on that amount from the appointed day or, as the case may be, from the date immediately following the date agreed upon, at three times of the bank rate notified by the Reserve Bank of India.

*This is a computer-generated invoice.

Naxendra
Kumar

12/04/2023

Order Fulfilled by : TankUp

Telephone: +91-7800008800
Email: info@tankup.co.in
Website: <http://www.tankup.co.in>



Tax Invoice

Seller Invoice Number : TUVFE24-00399 TankUp Petro Ventures LLP, 1262SA, Goyala Industrial Area, UPSIDC, Dewa Road, Chihat, Lucknow-226019	Invoice Date: 2023-04-20 GSTIN : 09AALFT3740M1ZM
Billing Address M/S SCG Contracts India Pvt. Ltd. C/o HCL IT City Lucknow Pvt. Ltd., Check Gajaria Farms Sultanpur Road Lucknowp, Lucknow, 226021, GSTIN: 09AAGCS3020B1ZW	Shipping Address C/o HCL IT City Lucknow Pvt. Ltd. Check Gajaria Farms Sultanpur Road Lucknowp, Lucknow, 226021,
Order Id: 73928	Delivery Date: 2023-04-20 16:06:13

S.No	Product	HSN/SAC Code	Supply ID	Tank Detail	Rate(₹/ltr)	Quantity(Ltrs.)	Amount(₹)
1	HSD	NA	78095	DRUM	89.76	400.00	35904.00
	Shipping Charge	996813			1.00	400.00	400.00
	CGST on Shipping Charge @ 9%						₹36.00
	SGST on Shipping Charge @ 9%						₹36.00
Total(Rounded Off) (In Words) - Thirty Six Thousand Three Hundred Seventy Six Rupees Only							₹36376

*Diesel is a pretaxed commodity: hence no tax charged on High Speed Diesel
*Whether tax is payable under reverse charge - NO

<p>*The Payment has to be made under the name of :- "TANK-UP PETRO VENTURES LLP" Bank : HDFC Bank A/C No. : 50200027261661 IFSC Code : HDFC0004805 Branch : Gomti Nagar, Lucknow</p> <p><i>As per [Signature]</i></p>	<p>TankUp Features: Convenience and Quality: TankUp provides high quality and double filtered fuel at your location. Quantity: Our scales are approved by W&M Department thus ensuring that we provide the exact quantity as ordered. Flexibility: TankUp provide both cash on delivery and card on delivery. Safety: For Tankup, safety is of utmost importance. Our drivers are highly trained and have gone under a special training to handle any unforeseeable instances.</p> <p>Note: As Per section 16 of the The MSME Act, 2006 if any buyer fails to make payment of the amount to the supplier who is registered under the MSME Act in 45 days, the buyer shall be liable to pay compound interest with monthly rests to the supplier on that amount from the appointed day or, as the case may be, from the date immediately following the date agreed upon, at three times of the bank rate notified by the Reserve Bank of India,</p>
---	--

*this is a computer-generated invoice.

Nagesh Kumar

Order Fulfilled by : TankUp

Telephone: +91-7900008800

Email: info@tankup.co.in

Website: <http://www.tankup.co.in>



Tax Invoice

Seller Invoice Number : TUVFE24-00308

TankUp Petro Ventures LLP,
12625A, Goyal Industrial
Area, UPSIDC, Dewa
Road, Chinhat, Lucknow-226019

Billing Address

M/S SCG Contracts India Pvt. Ltd.
C/o HCL IT City Lucknow Pvt. Ltd.,
Check Gajaria Farms Sultanpur
Road Lucknowp, Lucknow, 226021,

GSTIN: 09AAGCS3020B1ZW

Order Id: 73806

Invoice Date: 2023-04-16

GSTIN : 09AALFT3740M1ZM

Shipping Address

C/o HCL IT City Lucknow Pvt. Ltd.,
Check Gajaria Farms Sultanpur
Road Lucknowp, Lucknow, 226021.

Delivery Date: 2023-04-16
12:07:08

S.No	Product	HSN/SAC Code	Supply ID	Tank Detail	Rate(₹/ltr)	Quantity(Ltrs.)	Amount(₹)	
1	HSD	NA	77973	DRUM	89.76	✓ 400.00	35904.00	
	Shipping Charge	996813			1.00	400.00	400.00	
	CGST on Shipping Charge @ 9%						₹36.00	
	SGST on Shipping Charge @ 9%						₹36.00	
Total(Rounded Off)		(In Words) - Thirty Six Thousand Three Hundred Seventy Six Rupees Only						₹36376

*Diesel is a pretaxed commodity: hence no tax charged on High Speed Diesel

*Whether tax is payable under reverse charge - NO

*The Payment has to be made
under the name of :-
"TANK-UP PETRO VENTURES LLP"
Bank : HDFC Bank
A/C No. : 50200027261661
IFSC Code : HDFC0004805
Branch : Gomti Nagar, Lucknow

TankUp Features:

Convenience and Quality: TankUp provides high quality and double filtered fuel at your location.

Quantity: Our scales are approved by W&M Department thus ensuring that we provide the exact quantity as ordered.

Flexibility: TankUp provide both cash on delivery and card on delivery.

Safety: For Tankup, safety is of utmost importance. Our drivers are highly trained and have gone under a special training to handle any unforeseeable instances.

Note: As Per section 16 of the The MSME Act, 2006 If any buyer fails to make payment of the amount to the supplier who is registered under the MSME Act in 45 days, the buyer shall be liable to pay compound interest with monthly rests to the supplier on that amount from the appointed day or, as the case may be, from the date immediately following the date agreed upon, at three times of the bank rate notified by the Reserve Bank of India.

*This is a computer-generated invoice.

*Navendra
Kumar*
25/04/2023

Order Fulfilled by : TankUp

Telephone: +91-7800008800

Email: info@tankup.co.in

Website: <http://www.tankup.co.in>



Tax Invoice

Seller Invoice Number : TUVFE24-00226

TankUp Petro Ventures LLP,
1262SA, Goyala Industrial
Area, UPSIDC, Dewa
Road, Chinhat, Lucknow-226019

Invoice Date: 2023-04-12

GSTIN : 09AALFT3740M1ZM

Billing Address

M/S SCG Contracts India Pvt. Ltd.
C/o HCL IT City Lucknow Pvt. Ltd.,
Check Gajaria Farms Sultanpur
Road Lucknow, Lucknow, 226021,
GSTIN: 09AAGCS3020B1ZW

Shipping Address

C/o HCL IT City Lucknow Pvt. Ltd.,
Check Gajaria Farms Sultanpur
Road Lucknow, Lucknow, 226021.

Order Id: 73719

Delivery Date: 2023-04-12
14:08:22

S.No	Product	HSN/SAC Code	Supply ID	Tank Detail	Rate(₹/ltr)	Quantity(Ltrs.)	Amount(₹)
1	HSD	NA	77886	DRUM	89.76	400.00	35904.00
	Shipping Charge	996813			1.00	400.00	400.00
	CGST on Shipping Charge @ 9%						₹36.00
	SGST on Shipping Charge @ 9%						₹36.00
Total(Rounded Off) (In Words) - Thirty Six Thousand Three Hundred Seventy Six Rupees Only							₹36376

*Diesel is a pretaxed commodity: hence no tax charged on High Speed Diesel

*Whether tax is payable under reverse charge - NO

*The Payment has to be made under the name of :-

"TANK-UP PETRO VENTURES LLP"

Bank : HDFC Bank

A/C No. : 502000277261661

IFSC Code : HDFC0004805

Branch : Gomti Nagar, Lucknow

TankUp Features:

Convenience and Quality: TankUp provides high quality and double filtered fuel at your location.

Quantity: Our scales are approved by W&M Department thus ensuring that we provide the exact quantity as ordered.

Flexibility: TankUp provide both cash on delivery and card on delivery.

Safety: For Tankup, safety is of utmost importance. Our drivers are highly trained and have gone under a special training to handle any unforeseeable instances.

Note: As Per section 16 of the The MSME Act, 2006 If any buyer fails to make payment of the amount to the supplier who is registered under the MSME Act in 45 days, the buyer shall be liable to pay compound interest with monthly rests to the supplier on that amount from the appointed day or, as the case may be, from the date immediately following the date agreed upon, at three times of the bank rate notified by the Reserve Bank of India.

*This is a computer-generated invoice.

Received by
Mr. Kumar

Narendra Kumar

Order Fulfilled by : TankUp

Telephone: +91-7800008800
Email: info@tankup.co.in
Website: <http://www.tankup.co.in>



Tax Invoice

Seller Invoice Number : TUVFE24-00143

TankUp Petro Ventures LLP,
12625A, Goyala Industrial
Area, UPSIDC, Dewa
Road, Chinhat, Lucknow-226019

Invoice Date: 2023-04-09

GSTIN : 09AALFT3740M1ZM

Billing Address

M/S SCG Contracts India Pvt. Ltd,
C/o HCL IT City Lucknow Pvt. Ltd ,
Check Gajaria Farms Sultanpur
Road Lucknow, Lucknow, 226021,
GSTIN: 09AAGCS3020B1ZW

Shipping Address

C/o HCL IT City Lucknow Pvt. Ltd ,
Check Gajaria Farms Sultanpur
Road Lucknow, Lucknow, 226021.

Order Id: 73648

Delivery Date: 2023-04-08
16:40:31

S.No	Product	HSN/SAC Code	Supply ID	Tank Detail	Rate(₹/ltr)	Quantity(Ltrs.)	Amount(₹)
1	HSD	NA	77815	DRUM	89.76	400.00	35904.00
	Shipping Charge	996813			1.00	400.00	400.00
	CGST on Shipping Charge @ 9%						₹36.00
	SGST on Shipping Charge @ 9%						₹36.00
Total(Rounded Off) (In Words) - Thirty Six Thousand Three Hundred Seventy Six Rupees Only							₹36376

*Diesel is a pretaxed commodity: hence no tax charged on High Speed Diesel

*Whether tax is payable under reverse charge - NO

*The Payment has to be made under the name of :-

"TANK-UP PETRO VENTURES LLP"

Bank : HDFC Bank

A/C No. : 50200027261661

IFSC Code : HDFC0004805

Branch : Gomti Nagar, Lucknow

TankUp Features:

Convenience and Quality: TankUp provides high quality and double filtered fuel at your location.

Quantity: Our scales are approved by W&M Department thus ensuring that we provide the exact quantity as ordered.

Flexibility: TankUp provide both cash on delivery and card on delivery.

Safety: For Tankup, safety is of utmost importance. Our drivers are highly trained and have gone under a special training to handle any unforeseeable instances.

Note: As Per section 16 of the The MSME Act, 2006 If any buyer fails to make payment of the amount to the supplier who is registered under the MSME Act in 45 days , the buyer shall be liable to pay compound interest with monthly rests to the supplier on that amount from the appointed day or, as the case may be, from the date immediately following the date agreed upon, at three times of the bank rate notified by the Reserve Bank of India.

*This is a computer-generated invoice.

Order Fulfilled by : TankUp

Telephone: +91-7800008800

Email: info@tankup.co.in

Website: <http://www.tankup.co.in>



Tax Invoice

Seller Invoice Number : TUVFE24-00048

TankUp Petro Ventures,LLP,
1262SA,Goyala Industrial
Area,UPSIDC,Dewa
Road,Chinhat,Lucknow-226019

Billing Address

M/S SCG Contracts India Pvt. Ltd,
C/o HCL IT City Lucknow Pvt. Ltd ,
Check Gajaria Farms Sultanpur
Road Lucknowp, Lucknow, 226021,
GSTIN: 09AAGCS3020B1ZW

Order Id: 73523

Invoice Date: 2023-04-04

GSTIN : 09AALFT3740M1ZM

Shipping Address

C/o HCL IT City Lucknow Pvt. Ltd
Check Gajaria Farms Sultanpur
Road Lucknowp, Lucknow, 226021,

Delivery Date: 2023-04-03
11:01:38

S.No	Product	HSN/SAC Code	Supply ID	Tank Detail	Rate(₹/ltr)	Quantity(Ltrs.)	Amount(₹)
1	HSD	NA	77690	DRUM	89.76	400.00	35904.00
	Shipping Charge	996813			1.00	400.00	400.00
	CGST on Shipping Charge @ 9%						₹36.00
	SGST on Shipping Charge @ 9%						₹36.00
Total(Rounded Off)		(In Words) - Thirty Six Thousand Three Hundred Seventy Six Rupees Only					₹36376

*Diesel is a pretaxed commodity: hence no tax charged on High Speed Diesel
*Whether tax is payable under reverse charge - NO

*The Payment has to be made under the name of :-
"TANK-UP PETRO VENTURES LLP"
Bank : HDFC Bank
A/C No. : 50200027261661
IFSC Code : HDFC0004805
Branch : Gomti Nagar, Lucknow

TankUp Features:

Convenience and Quality: TankUp provides high quality and double filtered fuel at your location.
Quantity: Our scales are approved by W&M Department thus ensuring that we provide the exact quantity as ordered.
Flexibility: TankUp provide both cash on delivery and card on delivery.
Safety: For Tankup, safety is of utmost importance. Our drivers are highly trained and have gone under a special training to handle any unforeseeable instances.

Note: As Per section 16 of the The MSME Act, 2006 If any buyer fails to make payment of the amount to the supplier who is registered under the MSME Act in 45 days , the buyer shall be liable to pay compound interest with monthly rests to the supplier on that amount from the appointed day or, as the case may be, from the date immediately following the date agreed upon, at three times of the bank rate notified by the Reserve Bank of India.

*This is a computer-generated invoice.

ANNEXURE-XV

Permission for HSD Storage

प्ररूप XV
(प्रथम अनुसूची का अनुच्छेद 6 देखिए)
FORM XV
(see Article 6 of the First Schedule)

अधिष्ठापनों में पेट्रोलियम के आयात और भंडारकरण के लिए अनुज्ञापति
LICENCE TO IMPORT AND STORE PETROLEUM IN AN INSTALLATION

अनुज्ञापति सं. (Licence No.) : P/CC/UP/15/2447(P382561)

फीस रूपए (Fee Rs.) 5000/- per year

M/s. HCL IT CITY LUCKNOW PRIVATE LIMITED, IT/ITES Special Economic Zone Village- Kanjehara, Chack Gajaria Farms, Sultanpur Road Lucknow- (u.p., kanjehara mastemau, Lucknow, District: LUCKNOW, State: Uttar Pradesh, PIN: 226002 को केवल इसमें यथा विनिर्दिष्ट वर्ग और मात्राओं में पेट्रोलियम 40.00 KL आयात करने के लिए और उसका, नीचे वर्णित और अनुमोदित नक्शा संख्या P/CC/UP/15/2447(P382561) तारीख 04/11/2020 जो कि इससे उपाबद्ध है, में दिखाए गए स्थान पर भण्डारकरण के लिए पेट्रोलियम अधिनियम, 1934 के उपबंधों या उसके अधीन बनाए गए नियमों तथा इस अनुज्ञापति की अतिरिक्त शर्तों के अधीन रहते हुए, यह अनुज्ञापति अनुदत्त की जाती है।

Licence is hereby granted to M/s. HCL IT CITY LUCKNOW PRIVATE LIMITED, IT/ITES Special Economic Zone Village- Kanjehara, Chack Gajaria Farms, Sultanpur Road Lucknow- (u.p., kanjehara mastemau, Lucknow, District: LUCKNOW, State: Uttar Pradesh, PIN: 226002 valid only for the importation and storage of 40.00 KL Petroleum of the class and quantities as herein specified and storage thereof in the place described below and shown on the approved plan No P/CC/UP/15/2447(P382561) dated 04/11/2020 attached hereto subject to the provisions of the Petroleum Act, 1934 and the rule made thereunder and to the further conditions of this Licence.

यह अनुज्ञापति 31st day of December 2023 तक प्रवृत्त रहेगी।

The Licence shall remain in force till the 31st day of December 2023

पेट्रोलियम का विवरण /Description of Petroleum	अनुज्ञापित मात्रा (किलोलीटरों में) /Quantity licenced in KL
वर्ग क प्रपुंज पेट्रोलियम /Petroleum Class A in bulk	NIL
वर्ग क प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class A, otherwise than in bulk	NIL
वर्ग ख प्रपुंज पेट्रोलियम /Petroleum Class B in bulk	40.00 KL
वर्ग ख प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class B, otherwise than in bulk	NIL
वर्ग ग प्रपुंज पेट्रोलियम /Petroleum Class C in bulk	NIL
वर्ग ग प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class C, otherwise than in bulk	NIL
कुल क्षमता /Total Capacity	40.00 KL

December 20, 2016

Jt. Chief Controller of Explosives
CC, Agra

1). Amendment dated - 28/04/2017

अनुज्ञप्त परिसरों का विवरण और अवस्थान
DESCRIPTION AND LOCATION OF THE LICENSED PREMISES

अनुज्ञप्त परिसर जिसकी विन्यास सीमाएं अन्य विशिष्टयां संलग्न अनुमोदित नक्शों में दिखाई गई हैं Plot No: 40.469 Hectare (100 Ace Bulk), IT City, Industrial Area, Chak Ganjaria Sultanpur Road, Chak Ganjaria, Lucknow, District: LUCKNOW, State: Uttar Pradesh, PIN: 226002 स्थान पर अवस्थित है तथा उसमें निम्नलिखित 2 Under Ground tank(s) for CLASS B सम्मिलित हैं।

The licensed premises, the layout, boundaries and other particulars of which are shown in the attached approved plan are situated at Plot No: 40.469 Hectare (100 Ace Bulk), IT City, Industrial Area, Chak Ganjaria Sultanpur Road, Chak Ganjaria, Lucknow, District: LUCKNOW, State: Uttar Pradesh, PIN: 226002 and consists of 2 Under Ground tank(s) for CLASS B together with connected facilities.

Note:-This is system generated document does not require signature.

Annexure-XVI

Borewell NOC



GROUND WATER DEPARTMENT

(Namami Gange & Rural Water Supply Department)

Ministry of Jal Shakti
Government of Uttar Pradesh

Form 8 (E)

[See rules 15(2)]

(RENEWAL OF AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF EXISTING WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER)

AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO: REG046080

VALID FROM 27/12/2022 TO 23/01/2027

Serial No.: 202202000262

Name of the Owner	VENUGOPAL RAJESH		
Address of the Applicant	Chack Gajaria Farms, Sultanpur Road, Lucknow, UP	Application No.	LKNW0222RIF0052
Date of Submission	18/02/2022	Specimen Signature	
Company Name	HCL IT CITY LUCKNOW PVT LTD	Company Address	HCL Technology Hub, CHACK GANJARIA FARMS, SULTANPU
Location Particulars			
District	Lucknow	Block	MOHANLALGANJ
Plot No./Khasra No.	IT/TES SPECIAL ECONOMIC ZONE	Municipality/Corporation	No
Ward No./Holding No.			N/A
Particular of the Existing Well and Pumping Device			
Date of Construction/Sinking of the Well	07/09/2015		
Type of Well	Tube Well/Boring	Depth of the Well (In meter)	75.00
Purpose of well	Infrastructural	Assembly Size(For Tube Well)	
Strainer Position (For Tube Well)			
Type of Pump Used	Submersible	H.P. of the Pump	5.00
Operational Device	Electric Motor	Rate of Withdrawal (m ³ /hr.)	5.00
Date of Energization (In Case of Electric Pump)		17/09/2015	
Maximum Allowable Rate of Withdrawal (m ³ /hr.):	5.00	Maximum Allowable Running Hours Per Day:	8.00
Maximum Allowable Annual Extraction of Ground Water:	14400	Recharge Required	7200.00
Reason for renewal of N.O.C. एन.ओ.सी. के नवीनीकरण का कारण	It is a SEZ in which IT HUB stabilized and various work has been going on.		
Against Case			

- This No-Objection certificate authorizes the owner applicant (user) to sink a well in the location specified for extraction of ground water at a rate not exceeding that as shown at Sl. (3), for Running Hours per day , and for maximum allowable annual extraction of ground water and is valid subject to the observance of the conditions stated overleaf.
- Holder of this NOC is hereby directed to assure annual recharge of 7200.00 cubic meter, as specified under the application form.

Conditions

- (1) In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- (2) No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at SL (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization.
- (3) For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS/ IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meters
- (4) The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands.
- (5) In case of any change of ownership of the existing well, fresh registration has to be obtained.
- (6) No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration.
- (7) In case, any of the particulars information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage, this registration is liable for cancellation.
- (8) The Certificate of Authorization/ NOC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- (9) Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis.
- (10) Guidelines for Installation of Piezometers and their Monitoring
Piezometer is a borewell /tube well used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing whenever needed. General guidelines for installation of piezometers are as follows for compliance of NOC:
• The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".
• The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometer are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
• No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

S.No	Quantum of Ground water withdrawal (cum/day)	No. of piezometers required	Monitoring Mechanism	
			Manual	DWLR with Telemetry
1	< 10	0	0	0
2	11 - 50	1	1	0
3	50- 500	1	0	1
4	> 500	2	0	2

- The measuring frequency should be monthly and accuracy of measurement should be up to cm. the reported measurement should be given in meter up to two decimals.
- For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.
- All the details regarding coordinates, reduced level (with respect to mean level), depth, zone taped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.
- The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lt. capacity bottle) to the concerned Director, Ground Water Department, Uttar Pradesh, for chemical analysis.
- A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/ tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- Any other site-specific requirement regarding safety and access for measurement may be taken care of.
- (11) Any other condition(s) that may be imposed by the concerned Authority.
- (12) In case, any of the particulars information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.
- **SPECIFIC CONDITIONS:**
- (A) **For Industrial User:** No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:
 - i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
 - ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
 - iii) All industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC)/ PHD Chamber of Commerce & Industries/ Laghu Udyog Bharati certified auditors and submit audit reports within three months of completion of the same to Ground Water Department, Uttar Pradesh. All such industries shall be required to reduce their ground water use by at least 20% over the next five years through appropriate means.
 - iv) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no.10 shall be mandatory for industries drawing/ proposing to draw more than 10 m³/day of ground water and. Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 50 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
 - v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery, pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.
 - vi) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
 - vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
- (B) **Infrastructural User:** The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:
 - i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
 - ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³ /day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc.



GROUND WATER DEPARTMENT

(Namami Gange & Rural Water Supply Department)

Ministry of Jal Shakti
Government of Uttar Pradesh

Form 8 (E)

[See rules 15(2)]

(RENEWAL OF AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF EXISTING WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER)

AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO: REG044033

VALID FROM 27/12/2022 TO 23/01/2027

Serial No.: 202202000258

Name of the Owner	VENUGOPAL RAJESH		
Address of the Applicant	Chack Gajaria Farms, Sultanpur Road, Lucknow, UP	Application No.	LKNW0222RIF0051
Date of Submission	18/02/2022	Specimen Signature	
Company Name	HCL IT CITY LUCKNOW PVT LTD	Company Address	HCL Technology Hub, CHACK GANJARIA FARMS, SULTANPU
Location Particulars			
District	Lucknow	Block	MOHANLALGANJ
Plot No./Khasra No.	IT/TES SPECIAL ECONOMIC ZONE	Municipality/Corporation	No
Ward No./Holding No.			N/A
Particular of the Existing Well and Pumping Device			
Date of Construction/Sinking of the Well	07/09/2015		
Type of Well	Tube Well/Boring	Depth of the Well (In meter)	85.00
Purpose of well	Infrastructural	Assembly Size(For Tube Well)	
Strainer Position (For Tube Well)			
Type of Pump Used	Submersible	H.P. of the Pump	5.00
Operational Device	Electric Motor	Rate of Withdrawal (m ³ /hr.)	5.00
Date of Energization (In Case of Electric Pump)		17/09/2015	
Maximum Allowable Rate of Withdrawal (m ³ /hr.):	5.00	Maximum Allowable Running Hours Per Day:	8.00
Maximum Allowable Annual Extraction of Ground Water:	14400	Recharge Required	7200.00
Reason for renewal of N.O.C. एन.ओ.सी. के नवीनीकरण का कारण	It is a SEZ in which IT HUB Stabilized and various work has been going on.		
Against Case			

- This No-Objection certificate authorizes the owner applicant (user) to sink a well in the location specified for extraction of ground water at a rate not exceeding that as shown at Sl. (3), for Running Hours per day , and for maximum allowable annual extraction of ground water and is valid subject to the observance of the conditions stated overleaf.
- Holder of this NOC is hereby directed to assure annual recharge of 7200.00 cubic meter, as specified under the application form.

Conditions

- (1) In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- (2) No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at SL (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization.
- (3) For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS/ IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meters
- (4) The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands.
- (5) In case of any change of ownership of the existing well, fresh registration has to be obtained.
- (6) No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration.
- (7) In case, any of the particulars information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage, this registration is liable for cancellation.
- (8) The Certificate of Authorization/ NOC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- (9) Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis.
- (10) Guidelines for Installation of Piezometers and their Monitoring
Piezometer is a borewell /tube well used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing whenever needed. General guidelines for installation of piezometers are as follows for compliance of NOC:
• The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".
• The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometer are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
• No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

S.No	Quantum of Ground water withdrawal (cum/day)	No. of piezometers required	Monitoring Mechanism	
			Manual	DWLR with Telemetry
1	< 10	0	0	0
2	11 - 50	1	1	0
3	50- 500	1	0	1
4	> 500	2	0	2

- The measuring frequency should be monthly and accuracy of measurement should be up to cm. the reported measurement should be given in meter up to two decimals.
- For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.
- All the details regarding coordinates, reduced level (with respect to mean level), depth, zone taped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.
- The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lt. capacity bottle) to the concerned Director, Ground Water Department, Uttar Pradesh, for chemical analysis.
- A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/ tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- Any other site-specific requirement regarding safety and access for measurement may be taken care of.
- (11) Any other condition(s) that may be imposed by the concerned Authority.
- (12) In case, any of the particulars information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.
- **SPECIFIC CONDITIONS:**
- (A) **For Industrial User:** No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:
 - i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
 - ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
 - iii) All industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC)/ PHD Chamber of Commerce & Industries/ Laghu Udyog Bharati certified auditors and submit audit reports within three months of completion of the same to Ground Water Department, Uttar Pradesh. All such industries shall be required to reduce their ground water use by at least 20% over the next five years through appropriate means.
 - iv) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no.10 shall be mandatory for industries drawing/ proposing to draw more than 10 m³/day of ground water and. Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 50 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
 - v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery, pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.
 - vi) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
 - vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
- (B) **Infrastructural User:** The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:
 - i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
 - ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³ /day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc.



GROUND WATER DEPARTMENT

(Namami Gange & Rural Water Supply Department)

Ministry of Jal Shakti
Government of Uttar Pradesh

Form 8 (E)

[See rules 15(2)]

(RENEWAL OF AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF EXISTING WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER)

AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO: REG046080

VALID FROM 27/12/2022 TO 23/01/2027

Serial No.: 202202000262

Name of the Owner	VENUGOPAL RAJESH		
Address of the Applicant	Chack Gajaria Farms, Sultanpur Road, Lucknow, UP	Application No.	LKNW0222RIF0052
Date of Submission	18/02/2022	Specimen Signature	
Company Name	HCL IT CITY LUCKNOW PVT LTD	Company Address	HCL Technology Hub, CHACK GANJARIA FARMS, SULTANPU
Location Particulars			
District	Lucknow	Block	MOHANLALGANJ
Plot No./Khasra No.	IT/TES SPECIAL ECONOMIC ZONE	Municipality/Corporation	No
Ward No./Holding No.			N/A
Particular of the Existing Well and Pumping Device			
Date of Construction/Sinking of the Well	07/09/2015		
Type of Well	Tube Well/Boring	Depth of the Well (In meter)	75.00
Purpose of well	Infrastructural	Assembly Size(For Tube Well)	
Strainer Position (For Tube Well)			
Type of Pump Used	Submersible	H.P. of the Pump	5.00
Operational Device	Electric Motor	Rate of Withdrawal (m ³ /hr.)	5.00
Date of Energization (In Case of Electric Pump)		17/09/2015	
Maximum Allowable Rate of Withdrawal (m ³ /hr.):	5.00	Maximum Allowable Running Hours Per Day:	8.00
Maximum Allowable Annual Extraction of Ground Water:	14400	Recharge Required	7200.00
Reason for renewal of N.O.C. एन.ओ.सी. के नवीनीकरण का कारण	It is a SEZ in which IT HUB stabilized and various work has been going on.		
Against Case			

- This No-Objection certificate authorizes the owner applicant (user) to sink a well in the location specified for extraction of ground water at a rate not exceeding that as shown at Sl. (3), for Running Hours per day , and for maximum allowable annual extraction of ground water and is valid subject to the observance of the conditions stated overleaf.
- Holder of this NOC is hereby directed to assure annual recharge of 7200.00 cubic meter, as specified under the application form.

Conditions

- (1) In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- (2) No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at SL (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization.
- (3) For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS/ IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meters
- (4) The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands.
- (5) In case of any change of ownership of the existing well, fresh registration has to be obtained.
- (6) No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration.
- (7) In case, any of the particulars information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage, this registration is liable for cancellation.
- (8) The Certificate of Authorization/ NOC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- (9) Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis.
- (10) Guidelines for Installation of Piezometers and their Monitoring
Piezometer is a borewell /tube well used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing whenever needed. General guidelines for installation of piezometers are as follows for compliance of NOC:
• The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".
• The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometer are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
• No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

S.No	Quantum of Ground water withdrawal (cum/day)	No. of piezometers required	Monitoring Mechanism	
			Manual	DWLR with Telemetry
1	< 10	0	0	0
2	11 - 50	1	1	0
3	50- 500	1	0	1
4	> 500	2	0	2

- The measuring frequency should be monthly and accuracy of measurement should be up to cm. the reported measurement should be given in meter up to two decimals.
- For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.
- All the details regarding coordinates, reduced level (with respect to mean level), depth, zone taped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.
- The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lt. capacity bottle) to the concerned Director, Ground Water Department, Uttar Pradesh, for chemical analysis.
- A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/ tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- Any other site-specific requirement regarding safety and access for measurement may be taken care of.
- (11) Any other condition(s) that may be imposed by the concerned Authority.
- (12) In case, any of the particulars information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.
- **SPECIFIC CONDITIONS:**
- (A) **For Industrial User:** No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:
 - i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
 - ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
 - iii) All industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC)/ PHD Chamber of Commerce & Industries/ Laghu Udyog Bharati certified auditors and submit audit reports within three months of completion of the same to Ground Water Department, Uttar Pradesh. All such industries shall be required to reduce their ground water use by at least 20% over the next five years through appropriate means.
 - iv) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no.10 shall be mandatory for industries drawing/ proposing to draw more than 10 m³/day of ground water and. Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 50 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
 - v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery, pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.
 - vi) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
 - vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
- (B) **Infrastructural User:** The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:
 - i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
 - ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³ /day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc.



GROUND WATER DEPARTMENT

(Namami Gange & Rural Water Supply Department)

Ministry of Jal Shakti
Government of Uttar Pradesh

Form 8 (E)

[See rules 15(2)]

(RENEWAL OF AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF EXISTING WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER)

AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO: REG022063

VALID FROM 29/06/2022 TO 28/06/2027

Registration No.: 202202000275

Name of the Owner	VENUGOPAL RAJESH		
Address of the Applicant	Chack Gajaria Farms, Sultanpur Road, Lucknow, UP	Application Form Serial No:	LKNW0222RIF0057
Date of Submission	19/02/2022	Specimen Signature	
Company Name	HCL IT CITY LUCKNOW PVT LTD	Company Address	HCL Technology Hub, CHACK GAJARIA FARMS, SULTANPUR

NOC Issued By: अनापत्ति प्रमाण पत्र (द्वारा निर्गत)			
Central Ground Water Authority केन्द्रीय भूगर्भ जल प्राधिकरण			Yes
Certificate Number प्रमाणपत्र संख्या	CGWA/NOC/INF/ORIG/2020/7247	Issue Date निर्गमन तिथि	23/01/2020
Expiry Date अंतिम तिथि	22/01/2022		
Ground Water Department Uttar Pradesh भूगर्भ जल विभाग उत्तर प्रदेश सरकार			No

Location Particulars			
District	Lucknow	Block	MOHANLALGANJ
Plot No./Khasra No.	IT/TES SPECIAL ECONOMIC ZONE	Municipality/Corporation	No
Ward No./Holding No.:			N/A

Particular of the Existing Well and Pumping Device			
Date of Construction/Sinking of the Well	07/09/2015		
Type of Well	Tube Well/Boring	Depth of the Well (In meter)	70.00
Purpose of well	Infrastructural	Assembly Size(For Tube Well)	
Strainer Position (For Tube Well)			
Type of Pump Used	Submersible	H.P. of the Pump	5.00
Operational Device	Electric Motor	Rate of Withdrawal (m ³ /hr.)	5.00
Date of Energization (In Case of Electric Pump)		17/09/2015	
Maximum Allowable Rate of Withdrawal (m ³ /hr.):	5.00	Maximum Allowable Running Hours Per Day:	8.00
Maximum Allowable Annual Extraction of Ground Water:			14400
Reason for renewal of N.O.C. एन.ओ.सी. के नवीनीकरण का कारण	It is a SEZ in which IT HUB stabilized and various work has been going on.		
Against Case			

Conditions

- (1) In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- (2) No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at SL (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization.
- (3) For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS/ IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meters
- (4) The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands.
- (5) In case of any change of ownership of the existing well, fresh registration has to be obtained.
- (6) No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration.
- (7) In case, any of the particulars / information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage, this registration is liable for cancellation.
- (8) The Certificate of Authorization/ NOC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- (9) Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis.
- (10) Guidelines for Installation of Piezometers and their Monitoring
- Piezometer is a borewell /tube well used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing whenever needed. General guidelines for installation of piezometers are as follows for compliance of NOC:
 - The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".
 - The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometer are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
 - No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

S.No	Quantum of Ground water withdrawal (cum/day)	No. of piezometers required	Monitoring Mechanism	
			Manual	DWLR with Telemetry
1	< 10	0	0	0
2	11 - 50	1	1	0
3	50- 500	1	0	1
4	> 500	2	0	2

- The measuring frequency should be monthly and accuracy of measurement should be up to cm, the reported measurement should be given in meter up to two decimals.
- For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.
- All the details regarding coordinates, reduced level (with respect to mean level), depth, zone taped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.
- The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lt. capacity bottle) to the concerned Director, Ground Water Department, Uttar Pradesh, for chemical analysis.
- A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/ tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- Any other site-specific requirement regarding safety and access for measurement may be taken care of.
- (11) Any other condition(s) that may be imposed by the concerned Authority.
- (12) In case, any of the particulars / information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.
- (13) Any other condition imposed by the concerned Authority
- **SPECIFIC CONDITIONS:**
- (A) **For Industrial User:** No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:
 - i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
 - ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
 - iii) All industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Ground Water Department, Uttar Pradesh. All such industries shall be required to reduce their ground water use by at least 20% over the next five years through appropriate means.
 - iv) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no.10 shall be mandatory for industries drawing/ proposing to draw more than 10 m³/day of ground water and. Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 50 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
 - v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery, pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.
 - vi) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
 - vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
- (B) **Infrastructural User:** The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:
 - i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
 - ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³ /day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc.

Annexure-XVII

Fire NOC

उत्तर

प्रदेश

अग्निशमन

सेवा

मुख्यालय

चतुर्थ/पंचम तल, इन्दिरा भवन, अशोक मार्ग लखनऊ-226001 दूरभाष नं० 0522-2287237

FIRE SERVICE HEAD QUARTERS OF UTTAR PRADESH

Four & Fifth Floor, Indira Bhawan, Ashok Marg, Lucknow-226001

पत्र संख्या-एफएस-1076/2015(151)

दिनांक : 25 - 03 - 2015

सेवा में,

मैसर्स एच.सी.एल० आई.टी.सिटी, लखनऊ प्रा०लि०,
806, सिद्धार्थ, 96, नेहरू प्लेस,
नई दिल्ली-110019

विषय: प्लाट/भूखण्ड एच.सी.एल. आई.टी. सिटी चक गजरिा फार्म सुल्तानपुर रोड जिला-लखनऊ में मैसर्स एच.सी.एल० आई.टी.सिटी, लखनऊ प्रा०लि० द्वारा प्रस्तावित भवनों की प्रोवीजनल अग्निशमन अनापत्ति प्रमाण पत्र निर्गत किये जाने के सम्बन्ध में।

महोदय,

कृपया उपरोक्त विषयक अपने पत्र दिनांक: 13-03-2015 के माध्यम से उक्त प्रश्नगत प्रस्तावित भवन की अग्निशमन अनापत्ति प्रमाण पत्र निर्गत किये जाने का अनुरोध किया गया है।

उक्त प्रश्नगत प्रस्तावित भवन के मानचित्रों में प्रस्तावित अग्निशमन व्यवस्थाओं एवं अभिलेखों का परीक्षण अग्निशमन अधिकारी, पी०जी०आई० लखनऊ, मुख्य अग्निशमन अधिकारी, लखनऊ, उप निदेशक, लखनऊ द्वारा किया गया। अग्निशमन अधिकारी, पी०जी०आई० लखनऊ, मुख्य अग्निशमन अधिकारी, लखनऊ, उप निदेशक, लखनऊ की आख्या दिनांक:23-03-2015 के अनुसार :-

भवन की संरचना:-

1-कुल भूखण्ड एरिया-404685.60 वर्ग मी०।

2-प्रस्तावित भवनों के भूतल कवर्ड एरिया-

आई.टी.ब्लॉक (फेज-01) के भूतल का कवर्ड एरिया-	4980.0 वर्ग मीटर।
ब्यायज हास्टल ब्लॉक (फेज-01) के भूतल का कवर्ड एरिया-	1925.0 वर्ग मीटर।
गर्ल्स हास्टल ब्लॉक (फेज-01) के भूतल का कवर्ड एरिया-	1180.0 वर्ग मीटर।
स्किल डेवलपमेंट सेंटर ब्लॉक (फेज-ए)के भूतल का कवर्ड एरिया-	1450.0 वर्ग मीटर।
कैफेटेरिया ब्लॉक के भूतल का कवर्ड एरिया-	1350.0 वर्ग मीटर।

3-प्रस्तावित भवनों के टिपिकल फ्लोर का कवर्ड एरिया का विवरण -

आई.टी. ब्लॉक के प्रथम तल से चौथे तल तक प्रत्येक तल का कवर्ड एरिया अलग-अलग 4785.0-4785.0 वर्ग मीटर मानचित्र में प्राविधानित है।

ब्यायज हास्टल ब्लॉक के प्रथम तल से 7वें तल तक प्रत्येक तल का कवर्ड एरिया अलग-अलग 1700.0-1700.0 वर्ग मीटर मानचित्र में प्राविधानित है।

गर्ल्स हास्टल ब्लॉक के प्रथम तल से तृतीय तल तक प्रत्येक तल का कवर्ड एरिया अलग-अलग 1350.0-1350.0 वर्ग मीटर तथा चौथे तल का कवर्ड एरिया 1295.0 वर्ग मीटर मानचित्र में प्राविधानित है।

स्किल डेवलपमेंट सेंटर ब्लॉक के प्रथम तल व द्वितीय तल का प्रत्येक तल का कवर्ड एरिया अलग-अलग 1345.0-1345.0 वर्ग मीटर मानचित्र में प्राविधानित है।

कैफेटेरिया ब्लॉक के प्रथम तल व द्वितीय तल का प्रत्येक तल का कवर्ड एरिया अलग-अलग 1350.0-1350.0 वर्ग मीटर मानचित्र में प्राविधानित है।

4-प्रश्नगत भवन के बेसमेंट का कवर्ड एरिया- 15000.0 वर्ग मी० मानचित्र में प्राविधानित है।

5-भवन की ऊँचाई आई.टी. ब्लॉक- 21.50 मीटर, ब्यायज हास्टल ब्लॉक-27.30 मीटर, गर्ल्स हास्टल ब्लॉक-17.50 मीटर, स्किल डेवलपमेंट सेंटर ब्लॉक-14.50 मीटर तथा कैफेटेरिया ब्लॉक-13.50 मीटर मानचित्र में प्राविधानित है।

भवन का अधिभोग एवं हैजार्ड श्रेणी— प्रश्नगत भवन का अधिभोग एन0बी0सी0-2005 में शैक्षिक श्रेणी, आवासीय तथा विजनेस भवन के अन्तर्गत वर्गीकृत किया गया है

ढांचागत व्यवस्था:-

1- पहुच मार्ग:- भूखण्ड के सामने मानचित्रों में 45 मी0 रोड की चौड़ाई है।

2- प्रवेश द्वार/निकास की चौड़ाई- भवन परिसर में गेट 06-06 मी0 चौड़ाई के मानचित्र में प्राविधान किया गया है।

3- सैटबेक:- भवन का सैटबेक निम्नवत है:-

ए0-अग्रभाग- 12.0 मी0।

बी0-पृष्ठ भाग- 12.0 मी0।

सी0-पार्श्व भाग प्रथम- 12.0 मी0।

डी0-पार्श्व भाग द्वितीय-12.0 मी0 है।

उपरोक्तानुसार भवन के सैटबेक भवन विनियमावली के अनुसार है। सैटबैक सदैव अवरोध मुक्त रखे जायगे। सैटबैक में किसी प्रकार का स्थाई/अस्थायी निर्माण कार्य मान्य नहीं होगा। भवनों के चारों तरफ 06-06 मीटर मोटरेबुल रखा जाना प्राविधानित है।

4- निकास मार्ग:- प्रस्तावित भवनों के ब्लॉक आई.टी.ब्लॉक में 02-02 मीटर चौड़ाई के 04 स्टेयरकेश, ब्यायज हास्टल ब्लॉक में 1.50-1.50 मीटर चौड़ाई के 04 स्टेयरकेश, गर्ल्स हास्टल ब्लॉक में 1.50-1.50 चौड़ाई के 03 स्टेयरकेश, स्किल डेवलपमेंट सेंटर ब्लॉक 2.40-2.40 मीटर चौड़ाई के 02 व 2.0 मीटर चौड़ाई का 01 स्टेयरकेश तथा कैफेटेरिया ब्लॉक में 2.0-2.0 मी0 चौड़ाई के दो तथा 2.50 मी0 चौड़ाई का एक स्टेयरकेश का मानचित्र में प्राविधान किया गया है, जिनकी फ्लोर के समस्त स्थानों से ट्रेवलिंग डिसटेंस अधिकतम अनुमन्य सीमा के अन्तर्गत है।

5-रिफ्यूज एरिया का विवरण:- ब्यायज हास्टल में प्राविधानित है।

अग्निशमन सुरक्षा व्यवस्था- प्रश्नगत भवन में निम्नलिखित अग्निशमन व्यवस्था मानचित्र में प्राविधानित है :-

1-भूमिगत टैंक: भवन परिसर में भूमिगत टैंक 300 केल0 क्षमता का मानचित्र में प्राविधानित है।

2-पम्प- भूमिगत टैंक के पास 2850 एल.पी.एम. क्षमता का एक अदद विद्युत चालित पम्प, 4550 एल.पी.एम. क्षमता का एक अदद डीजल चालित पम्प, दो अदद जाकी पम्प 180-180 एल0पीएम0 क्षमता का 2850 एल.पी.एम. क्षमता का एक अदद स्पिंकलर पम्प तथा 1620 एल.पी.एम. क्षमता का एक अदद वाटर कर्टेन पम्प मानचित्र में प्राविधानित है।

3-होजरील :-प्रस्तावित भवनों में होजरील लैण्डिंग वाल्व आई0एस0-3844 मानको के अनुसार लगाया जाना मानचित्र में प्राविधानित है।

4-वेटराइजर: प्रस्तावित भवनों में वेट राइजर सिस्टम, एन0बी0सी0-2005 के मानकों के अनुरूप लगाया जाना मानचित्र में प्राविधानित है।

5-प्रस्तावित सम्पूर्ण भवन परिसर में यार्ड हाईड्रेण्टस होज केबिनेट एवं उसमें डिलीवरी होज तथा ब्रान्च पाइप एवं फायर सर्विस इन्लेट का प्राविधान आई0एस0-13039:1991 के अनुसार किया जाना मानचित्र में प्राविधानित है।

6-हस्त चालित इलैक्ट्रिक फायर एलार्म सिस्टम:-मैनुअल आपरेटिड इलैक्ट्रिक फायर एलार्म सिस्टम का प्राविधान एन0बी0सी0 मानको के अनुसार समस्त भवनों में लगाया जाना मानचित्र में प्राविधानित है।

7-स्वचालित डिडेक्शन एण्ड एलार्म सिस्टम:-प्रस्तावित भवन के मानचित्र में स्वचालित डिडेक्शन एण्ड एलार्म सिस्टम का प्राविधान किया जाना अंकित है।


8-स्वचालित स्पिंकलर सिस्टम:- भवन के बेसमेंट सहित आई.टी. ब्लॉक में आटोमेटिक स्पिंकलर सिस्टम एन0बी0सी0 मानकों के अनुसार लगाया जाना प्राविधानित है। स्पिंकलर सिस्टम में पानी की फीडिंग टेरस व अण्डर ग्राउण्ड टैंक दोनों से किया जाना अनिवार्य है।

9-टेरिस टैंक:- प्रश्नगत भवनों की टेरिस पर अग्निशमन कार्य हेतु टेरिस टैंक आई.टी. ब्लॉक, कैफेटेरिया ब्लॉक तथा स्किल डेवलपमेंट सेंटर ब्लॉक के टेरिस पर 10000-10000 ली0, ब्यायज हास्टल व गर्ल्स हास्टल के टेरिस पर 25000-25000 ली0 क्षमता का टेरिस टैंक स्थापित कराया जाना मानचित्र में प्राविधानित है।

- 10-टेरिस पम्प:-प्रश्नगत भवनों के ब्वायज व गर्ल्स ब्लॉक के टेरिस पर 900-900 एल.पी.एम. क्षमता का प्राविधानित है।
- 11-प्राथमिक अग्निशमन उपकरण (फायर एक्सटिंग्यूशर):- प्रस्तावित भवन में फायर एक्सटिंग्यूशर आई0एस0-2190-2010 के अनुसार लगाया जाना मानचित्र में प्राविधानित है।
- 12- स्मोक एक्सट्रैक्शन सिस्टम:-
ए0-फायर चैकडोर, स्मोक चैक डोर की लोकेशन व रेटिंग का 02 घण्टा रखा गया है।
बी0-सिस्टम की मैक अप एयर हेतु व्यवस्था किया जाना मानचित्र में प्राविधानित है।
सी0-स्मोक रिजरवायर एवं अनुमानित स्मोक लेयर आदि को आधारित करते हुए एक्सट्रैक्शन सिस्टम का तकनीकी विश्लेषण किया गया है।
- 13-पेशराईजेशन प्रणाली :-1-प्रश्नगत भवन के लाबी व स्टेयरकेश को पेशराईजेशन किया जाना मानचित्र में प्राविधानित व प्रयुक्त होने वाले फैनस की डक्टिंग इत्यादि है।
2- पेशराईजेशन सिस्टम, डिटेक्शन से इण्टरलिंक है जो एन0बी0सी0 के मानको के अनुरूप है।
- 14-एग्जिट साईनेज:-सम्पूर्ण भवन में एग्जिट साईनेज प्राविधानित किया जाना अनिवार्य है।
- 15-पी0ए0 सिस्टम:- पी0ए0सिस्टम की व्यवस्था सम्पूर्ण भवन में प्राविधानित किया गया है।
- 16- प्रश्नगत भवनों में इमरजेंसी/एस्केप लाइटिंग एन0बी0सी0-2005 पार्ट-04 में उल्लिखित मानकों के अनुसार कराया जाना अनिवार्य है।
- 17- भवन निर्माण के पश्चात व उपयोग के पूर्व भवन में अधिष्ठापित अग्निशमन प्रणाली के कुशल संचालन व सदैव कार्यशील दशा में रखने हेतु एन0बी0सी0-2005, पार्ट-04 के प्रस्तर-सी-05, सी-06, सी-07, सी-08 व सी-09 में उल्लिखित मानकों का पालन किया जाना अनिवार्य है।
- 18- भवन में एन0बी0सी0-2005, पार्ट-04 के प्रस्तर सी- 1.15 के अनुसार एक वैकल्पिक उर्जा श्रोत (जनरेटर सेट) स्थापित कर उससे भवन की अग्निशमन प्रणाली, फायर लिफ्ट, स्टेयरकेशों व कोरीडोर की लाइटों, स्टैंड बाई फायर पम्प को पृथक लाइन (वायरिंग) फायर सेफ डक्ट से सुरक्षित जोड़ा जाना अनिवार्य है।

अतः उपरोक्तानुसार मैसर्स एच.सी.एल.आई.टी. सिटी लखनऊ प्रा0लि0 द्वारा चक गजरा फार्म सुल्तानपुर रोड लखनऊ में प्रस्तावित भवनों के निर्माण हेतु अग्निशमन अनापत्ति प्रमाण पत्र इस शर्त के साथ निर्गत किया जाता है कि आवेदक द्वारा भवन/इकाई में अग्नि से सुरक्षा सम्बन्धी सभी प्रस्तावित प्राविधान भवन विनियमावली तथा नेशनल बिल्डिंग कोड ऑफ इण्डिया-2005 में उल्लेखित मानको के अनुसार करायें जायेंगे तथा भवन के निर्माणोपरान्त भवन का प्रयोग करने से पहले भवन में अग्नि से सुरक्षा व्यवस्थायें मानकों के अनुसार भौतिक रूप से स्थापित कर उनका निरीक्षण/परीक्षण अग्निशमन विभाग से कराकर अन्तिम अग्निशमन अनापत्ति प्रमाण पत्र प्राप्त किया जायेगा अन्यथा निर्गत किया जा रहा भवन निर्माण हेतु प्रोविजनल अनापत्ति प्रमाण पत्र स्वतः ही निरस्त समझा जायेगा।

संलग्नक : मानचित्र।


(अरविन्द कुमार)
संयुक्त निर्देशक,
अग्निशमन सेवा मुख्यालय,
उ0प्र0 लखनऊ।

प्रतिलिपि -

- 1- उपनिदेशक, फायर सर्विस, लखनऊ परिक्षेत्र को उनके पत्र सं0- अ-7-डीडी (लखनऊ)-2012 दिनांक 23-03-2015 के संदर्भ में सूचनार्थ प्रेषित।
- 2- मुख्य अग्निशमन अधिकारी-लखनऊ को उनके पत्र सं0 प-2081/एफएस-15 दि0 20-03-2015 के संदर्भ में मय संलग्न मानचित्र के सूचनार्थ एवं अनुपालनार्थ प्रेषित।
- 3- अग्निशमन अधिकारी, अग्निशमन केन्द्र-पी0जी0जाई0 जनपद-लखनऊ को अनुपालनार्थ प्रेषित।

प्रारूप-छ (संलग्नक-6)

अग्नि सुरक्षा प्रमाणपत्र (पूर्णता (कम्प्लीशन) अनापत्ति प्रमाणपत्र)

यूआईडी संख्या: UPFS/2020/25805/LCK/LUCKNOW/1624/CF0

दिनांक: 23-12-2020

प्रमाणित किया जाता है कि मेसर्स HCL IT CITY LUCKNOW PVT LTD (भवन/प्रतिष्ठान का नाम) पता IT -02, IT CITY SPECIAL ECONOMIC ZONE, C G CITY, SULTANPUR ROAD, CHAK GAJARIA FARMS,, LUCKNOW तहसील - SAROJNINAGAR, प्लॉट एरिया 13675.00 sq.mt , कुल कवर्ड एरिया 16843.388 (वर्ग मीटर), ब्लॉकों की संख्या - 1 जिसमें

ब्लॉक/टावर	प्रत्येक ब्लॉक में तलों की संख्या	बेसमेंट की संख्या	ऊँचाई
IT 02	5	1	21.450 mt.

है। भवन का अधिभोग मेसर्स HCL IT CITY LUCKNOW PVT LTD द्वारा किया जा रहा है। इनके द्वारा भवन में अग्नि निवारण एवं अग्नि सुरक्षा व्यवस्थाएं, एन0बी0सी0 एवं तत्संबंधी भारतीय मानक ब्यूरो के आई0एस0 के अनुसार भवन में स्थापित करायी गयी व्यवस्थाओं का निरीक्षण अग्निशमन अधिकारी द्वारा दिनांक 28-12-2020 को भवन स्वामी/भवन स्वामी के प्रतिनिधि श्री SANJEEV SHUKLA, 9910480403 के साथ किया गया। भवन में अधिस्थापित अग्नि सुरक्षा व्यवस्थाएं मानकों के अनुसार अधिस्थापित पायी गयी। अतः प्रश्रुत भवन को अग्नि सुरक्षा प्रमाणपत्र (फायर सेफ्टी सर्टिफिकेट) एन0बी0सी0 की अधिभोग श्रेणी Business के अन्तर्गत वैधता तिथि 31-12-2020 से 31-12-2023 तक 3 वर्षों के लिए इस शर्त के साथ निर्गत किया जा रहा है कि भवन में नियमानुसार स्थापित सभी अग्निशमन व्यवस्थाओं का अनुरक्षण करते हुए क्रियाशील बनाये रखा जायेगा। भवन में स्थापित की गयी अग्निशमन व्यवस्थाओं में पायी गयी कमी के कारण किसी भी घटना के लिए मेसर्स HCL IT CITY LUCKNOW PVT LTD अधिभोगी पूर्ण रूप से जिम्मेदार होगा/होगें। निर्गत अग्नि सुरक्षा प्रमाणपत्र का नवीनीकरण निर्धारित समयावधि के अन्दर न कराये जाने पर निर्गत अग्नि सुरक्षा प्रमाणपत्र स्वतः ही निरस्त मान लिया जायेगा, जिसके लिए मेसर्स HCL IT CITY LUCKNOW PVT LTD अधिभोगी पूर्ण रूप से जिम्मेदार होगा/होगें।

"यह प्रमाण-पत्र आपके द्वारा प्रस्तुत अभिलेखों, सूचनाओं के आधार पर निर्गत किया जा रहा है। इनके असत्य पाए जाने पर निर्गत प्रमाण-पत्र मान्य नहीं होगा।"

हस्ताक्षर (निर्गमन अधिकारी)

(मुख्य अग्निशमन अधिकारी)



Digitally Signed By

(VIJAY KUMAR SINGH)

[546A902FE4D42A5123E8A8F277613D624EF16119]

31-12-2020

निर्गत किये जाने का दिनांक : 31-12-2020
स्थान : LUCKNOW

प -झ (संलक -9) अि एवं जीवन सुरामाण प का नवीनीकरण

यूआईडी सा : UPFS/2021/31754/LCK/LUCKNOW/1919/CFO

दिनांक: 25-05-2021

माणित किया जाता है कि मैसस HCL IT CITY LUCKNOW PVT LTD (भवन/तिन का नाम) पता IT 03 AND SDC 01, CHAK GAJARIA FARMS, SULTANPUR ROAD,, LUCKNOW तहसील - SAROJNINAGAR जिसम

रॉक /टावर	तलों की सा	वेसमे की सा	ऊँचाई
IT 03	3	0	14.40 mt.
SDC 01	3	0	14.50 mt.

तथा ट एरिया 404685.60 sq.mt है। भवन का अधिभाग HCL IT CITY LUCKNOW PVT LTD (भवन ामी / अधिभागी अथवा कनी का नाम) ार किया जा रहा है। इनके ार भवन म अि निवारण एवं अि सुरा वथाय एन0बी0सी0 एवं त बंधी भारतीय मानक रूरे के आई0एस0 के अनुसार भवन म थापित वथाओ ं का अनुरण किया जा रहा है। जिसका निरीण अशिमन अधिकारी ार दिनांक 29-05-2021 को भवन ामी के तिनिधि ि SANJEEV SHUKLA के साथ किया गया तथा भवन म अधिापित अि एवं जीवन सुरा वथाओ ं को मानकों के अनुसार यथास्थिति म ढाया गया। अतः गत भवन को अि एवा जीवन सुरामाण प का नवीनीकरण (Renewal of Fire & Life Safety Certificate)(एन0बी0सी0 की अधिभाग ेणी) Business के अग त वैधता तिथि 31-05-2021 से 30-05-2024 तक 3 वष के लिये इस शत के साथ दिया जा रहा है कि भवन म सभी मानकों का अनुपालन किया जायेगा तथा भवन के इस माण प का नवीनीकरण निधारित समयवधि के अग त पुनः कराया जायेगा तथा नवीनीकरण से पूव भवन म. थापित अशिमन वथाओ ं को षिशील रखने की जि ेदारी आपकी होगी ।

"यह माण -प आपके ार त अभिलेखों , सूचनाओ के आधर पर निगत किया जा रहा है । इनके असत्य ढाए जाने पर निगत माण -प मा नहीं होगा । यह माण -प भूमि / भवन के स्वामित्व / अधिभाग को माणित नहीं करता है ।"

हार (निगमन अधिकारी)
(मु अशिमन अधिकारी)



Digitally Signed By
(VIJAY KUMAR SINGH)

[546A902FE4D42A5123E8A8F277613D624EF16119]

31-05-2021

निगत किये जाने का दिनांक : 31-05-2021
थान : LUCKNOW

प - छ (संलग्न -6) अि सुरा माणप (पूणता (कीशन) अनापि माणप)

यूआईडी सां : UPFS/2021/27940/LCK/LUCKNOW/1745/CFO

दिनांक: 12-02-2021

माणित किया जाता है कि मेसस HCL IT City Lucknow Pvt Ltd (भवन/तिान का नाम)पता TOWER A-2,HCL IT City ,CG CITY,SULTANPUR ROAD,LUCKNOW तहसील - MOHANLALGANJ, ट एरया 404685 sq.mt , कुल कवड एरया 7062.89 (वग मीटर), ब्लॉकों की सां - 1जिसम

ब्लॉक /टावर	कॉक म तलों की सां	वेसमे की सां	ऊँचाई
TOWER A2	9	1	29.350 mt.

है। भवन का अधिभोग मेसस HCL IT City Lucknow Pvt Ltd रा किया जा रहा है। इनके रा भवन म अि निवारण एवं अि सुरा वथाएं , एन0बी0सी0 एवं त बंधी भारतीय मानक . ूरी के आई0एस0 के अनुसार भवन म थापित करायी गयी वथाओं का निरीण अशिमन अधिकारी रा दिनांक 18-02-2021 को भवन मी /भवन मी के तिनिधि ी SANJEEV SHUKLA के साथ किया गया। भवन म अधिथापित अि सुरा वथाएं मानकों के अनुसार अधिथापित पायी गयी। अतः गत भवन को अि सुरा माणप (फायर सी सटिफिकेट) एन0बी0सी0 की अधिभोग ेणी Residential के अग त वैधता तिधि 20-02-2021 से 19-02-2026 तक 5 वष के लिए इस शत के साथ निगत किया जा रहा है कि भवन म नियमानुसार थापित सभी अशिमन वथाओं का अनुरण करते ए यिशील बनाये रखा जायेगा। भवन म थापित की गयी अशिमन वथाओं म पायी गयी कमी के कारण किसी भी घटना के लिए मेसस HCL IT City Lucknow Pvt Ltd अधिभोगी पूण प से जिेदार होगा/होगा। निगत अि सुरा माणप का नवीनीकरण निधारत समयावधि के अर न कराये जाने पर निगत अि सुरा माणप तः ही निर मान लिया जायेगा, जिसके लिए मेसस HCL IT City Lucknow Pvt Ltd अधिभोगी पूण प से जिेदार होगा/होगा।

"यह माण -प आपके रा त अधिलेखों , सूचनाओं के आधार पर निगत किया जा रहा है | इनके अस पाए जाने पर निगत माण -प मा नहीं होगा।"

हार (निगमन अधिकारी)

(मु अशिमन अधिकारी)



Digitally Signed By
(VIJAY KUMAR SINGH)

[546A902FE4D42A5123E8A8F277613D624EF16119]

20-02-2021

निगत किये जाने का दिनांक : 20-02-2021
थान : LUCKNOW

1 प-झ (संल क-9)

अि एवं जीवन सुरा माण प का नवीनीकरण

यूआईडी सं : UPFS/2021/39539/LCK/LUCKNOW/2321/CFO

दिनांक: 30-10-2021

माणित किया जाता है कि मैसस HCL IT CITY LUCKNOW PVT LTD (भवन/ तिा न का नाम) पता IT CITY CHAKGAJARIA FARMS,SULTAN PUR ROAD,LUCKNOW तहसील - SAROJINI NAGAR जिसम

ई क/टावर	तलों की सं	वेसमे की सं	ऊँचाई
SDC 2	7	1	29.90 mt.

तथा 1 ट एरिया 3500.00 sq.mt है। भवन का अधिभोग HCL IT CITY LUCKNOW PVT LTD (भवन 1 मी/ अधिभोगी अथवा क नी का नाम) 1 रा किया जा रहा है। इनके 1 रा भवन म अि निवारण एवं अि सुरा व थाय एन0बी0सी0 एवं त 'बंधी भारतीय मानक ूरो के आई0एस0 के अनुसार भवन म थापित व थाओं का अनुर ण किया जा रहा है। जिसका निरी ण अि शमन अधिकारी 1 रा दिनांक 08-11-2021 को भवन 1 मी के तिनिधिी SANJEEV SHUKLA 9910480403 के साथ किया गया तथा भवन म अधि पित अि एवं जीवन सुरा व थाओं को मानकों के अनुसार यथास्थिति म पाया गया। अतः गत भवन को अि एवा जीवन सुरा माण प का नवीनीकरण (Renewal of Fire & Life Safety Certificate)(एन0बी0सी0 की अधिभोग ेणी) Business के अ गत वैधता तिथि 09-11-2021 से 08-11-2024 तक 3 वष के लिये इस शत के साथ दिया जा रहा है कि भवन म सभी मानकों का अनुपालन किया जायेगा तथा भवन के इस माण प का नवीनीकरण निधारित समयवधि के अ गत पुनः कराया जायेगा तथा नवीनीकरण से पूव भवन मं. थापित अि शमन व थाओं को ि याशील रखने की जि ेदारी आपकी होगी ।

"यह माण-प आपके 1 रा ुत अभिलेखों , सूचनाओं के आधार पर निगत किया जा रहा है । इनके अस. पाए जाने पर निगत माण-प मा नहीं होगा । यह माण-प भूमि / भवन के 1 मि / अधिभोग को माणित नहीं करता है ।"

हा र (निगमन अधिकारी)
(मु अि शमन अधिकारी)



Digitally Signed By
(VIJAY KUMAR SINGH)

[546A902FE4D42A5123E8A8F277613D624EF16119]

09-11-2021

निगत किये जाने का दिनांक : 09-11-2021
थान : LUCKNOW

1 प-झ (संल क-9)

अि एवं जीवन सुरा माण प का नवीनीकरण

यूआईडी सं : UPFS/2021/37014/LCK/LUCKNOW/2207/CFO

दिनांक: 08-09-2021

माणित किया जाता है कि मैसस HCL IT CITY LUCKNOW PVT LTD (भवन/ तिा न का नाम) पता IT 01 AND CAFETERIA C G CITY, SULTAN PUR ROAD, LUCKNOW तहसील - LUCKNOW जिसम

ई क/टावर	तलों की संा	वेसमे की संा	ऊँचाई
IT 1 BLOCK	5	1	21.25 mt.
CAFETERIA BLOCK	2	0	10.00 mt.

तथा 1 ट एरिया 404685.60 sq.mt है। भवन का अधिभाग HCL IT CITY LUCKNOW PVT LTD (भवन 1 मी/ अधिभोगी अथवा क नी का नाम) 1 रा किया जा रहा है। इनके 1 रा भवन म अि निवारण एवं अि सुरा व थाय एन0बी0सी0 एवं त बंधी भारतीय मानक रूरे के आई0एस0 के अनुसार भवन म थापित व थाओं का अनुर ण किया जा रहा है। जिसका निरी ण अि शमन अधिकारी 1 रा दिनांक 13-09-2021 को भवन 1 मी के तिनिधि 1 SANJIV SHUKLA के साथ किया गया तथा भवन म अधि पित अि एवं जीवन सुरा व थाओं को मानकों के अनुसार यथास्थिति म पाया गया। अतः गत भवन को अि एवा जीवन सुरा माण प का नवीनीकरण (Renewal of Fire & Life Safety Certificate)(एन0बी0सी0 की अधिभोग ेणी) Business के अ गत वैधता तिथि 14-09-2021 से 13-09-2024 तक 3 वर्ष के लिये इस शत के साथ दिया जा रहा है कि भवन म सभी मानकों का अनुपालन किया जायेगा तथा भवन के इस माण प का नवीनीकरण निधारित समयवधि के अ गत पुनः कराया जायेगा तथा नवीनीकरण से पूव भवन म थापित अि शमन व थाओं को ि याशील रखने की जि ेदारी आपकी होगी।

"यह माण-प आपके 1 रा त अभिलेखों, सूचनाओं के आधार पर निगत किया जा रहा है। इनके अस. पाए जाने पर निगत माण-प मा नहीं होगा। यह माण-प भूमि / भवन के 1 मि / अधिभाग को माणित नहीं करता है।"

हा र (निगमन अधिकारी)
(मु अि शमन अधिकारी)



Digitally Signed By
(VIJAY KUMAR SINGH)

[546A902FE4D42A5123E8A8F277613D624EF16119]

14-09-2021

निगत किये जाने का दिनांक : 14-09-2021
थान : LUCKNOW

Annexure-XVIII

NOC from AAI



भारतीय विमानपत्तन प्राधिकरण AIRPORTS AUTHORITY OF INDIA

Restricted Height

No. AAI/RHQ/NR/ATM/NOC/2015/169/2728-31

Date: 20/5/2015

HCL IT City Lucknow Private Limited

806, Siddharth,
96, Nehru Place,
New Delhi

NO Objection Certificate for Height Clearance

This NOC is issued by Airports Authority of India (AAI) in pursuance of responsibility conferred by and as per the provisions of Govt. of India (Ministry of Civil Aviation) order SO84 (E) dated 14th Jan. 2010 for Safe and Regular Aircraft Operations

1. References.

NOCID	LUCK/NORTH/B/041115/108135
Applicant Letter	LUCK/NORTH/B/041115/108135
AAI Reference	

2. NOC Details for Height Clearance:

Applicant Name	HCL IT City Lucknow Private Limited
Type of Structure	Building
Site Address	HCL IT City, Chak Gajaria, Sultanpur Road, Lucknow
Site Coordinates	26 47 27N -81 01 17E, 26 47 55N -81 01 40E, 26 47 41N -81 01 48E, 26 47 22N -81 01 32E, 26 47 21N -81 01 34E, 26 47 19N -81 01 39E
Site Elevation AMSL in Mtrs	112.0 Mtrs One Hundred Twelve only
Permissible height above Ground Level in Mtrs	55.00 Mtrs Fifty Five only
Permissible Top Elevation AMSL in Mtrs	167.00 Mtrs One Hundred Sixty Seven only

3. This NOC is subject to the terms and conditions as given below:

- The site-elevation and site coordinates provided by the applicant are taken for calculation of the permissible top elevation for the proposed structure. If, however, at any stage it is established that the actual data is different from the one, provided by the applicant, this NOC will be invalid.
- The issue of the 'NOC' is further subject to the provisions of Section 9-A of the Indian Aircraft Act, 1934 and those of any notifications issued there under from time to time including the Aircraft (Demolition of Obstruction caused by buildings and trees etc.) Rules, 1994.
- No radio/TV Antenna, lighting arresters, staircase, Mumtee, Overhead water tank and attachments of fixtures of any kind shall project above the Permissible Top Elevation 167.00 Mtrs, indicated in para 2.
- The use of oil fired or electric fired furnace is mandatory, within 8 KM of the Aerodrome Reference Point.
- The certificate is valid for a period of 5 years from the date of its issue. If the

building/structure/Chimney is not constructed & completed within the period, the applicant will be required to obtain a fresh 'NOC' from the Designated Officer of Airports Authority of India. The date of completion of Building/Structure/Chimney should be intimated to this office of AAI. Request for revalidation of NOC will not be entertained after the expiry of its validity period.

f. No light or a combination of lights which by reason of its intensity, configuration or colour may cause confusion with the aeronautical ground lights of the Airport shall be installed at the site at any time, during or after the construction of the building.


g. The applicant will not complain/claim compensation against aircraft noise, vibrations, damages etc. caused by aircraft operations at or in the vicinity of the airport.

h. Day markings & night lighting with secondary power supply shall be provided as per the guidelines specified in chapter 6 and appendix 6 of Civil Aviation Requirement Series 'B' Part I Section 4, available on DGCA India website: www.dgca.nic.in

i. The applicant is responsible to obtain all other statutory clearances from the concerned authorities including the approval of building plans as this NOC for height is for the purpose of 'to ensure the safe and regular aircraft operations' and shall not be used as document for any other purpose/claim whatsoever, including ownership of land etc.

j. This NOC has been issued w.r.t. the Civil Airports as notified in SO 84(E). Applicant needs to seek separate NOC from Defence, if the site lies within jurisdiction of Defence Airport.

This certificate is issued for "HEIGHT CLEARANCE ONLY" with the approval of Competent Authority for Permissible Top Elevation 167.00 Mtrs.


(S.S. Bhardwaj)
Asstt. General Manager(ATM-NOC)
For General Manager(ATM),NR
Airports Authority Of India

Copy to

1. The Executive Director(ATM), AAI, Rajiv Gandhi Bhavan, Safdarjung Airport, New Delhi-110003

2. GM(NOC)/Airport Director(Bundle).

3. Guard File

4. LUCKNOW DEVELOPMENT AUTHORITY, Navin Bhawan, vipin Khand, Gomti Nagar, Lucknow

5. Airport Director, Chaudhary Charan Singh Airport, Amousi, Lucknow-226009

Generate Letter

ISSUE

Print

Annexure-XIX

E-mail submission copy of Form-3 (E-waste
return)

Eia Team

From: Eia Team <eia.team@amcgroup.co.in>
Sent: Wednesday, June 28, 2023 5:20 PM
To: ms@uppcb.in
Cc: rolucknow@uppcb.in
Subject: Submission of Form-3 for IT Project "HCL Technology Hub" at Chak Gajaria Farms, Sultanpur Road, Lucknow as per rules 4(5), 5(5), 8(6), 9(4), 10(8), 11(9), 13 (1) (xi), 13(2)(v), 13(3)(vii) and 13(4)(v) of E-Waste (Management) Rules, 2016 for the financial
Attachments: Hcl it city Form 3 E - Waste June 2023.pdf

Respected Sir,

This is with reference to the above-mentioned subject, we would like to inform you that, Our unit, IT Project "HCL Technology Hub" at Chak Gajaria Farms, Sultanpur Road, Lucknow of M/s HCL IT City Lucknow Pvt Ltd. is an occupier of E-Waste.

We are hereby submitting Form-3 (form for filing annual returns by the occupier or operator of a facility) as per rules 4(5), 5(5), 8(6), 9(4), 10(8), 11(9), 13 (1) (xi), 13(2)(v), 13(3)(vii) and 13(4)(v) of Hazardous and other Wastes (Management, and Transboundary Movement) Rules, 2016 for the financial year April 2022 – March 2023.

Thanking you,

Sincerely Yours,

For M/s HCL IT City Lucknow Pvt. Ltd.

Annexure-XXI

Photograph of Organic Waste Converter
and Logbook



Bio Composter unit Start & Loading Time

Day	Date	Dry Waste	wet Waste	Total Waste	Opening Hrs.	Closing Hrs.	Difference Hrs.	START TIME	STOP TIME	Difference Time	Start Temp.	Close Temp.	Compost Output	Name of Person	Remarks
	09/05/23	—	—	—	—	—	—	—	16:00	—	—	—	70kg	SI	
	09/05/23	20kg	70kg	90kg	—	—	—	16:00	—	—	33.3	—	—	SI	
	09/05/23	—	—	—	—	—	—	16:00	16:00	04:00	—	53.6	70kg	SI	
	09/05/23	2.5kg	11kg	13.5kg	—	—	—	18:30	—	—	34.4	—	—	SI	
	09/05/23	—	—	—	—	—	—	19:00	—	—	—	54.5	120kg	SI	
	11/05/23	20kg	90kg	110kg	—	—	—	16:30	—	—	33.6	—	—	SI	
	12/05/23	—	—	—	—	—	—	16:30	16:30	04:00	—	53.7	90kg	SI	
	14/05/23	20kg	80kg	100kg	—	—	—	15:00	—	—	37.5	—	—	SI	
	15/05/23	—	—	—	—	—	—	15:00	15:00	04:00	—	55.8	80kg	SI	
	16/05/23	20kg	90kg	110kg	—	—	—	17:30	—	—	34.6	—	—	SI	
	17/05/23	—	—	—	—	—	—	17:30	17:30	04:00	—	57.2	90kg	SI	
	18/05/23	20kg	80kg	100kg	—	—	—	16:30	—	—	35.2	—	—	SI	
	19/05/23	—	—	—	—	—	—	16:30	16:30	04:00	—	55.2	80kg	SI	
	20/05/23	20kg	80kg	100kg	—	—	—	18:00	—	—	32.6	—	—	SI	
	21/05/23	—	—	—	—	—	—	18:00	18:00	04:00	—	53.4	80kg	SI	
	22/05/23	20kg	60kg	80kg	—	—	—	19:00	—	—	36.7	—	—	SI	
	23/05/23	—	—	—	—	—	—	18:30	18:30	04:00	—	53.6	70kg	SI	
	24/05/23	10kg	30kg	40kg	—	—	—	17:00	—	—	35.1	—	—	SI	
	25/05/23	—	—	—	—	—	—	17:00	17:00	04:00	—	51.5	60kg	SI	
	26/05/23	20kg	80kg	100kg	—	—	—	18:00	—	—	34.6	—	—	SI	
	27/05/23	—	—	—	—	—	—	16:30	16:30	04:00	—	53.3	80kg	SI	
	28/05/23	—	—	—	—	—	—	—	—	—	—	—	—	SI	
	29/05/23	20kg	80kg	100kg	—	—	—	16:00	—	—	35.9	—	—	SI	
	30/05/23	—	—	—	—	—	—	16:00	16:00	04:00	—	56.2	80kg	SI	
	31/05/23	20kg	90kg	110kg	—	—	—	18:30	—	—	34.5	—	—	SI	

Total - 255-980

Month JUNE-2023

Bio Composter unit Start & Loading Time

Day	Date	Dry Waste	Wet Waste	Total Waste	Opening Hrs.	Closing Hrs.	Difference Hrs.	START TIME	STOP TIME	Difference Time	Start Temp.	Close Temp.	Compost Output	Name of Person	Remarks
	01/06/23	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	02/06/23	20kg	80kg	100kg	—	—	—	16:30	12:30	24HRS	35.3	56.8	20kg	A	
	03/06/23	20kg	80kg	100kg	—	—	—	16:30	16:30	24HRS	—	54.6	20kg	A	
	04/06/23	20kg	90kg	110kg	—	—	—	15:30	—	—	27.4	—	—	Pragna	
	05/06/23	—	—	—	—	—	—	15:30	15:30	24HRS	—	52.4	20kg	A	
	06/06/23	20kg	60kg	80kg	—	—	—	13:30	—	—	38.4	56.7	25kg	Pragna	
	07/06/23	—	—	—	—	—	—	16:30	17:30	24HRS	—	—	—	Pragna	
	08/06/23	15kg	60kg	75kg	—	—	—	16:30	16:30	24HRS	33.5	54.4	60kg	Pragna	
	09/06/23	—	—	—	—	—	—	14:30	—	—	37.3	—	—	Pragna	
	10/06/23	15kg	55kg	70kg	—	—	—	14:30	16:30	24HRS	—	52.4	25kg	Pragna	
	11/06/23	—	—	—	—	—	—	17:30	—	—	38.1	—	—	Pragna	
	12/06/23	20kg	70kg	90kg	—	—	—	17:30	17:30	24HRS	—	52.2	70kg	Pragna	
	13/06/23	—	—	—	—	—	—	15:30	—	—	39.6	—	—	A	
	14/06/23	10kg	50kg	60kg	—	—	—	15:30	15:30	24HRS	—	52.4	50kg	A	
	15/06/23	—	—	—	—	—	—	16:30	—	—	35.5	—	—	Vijay	
	16/06/23	20kg	50kg	70kg	—	—	—	16:30	16:30	24HRS	—	55.4	60kg	Vijay	
	17/06/23	—	—	—	—	—	—	17:30	—	—	37.8	—	—	Vijay	
	18/06/23	20kg	70kg	90kg	—	—	—	17:30	13:30	24HRS	—	58.2	70kg	A	
	19/06/23	—	—	—	—	—	—	14:30	—	—	36.7	—	—	A	
	20/06/23	20kg	50kg	70kg	—	—	—	14:30	14:30	24HRS	—	59.3	60kg	Aditya	
	21/06/23	—	—	—	—	—	—	16:30	—	—	38.4	—	—	A	
	22/06/23	20kg	50kg	70kg	—	—	—	16:30	16:30	24HRS	—	57.1	60kg	A	
	23/06/23	—	—	—	—	—	—	17:30	—	—	36.3	—	—	Aditya	
	24/06/23	10kg	50kg	60kg	—	—	—	17:30	—	—	38.1	—	—	A	
	25/06/23	20kg	50kg	70kg	—	—	—	16:30	17:30	24HRS	—	53.6	50kg	A	
	26/06/23	20kg	50kg	70kg	—	—	—	16:30	16:30	24HRS	38.1	—	—	Pragna	
	27/06/23	—	—	—	—	—	—	14:30	14:30	24HRS	36.7	58.2	50kg	Pragna	
	28/06/23	20kg	60kg	80kg	—	—	—	14:30	14:30	24HRS	—	56.5	60kg	Pragna	
	29/06/23	—	—	—	—	—	—	17:30	—	—	37.4	—	—	A	
	30/06/23	15kg	75kg	90kg	—	—	—	17:30	—	—	—	—	—	A	

Total = 265 920 = 1185

Grand total = 1185

MON 10-10-23

Bio Composter unit Start & Loading Time

Day	Date	Dry Waste	wet Waste	Total Waste	Opening Hrs.	Closing Hrs.	Difference Hrs.	START TIME	STOP TIME	Difference Time	Start Temp.	Close Temp.	Compost Output	Name of Person	Remarks
	01/10/23	—	—	—	—	—	—	—	12:00	24 HRS	—	53.5	80kg	Vijay	
	02/10/23	50kg	50kg	100kg	—	—	—	15:00	—	—	33.3	—	—	Vijay	
	03/10/23	—	—	—	—	—	—	—	15:00	24 HRS	—	53.6	90kg	Vijay	
	04/10/23	50kg	50kg	100kg	—	—	—	12:00	—	—	33.6	—	—	8	
	05/10/23	—	—	—	—	—	—	—	12:00	24 HRS	—	54.4	90kg	8	
	06/10/23	65kg	65kg	130kg	—	—	—	12:00	—	—	33.5	—	—	8	
	07/10/23	—	—	—	—	—	—	—	15:00	24 HRS	—	53.5	120kg	Amal	
	08/10/23	70kg	70kg	140kg	—	—	—	18:00	—	—	34.4	—	—	Amal	
	09/10/23	—	—	—	—	—	—	—	13:00	24 HRS	—	54.6	130kg	Amal	
	10/10/23	55kg	55kg	110kg	—	—	—	11:00	—	—	33.6	—	—	Aditya	
	11/10/23	—	—	—	—	—	—	—	11:00	24 HRS	—	55.5	100kg	Aditya	
	12/10/23	45kg	45kg	90kg	—	—	—	15:00	—	—	34.8	—	—	Aditya	
	13/10/23	—	—	—	—	—	—	—	15:00	24 HRS	—	54.4	80kg	8	
	14/10/23	40kg	40kg	80kg	—	—	—	17:00	—	—	36.6	—	—	8	
	15/10/23	—	—	—	—	—	—	—	17:00	24 HRS	—	55.5	85kg	8	
	16/10/23	50kg	50kg	100kg	—	—	—	19:00	—	—	33.8	—	—	Vijay	
	17/10/23	—	—	—	—	—	—	—	12:00	24 HRS	—	55.4	90kg	Vijay	
	18/10/23	45kg	45kg	90kg	—	—	—	11:00	—	—	33.6	—	—	Vijay	
	19/10/23	—	—	—	—	—	—	—	11:00	24 HRS	—	53.8	80kg	Amal	
	20/10/23	70kg	70kg	140kg	—	—	—	16:00	—	—	34.4	—	—	Amal	
	21/10/23	—	—	—	—	—	—	—	16:00	24 HRS	—	54.3	130kg	Amal	
	22/10/23	65kg	65kg	130kg	—	—	—	12:00	—	—	36.6	—	—	8	
	23/10/23	—	—	—	—	—	—	—	12:00	24 HRS	—	55.8	120kg	8	
	24/10/23	70kg	70kg	140kg	—	—	—	12:00	—	—	33.3	—	—	8	
	25/10/23	—	—	—	—	—	—	—	12:00	24 HRS	—	54.4	130kg	Aditya	
	26/10/23	60kg	60kg	120kg	—	—	—	15:00	—	—	33.3	—	—	Aditya	
	27/10/23	—	—	—	—	—	—	—	15:00	24 HRS	—	55.4	110kg	Aditya	
	28/10/23	45kg	45kg	90kg	—	—	—	11:00	—	—	34.6	—	—	Vijay	
	29/10/23	—	—	—	—	—	—	—	11:00	24 HRS	—	55.3	80kg	Vijay	
	30/10/23	65kg	65kg	130kg	—	—	—	12:00	—	—	35.5	—	—	Vijay	
	31/10/23	25kg	25kg	50kg	—	—	—	12:00	24 HRS	—	54.4	120kg	Amal		

$$76 + 8 = 84$$

$$84 + 8 = 92$$

$$92 + 8 = 100$$

$$100 + 8 = 108$$

$$108 + 8 = 116$$

$$116 + 8 = 124$$

$$124 + 8 = 132$$

$$132 + 8 = 140$$

$$140 + 8 = 148$$

$$148 + 8 = 156$$

$$156 + 8 = 164$$

$$164 + 8 = 172$$

$$172 + 8 = 180$$

$$180 + 8 = 188$$

$$188 + 8 = 196$$

$$196 + 8 = 204$$

$$204 + 8 = 212$$

$$212 + 8 = 220$$

$$220 + 8 = 228$$

$$228 + 8 = 236$$

$$236 + 8 = 244$$

$$244 + 8 = 252$$

$$252 + 8 = 260$$

$$260 + 8 = 268$$

$$268 + 8 = 276$$

$$276 + 8 = 284$$

$$284 + 8 = 292$$

$$292 + 8 = 300$$

$$300 + 8 = 308$$

$$308 + 8 = 316$$

$$316 + 8 = 324$$

$$324 + 8 = 332$$

$$332 + 8 = 340$$

$$340 + 8 = 348$$

$$348 + 8 = 356$$

$$356 + 8 = 364$$

$$364 + 8 = 372$$

$$372 + 8 = 380$$

$$380 + 8 = 388$$

$$388 + 8 = 396$$

$$396 + 8 = 404$$

$$404 + 8 = 412$$

$$412 + 8 = 420$$

$$420 + 8 = 428$$

$$428 + 8 = 436$$

$$436 + 8 = 444$$

$$444 + 8 = 452$$

$$452 + 8 = 460$$

$$460 + 8 = 468$$

$$468 + 8 = 476$$

$$476 + 8 = 484$$

$$484 + 8 = 492$$

$$492 + 8 = 500$$

$$500 + 8 = 508$$

$$508 + 8 = 516$$

$$516 + 8 = 524$$

$$524 + 8 = 532$$

$$532 + 8 = 540$$

$$540 + 8 = 548$$

$$548 + 8 = 556$$

$$556 + 8 = 564$$

$$564 + 8 = 572$$

$$572 + 8 = 580$$

$$580 + 8 = 588$$

$$588 + 8 = 596$$

$$596 + 8 = 604$$

$$604 + 8 = 612$$

$$612 + 8 = 620$$

$$620 + 8 = 628$$

$$628 + 8 = 636$$

$$636 + 8 = 644$$

$$644 + 8 = 652$$

$$652 + 8 = 660$$

$$660 + 8 = 668$$

$$668 + 8 = 676$$

$$676 + 8 = 684$$

$$684 + 8 = 692$$

$$692 + 8 = 700$$

$$700 + 8 = 708$$

$$708 + 8 = 716$$

$$716 + 8 = 724$$

$$724 + 8 = 732$$

$$732 + 8 = 740$$

$$740 + 8 = 748$$

$$748 + 8 = 756$$

Total = 1635

Month - July = 2023

Bio Composter unit Start & Loading Time

Day	Date	Dry Waste	wet Waste	Total Waste	Opening Hrs.	Closing Hrs.	Difference Hrs.	START TIME	STOP TIME	Difference Time	Start Temp.	Close Temp.	Compost Output	Name of Person	Remarks
	01/07/23	-	-	-	-	-	-	-	12:00	24 HRS	-	53.5	20kg	Vijay	
	02/07/23	50kg	50kg	100kg	-	-	-	15:00	-	-	35.3	-	-	Vijay	
	03/07/23	-	-	-	-	-	-	-	15:00	24 HRS	-	53.6	90kg	Vijay	
	04/07/23	50kg	50kg	100kg	-	-	-	12:00	-	-	33.6	-	-	8	
	05/07/23	-	-	-	-	-	-	-	12:00	24 HRS	-	54.4	90kg	8	
	06/07/23	65kg	65kg	130kg	-	-	-	17:00	-	-	33.5	-	-	8	
	07/07/23	-	-	-	-	-	-	-	17:00	24 HRS	-	53.5	120kg	Amal	
	08/07/23	70kg	70kg	140kg	-	-	-	19:00	-	-	34.4	-	-	Amal	
	09/07/23	-	-	-	-	-	-	-	13:00	24 HRS	-	54.6	130kg	Amal	
	10/07/23	55kg	55kg	110kg	-	-	-	11:00	-	-	33.2	-	-	Adithyan	
	11/07/23	-	-	-	-	-	-	-	11:00	24 HRS	-	55.5	100kg	Adithyan	
	12/07/23	45kg	45kg	90kg	-	-	-	15:00	-	-	34.8	-	-	Adithyan	
	13/07/23	-	-	-	-	-	-	-	15:00	24 HRS	-	54.4	80kg	8	
	14/07/23	60kg	60kg	120kg	-	-	-	17:00	-	-	34.6	-	-	8	
	15/07/23	-	-	-	-	-	-	-	17:00	24 HRS	-	55.5	85kg	8	
	16/07/23	50kg	50kg	100kg	-	-	-	19:00	-	-	32.8	-	-	Vijay	
	17/07/23	-	-	-	-	-	-	-	13:00	24 HRS	-	59.4	90kg	Vijay	
	18/07/23	45kg	45kg	90kg	-	-	-	11:00	-	-	33.2	-	-	Vijay	
	19/07/23	-	-	-	-	-	-	-	11:00	24 HRS	-	53.8	80kg	Amal	
	20/07/23	70kg	70kg	140kg	-	-	-	16:00	-	-	34.4	-	-	Amal	
	21/07/23	-	-	-	-	-	-	-	16:00	24 HRS	-	54.3	130kg	Amal	
	22/07/23	65kg	65kg	130kg	-	-	-	12:00	-	-	34.6	-	-	8	
	23/07/23	-	-	-	-	-	-	-	12:00	24 HRS	-	55.8	120kg	8	
	24/07/23	70kg	70kg	140kg	-	-	-	12:00	-	-	33.3	-	-	8	
	25/07/23	-	-	-	-	-	-	-	13:00	24 HRS	-	54.4	130kg	Adithyan	
	26/07/23	60kg	60kg	120kg	-	-	-	11:00	-	-	33.3	-	-	Adithyan	
	27/07/23	-	-	-	-	-	-	-	11:00	24 HRS	-	55.4	110kg	Adithyan	
	28/07/23	45kg	45kg	90kg	-	-	-	11:00	-	-	34.6	-	-	Vijay	
	29/07/23	-	-	-	-	-	-	-	11:00	24 HRS	-	55.3	80kg	Vijay	
	30/07/23	65kg	65kg	130kg	-	-	-	12:00	-	-	33.5	-	-	Vijay	
	31/07/23	25kg	25kg	50kg	-	-	-	12:00	24 HRS	-	54.4	120kg	Amal		

Total = 8787.878
= 1756 kg

Total = 1635

Bio Composter unit Start & Loading Time											Month				
Day	Date	Dry Waste	Wet Waste	Total Waste	Opening Hrs.	Closing Hrs.	Difference Hrs:	START TIME	STOP TIME	Difference Time	Start Temp.	Close Temp	Compost Output	Name of Person	Remarks
	11/8/23	—	—	—	—	—	—	—	12:00	—	—	54.4	—	Vijay	
	2/8/23	65 kg	65 kg	130 kg	—	—	—	11:00	—	—	53.4	—	125 kg	Vijay	
	3/8/23	—	—	—	—	—	—	—	11:00	24	—	54.4	—	Aditya	
	4/8/23	70 kg	70 kg	140 kg	—	—	—	15:00	—	—	34.4	—	130 kg	Aditya	
	5/8/23	—	—	—	—	—	—	15:00	—	24	—	53.5	—	Aditya	
	6/8/23	55 kg	55 kg	110 kg	—	—	—	12:00	—	—	33.6	—	100 kg	Aditya	
	7/8/23	—	—	—	—	—	—	—	12:00	24	—	54.6	—	Aditya	
	8/8/23	65 kg	65 kg	130 kg	—	—	—	14:00	—	—	34.6	—	125 kg	Dinesh	
	9/8/23	—	—	—	—	—	—	—	14:00	24	—	53.4	—	Dinesh	
	10/8/23	45 kg	45 kg	90 kg	—	—	—	17:00	—	—	33.6	—	85 kg	Dinesh	
	11/8/23	—	—	—	—	—	—	—	17:00	24	—	52.3	—	Dinesh	
	12/8/23	50 kg	40 kg	90 kg	—	—	—	12:00	—	—	33.5	—	80 kg	Dinesh	
	13/8/23	—	—	—	—	—	—	—	12:00	24	—	51.3	—	Vijay	
	14/8/23	40 kg	40 kg	80 kg	—	—	—	16:00	—	—	34.6	—	75 kg	Vijay	
	15/8/23	—	—	—	—	—	—	—	16:00	24	—	34.5	—	Vijay	
	16/8/23	60 kg	60 kg	120 kg	—	—	—	11:00	—	—	53.6	—	110 kg	Vijay	
	17/8/23	—	—	—	—	—	—	—	11:00	24	—	52.3	—	Vijay	
	18/8/23	50 kg	50 kg	100 kg	—	—	—	15:00	—	—	33.5	—	90 kg	Vijay	
	19/8/23	—	—	—	—	—	—	—	15:00	24	—	51.4	—	Vijay	
	20/8/23	55 kg	55 kg	110 kg	—	—	—	17:00	—	—	32.5	—	100 kg	Vijay	
	21/8/23	—	—	—	—	—	—	—	17:00	24	—	55.4	—	Aditya	
	22/8/23	45 kg	45 kg	90 kg	—	—	—	14:00	—	—	33.4	—	80 kg	Aditya	
	23/8/23	—	—	—	—	—	—	—	14:00	24	—	50.3	—	Aditya	
	24/8/23	50 kg	45 kg	95 kg	—	—	—	16:00	—	—	52.5	—	95 kg	Dinesh	
	25/8/23	—	—	—	—	—	—	—	16:00	24	—	52.3	—	Dinesh	
	26/8/23	60 kg	55 kg	115 kg	—	—	—	13:00	—	—	34.4	—	100 kg	Dinesh	
	27/8/23	—	—	—	—	—	—	—	13:00	24	—	53.3	—	Vijay	
	28/8/23	55 kg	60 kg	115 kg	—	—	—	12:00	—	—	35.4	—	100 kg	Vijay	
	29/8/23	—	—	—	—	—	—	—	12:00	24	—	51.3	—	Vijay	
	30/8/23	50 kg	50 kg	100 kg	—	—	—	16:00	—	—	34.3	—	140 kg	Vijay	
	31/8/23	85 kg	30 kg	55 kg	—	—	—	—	16:00	24	—	52.3	—	Vijay	

Total = 830 + 830
= 1660 kg

Total = 1535 kg

Month JUNE-2023

Bio Composter unit Start & Loading Time

Day	Date	Dry Waste	Wet Waste	Total Waste	Opening Hrs.	Closing Hrs.	Difference Hrs.	START TIME	STOP TIME	Difference Time	Start Temp.	Close Temp.	Compost Output	Name of Person	Remarks
	01/06/23	—	—	—	—	—	—	—	12:30	34HRS	—	56.8	90kg	A	
	02/06/23	20kg	80kg	100kg	—	—	—	16:30	16:30	34HRS	35.3	—	80kg	A	
	03/06/23	20kg	90kg	110kg	—	—	—	15:30	—	34HRS	37.4	54.6	80kg	Pragna	
	04/06/23	20kg	90kg	110kg	—	—	—	15:30	15:30	34HRS	37.4	54.4	90kg	A	
	05/06/23	—	60kg	60kg	—	—	—	13:30	—	34HRS	38.4	56.7	65kg	Pragna	
	06/06/23	20kg	60kg	80kg	—	—	—	16:30	17:30	34HRS	37.5	54.4	60kg	Pragna	
	07/06/23	15kg	60kg	75kg	—	—	—	16:30	16:30	34HRS	37.3	54.4	60kg	Pragna	
	08/06/23	—	—	—	—	—	—	14:30	—	—	—	—	—	—	
	09/06/23	15kg	55kg	70kg	—	—	—	14:30	16:30	34HRS	38.1	53.4	55kg	Pragna	
	10/06/23	—	70kg	70kg	—	—	—	17:30	—	34HRS	38.1	—	70kg	Pragna	
	11/06/23	20kg	70kg	90kg	—	—	—	15:30	—	34HRS	39.6	53.2	70kg	Pragna	
	12/06/23	—	70kg	70kg	—	—	—	15:30	—	—	—	—	—	—	
	13/06/23	10kg	60kg	70kg	—	—	—	15:30	15:30	34HRS	39.6	53.4	50kg	A	
	14/06/23	10kg	60kg	70kg	—	—	—	16:30	—	—	39.5	—	—	—	
	15/06/23	20kg	60kg	80kg	—	—	—	16:30	16:30	34HRS	39.5	55.4	60kg	Vijay	
	16/06/23	—	70kg	70kg	—	—	—	17:30	—	—	37.8	—	—	Vijay	
	17/06/23	20kg	70kg	90kg	—	—	—	17:30	19:30	34HRS	37.8	58.2	70kg	Vijay	
	18/06/23	20kg	70kg	90kg	—	—	—	17:30	19:30	34HRS	36.7	—	—	A	
	19/06/23	20kg	60kg	80kg	—	—	—	14:30	14:30	34HRS	36.7	59.3	60kg	Pragna	
	20/06/23	—	60kg	60kg	—	—	—	14:30	14:30	34HRS	38.4	—	—	A	
	21/06/23	20kg	60kg	80kg	—	—	—	16:30	16:30	34HRS	38.4	57.1	60kg	A	
	22/06/23	20kg	60kg	80kg	—	—	—	17:30	—	34HRS	36.3	—	—	Pragna	
	23/06/23	10kg	60kg	70kg	—	—	—	17:30	17:30	34HRS	36.3	53.6	60kg	A	
	24/06/23	20kg	60kg	80kg	—	—	—	16:30	17:30	34HRS	38.1	—	—	A	
	25/06/23	20kg	60kg	80kg	—	—	—	16:30	16:30	34HRS	38.1	58.2	60kg	Pragna	
	26/06/23	20kg	60kg	80kg	—	—	—	14:30	14:30	34HRS	36.7	—	—	Pragna	
	27/06/23	20kg	60kg	80kg	—	—	—	14:30	14:30	34HRS	36.7	56.5	60kg	Pragna	
	28/06/23	—	—	—	—	—	—	14:30	14:30	34HRS	—	—	—	A	
	29/06/23	15kg	75kg	90kg	—	—	—	17:30	—	—	37.4	—	—	A	

Total = 265 920 = 1185

Unmanned total = 1185

Bio Composter unit Start & Loading Time

Month Sep-2023

Day	Date	Dry Waste	Wet Waste	Total Waste	Opening Hrs.	Closing Hrs.	Difference Hrs.	START TIME	STOP TIME	Difference Time	Start Temp.	Close Temp.	Compost Output	Name of Person	Remarks
	1-9-23	50 Kg	50 Kg	100 Kg	-	-	-	15:00	-	-	35.3	-	-	Alvin	
	2-9-23	-	-	-	-	-	-	-	15:00	24:00	-	34.5	95 Kg	Alvin	
	3-9-23	40 Kg	40 Kg	80 Kg	-	-	-	18:00	-	-	33.6	-	-	Alvin	
	4-9-23	-	-	-	-	-	-	-	12:00	24:00	-	33.2	75 Kg	Alvin	
	5-9-23	45 Kg	50 Kg	95 Kg	-	-	-	16:00	-	-	32.8	-	-	Alvin	
	6-9-23	-	-	-	-	-	-	-	16:00	24:00	-	32.6	95 Kg	Alvin	
	7-9-23	53 Kg	60 Kg	113 Kg	-	-	-	15:00	-	-	31.2	-	-	Alvin	
	8-9-23	-	-	-	-	-	-	-	15:00	24:00	-	32.9	102 Kg	Alvin	
	9-9-23	52 Kg	40 Kg	92 Kg	-	-	-	16:00	-	-	34.5	-	-	Alvin	
	10-9-23	-	-	-	-	-	-	-	16:00	24:00	-	32.6	68 Kg	Alvin	
	11-9-23	50 Kg	50 Kg	100 Kg	-	-	-	15:00	-	-	35.4	-	-	Alvin	
	12-9-23	-	-	-	-	-	-	-	15:00	24:00	-	34.2	90 Kg	Alvin	
	13-9-23	20 Kg	30 Kg	50 Kg	-	-	-	16:00	-	-	34.6	-	-	Alvin	
	14-9-23	-	-	-	-	-	-	-	16:00	24:00	-	33.1	49 Kg	Alvin	
	15-9-23	53 Kg	60 Kg	113 Kg	-	-	-	17:00	-	-	32.7	-	-	Alvin	
	16-9-23	-	-	-	-	-	-	-	17:00	24:00	-	31.4	107 Kg	Alvin	
	17-9-23	58 Kg	65 Kg	123 Kg	-	-	-	16:00	-	-	35.1	-	-	Alvin	
	18-9-23	-	-	-	-	-	-	-	16:00	24:00	-	34.3	115 Kg	Alvin	
	19-9-23	63 Kg	75 Kg	138 Kg	-	-	-	14:00	-	-	32.6	-	-	Alvin	
	20-9-23	-	-	-	-	-	-	-	14:00	24:00	-	35.5	105 Kg	Alvin	
	21-9-23	52 Kg	40 Kg	92 Kg	-	-	-	18:00	-	-	32.9	-	-	Alvin	
	22-9-23	-	-	-	-	-	-	-	15:00	24:00	-	32.3	63 Kg	Alvin	
	23-9-23	40 Kg	50 Kg	90 Kg	-	-	-	17:00	-	-	32.4	-	-	Alvin	
	24-9-23	-	-	-	-	-	-	-	17:00	24:00	-	36.4	70 Kg	Alvin	
	25-9-23	40 Kg	40 Kg	80 Kg	-	-	-	16:00	-	-	32.2	-	-	Alvin	
	26-9-23	-	-	-	-	-	-	-	16:00	24:00	-	34.2	69 Kg	Alvin	
	27-9-23	40 Kg	45 Kg	85 Kg	-	-	-	15:00	-	-	32.3	-	-	Alvin	
	28-9-23	-	-	-	-	-	-	-	15:00	24:00	-	35.5	76 Kg	Alvin	
	29-9-23	45 Kg	50 Kg	95 Kg	-	-	-	17:00	-	-	32.1	-	-	Alvin	
	30-9-23	20 Kg	30 Kg	50 Kg	-	-	-	-	17:00	24:00	-	36.2	75 Kg	Alvin	

Total = 694 + 775
= 1469 Kg

Total = 1329 Kg

Annexure-XXII

Logbook of Solid Waste Generation

SEZ

GARDEN WASTE CHECKLIST SEZ HCL LUCKNOW

MAY 2023

Date	Grass Waste (Grass Waste from the Lawn) Leaf Waste (Hammelia, Cycus palm, Ficus palm, Anarjni plant)/KG	Wooden waste /KG	Signature	Remark
01/05/2023	12 Kg 200g	3 Kg	Abhay YADAV	
02/05/2023	58 Kg 400g	11 Kg 700g	Abhay YADAV	
03/05/2023	67 Kg 700g	14 Kg 200g	Abhay YADAV	
04/05/2023	59 Kg 300g	9 Kg 500g	Abhay YADAV	
05/05/2023	87 Kg 900g	17 Kg 800g	Abhay YADAV	
06/05/2023	40 Kg 500g	13 Kg 400g	Ajay Yadav	
07/05/2023	55 Kg 200g	8 Kg 700g	Abhay YADAV	
08/05/2023	70 Kg 400g	11 Kg	Abhay YADAV	
09/05/2023	53 Kg 100g	16 Kg 600g	Abhay YADAV	
10/05/2023	49 Kg 200g	7 Kg 300g	Abhay YADAV	
11/05/2023	58 Kg 100g	5 Kg 900g	Abhay YADAV	
12/05/2023	47 Kg 400g	13 Kg 100g	Abhay YADAV	
13/05/2023	17 Kg 700g	4 Kg 700g	Ajay YADAV	
14/05/2023	85 Kg 200g	12 Kg 300g	Abhay YADAV	
15/05/2023	79 Kg 400g	8 Kg 200g	Abhay YADAV	
16/05/2023	65 Kg 200g	13 Kg	Abhay YADAV	
17/05/2023	57 Kg 300g	17 Kg 700g	Abhay YADAV	
18/05/2023	55 Kg 100g	49 Kg 700g (Tree Branch)	Abhay YADAV	
19/05/2023	61 Kg 900g	43 Kg 180g	Abhay YADAV	
20/05/2023	53 Kg 400g	10 Kg 400g	Ajay Yadav	
21/05/2023	29 Kg 100g	13 Kg 300g	Abhay YADAV	
22/05/2023	47 Kg 400g	7 Kg 800g	Abhay YADAV	
23/05/2023	67 Kg 600g	10 Kg 400g	Abhay YADAV	
24/05/2023	42 Kg 100g	15 Kg 100g	Abhay YADAV	
25/05/2023	39 Kg 800g	13 Kg 700g	Abhay YADAV	
26/05/2023	57 Kg 100g	25 Kg 300g	Abhay YADAV	
27/05/2023	88 Kg 700g	5 Kg 400g	Ajay Yadav	
28/05/2023	35 Kg 100g	7 Kg 100g	Abhay YADAV	
29/05/2023	33 Kg 400g	13 Kg 400g	Abhay YADAV	
30/05/2023	75 Kg 100g	23 Kg 900g	Abhay YADAV	
31/05/2023	23 Kg 500g	5 Kg 700g	Abhay YADAV	
TOTAL	1697 Kg 400g	432 Kg 400g		



Remark

Signature

Wooden waste /KG

Grass Waste (Grass Waste from the Lawn) Leaf Waste (Hammelia, Cycus palm, Ficus palm, Anarjni plant)/KG

Total = 2129 Kg 800g

Date/Month	Grass Waste (Grass Waste from the Lawn) Leaf Waste (Hamelia, Cycus palm, Ficus palm, Anarni plant) (KG)	Wooden West (KG)	Signature	Remark
01/06/2023	55 Kg	15 Kg	Abhay Yadav	
02/06/2023	63 Kg	7 Kg	Abhay Yadav	
03/06/2023	46 Kg	9 Kg	Ajay Yadav	
04/06/2023	52 Kg	12 Kg	Abhay Yadav	
05/06/2023	45 Kg	30 Kg	Abhay Yadav	
06/06/2023	33 Kg	33 Kg	Abhay Yadav	
07/06/2023	86 Kg	56 Kg	Abhay Yadav	
08/06/2023	66 Kg	45 Kg	Abhay Yadav	
09/06/2023	86 Kg	8 Kg	Abhay Yadav	
10/06/2023	30 Kg	18 Kg	Ajay Yadav	
11/06/2023	45 Kg	5 Kg	Abhay Yadav	
12/06/2023	35 Kg	12 Kg	Abhay Yadav	
13/06/2023	55 Kg	18 Kg	Abhay Yadav	
14/06/2023	43 Kg	28 Kg	Abhay Yadav	
15/06/2023	28 Kg	22 Kg	Abhay Yadav	
16/06/2023	44 Kg	16 Kg	Abhay Yadav	
17/06/2023	65 Kg	24 Kg	Abhay Yadav	
18/06/2023	34 Kg	13 Kg	Abhay Yadav	
19/06/2023	45 Kg	20 Kg	Ajay Yadav	
20/06/2023	38 Kg	16 Kg	Ajay Yadav	
21/06/2023	79 Kg	13 Kg	Abhay Yadav	
22/06/2023	81 Kg	7 Kg	Abhay Yadav	
23/06/2023	55 Kg	15 Kg	Ajay Yadav	
24/06/2023	30 Kg	10 Kg	Ajay Yadav	
25/06/2023	49 Kg	8 Kg	Abhay Yadav	
26/06/2023	79 Kg	15 Kg	Abhay Yadav	
27/06/2023	72 Kg	10 Kg	Abhay Yadav	
28/06/2023	48 Kg	7 Kg	Abhay Yadav	
29/06/2023	53 Kg	13 Kg	Abhay Yadav	
30/06/2023	35 Kg	17 Kg	Ajay Yadav	
Total	1588 Kg	532 Kg		

Total = 2120 Kg

Date/Month	Grass Waste (Grass Waste from the Lawn) Leaf Waste (Hamelia, Cycus palm, Ficus palm, Anarni plant) (KG)	Wooden West (KG)	Signature	Remark
01/06/2023	55 Kg	15 Kg	Abhay Yadav	
02/06/2023	63 Kg	7 Kg	Abhay Yadav	
03/06/2023	46 Kg	9 Kg	Ajay Yadav	
04/06/2023	52 Kg	12 Kg	Abhay Yadav	
05/06/2023	45 Kg	30 Kg	Abhay Yadav	
06/06/2023	33 Kg	33 Kg	Abhay Yadav	
07/06/2023	86 Kg	56 Kg	Abhay Yadav	
08/06/2023	66 Kg	45 Kg	Abhay Yadav	
09/06/2023	86 Kg	8 Kg	Abhay Yadav	
10/06/2023	30 Kg	18 Kg	Ajay Yadav	
11/06/2023	45 Kg	5 Kg	Abhay Yadav	
12/06/2023	35 Kg	12 Kg	Abhay Yadav	
13/06/2023	55 Kg	18 Kg	Abhay Yadav	
14/06/2023	43 Kg	28 Kg	Abhay Yadav	
15/06/2023	28 Kg	22 Kg	Abhay Yadav	
16/06/2023	44 Kg	16 Kg	Abhay Yadav	
17/06/2023	65 Kg	24 Kg	Abhay Yadav	
18/06/2023	34 Kg	13 Kg	Abhay Yadav	
19/06/2023	45 Kg	20 Kg	Ajay Yadav	
20/06/2023	38 Kg	16 Kg	Ajay Yadav	
21/06/2023	79 Kg	13 Kg	Abhay Yadav	
22/06/2023	81 Kg	7 Kg	Abhay Yadav	
23/06/2023	55 Kg	15 Kg	Ajay Yadav	
24/06/2023	30 Kg	10 Kg	Ajay Yadav	
25/06/2023	49 Kg	8 Kg	Abhay Yadav	
26/06/2023	79 Kg	15 Kg	Abhay Yadav	
27/06/2023	72 Kg	10 Kg	Abhay Yadav	
28/06/2023	48 Kg	7 Kg	Abhay Yadav	
29/06/2023	53 Kg	13 Kg	Abhay Yadav	
30/06/2023	35 Kg	17 Kg	Ajay Yadav	
Total	1588 Kg	532 Kg		

Total = 2120 Kg

Date/Month	Grass Waste (Grass Waste from the Lawn) Leaf Waste (Hamelia, Cycus palm, Ficus palm, Anarni plant) (KG)	Wooden West (KG)	Signature	Remark
01/06/2023	55 Kg	15 Kg	900g	Abhay YADAV
02/06/2023	63 Kg	7 Kg	200g	Abhay YADAV
03/06/2023	46 Kg	9 Kg	400g	Ajay Yadav
04/06/2023	52 Kg	12 Kg	200g	Abhay YADAV
05/06/2023	45 Kg	30 Kg	100g	Abhay YADAV
06/06/2023	33 Kg	33 Kg	700g	Abhay YADAV
07/06/2023	86 Kg	56 Kg	100g	Abhay YADAV
08/06/2023	66 Kg	45 Kg	400g	Abhay YADAV
09/06/2023	86 Kg	8 Kg	300g	Abhay YADAV
10/06/2023	30 Kg	18 Kg	800g	Ajay Yadav
11/06/2023	45 Kg	5 Kg	700g	Abhay YADAV
12/06/2023	35 Kg	12 Kg	800g	Abhay YADAV
13/06/2023	55 Kg	18 Kg	500g	Abhay YADAV
14/06/2023	43 Kg	28 Kg	100g	Abhay YADAV
15/06/2023	28 Kg	22 Kg	800g	Abhay YADAV
16/06/2023	44 Kg	16 Kg	300g	Abhay YADAV
17/06/2023	65 Kg	24 Kg	600g	Ajay Yadav
18/06/2023	34 Kg	13 Kg	100g	Abhay YADAV
19/06/2023	45 Kg	20 Kg	700g	Ajay Yadav
20/06/2023	38 Kg	16 Kg	400g	Ajay Yadav
21/06/2023	79 Kg	13 Kg	300g	Abhay YADAV
22/06/2023	81 Kg	7 Kg	800g	Abhay YADAV
23/06/2023	55 Kg	15 Kg	100g	Ajay Yadav
24/06/2023	30 Kg	10 Kg	500g	Ajay Yadav
25/06/2023	49 Kg	8 Kg	400g	Abhay YADAV
26/06/2023	79 Kg	15 Kg	200g	Abhay YADAV
27/06/2023	72 Kg	10 Kg	300g	Abhay YADAV
28/06/2023	48 Kg	7 Kg	200g	Abhay YADAV
29/06/2023	53 Kg	13 Kg	500g	Abhay YADAV
30/06/2023	35 Kg	17 Kg	100g	Ajay Yadav
Total	1588 Kg	532 Kg	400g	

Total = 2120 Kg 900g

SE2

GARDEN WASTE CHECKLIST NSEZ HCL LUCKNOW

July 2023

Date/Month	Grass Waste (Grass Waste from the Lawn) Leaf Waste (Hamelia, Cycus palm, Ficus palm, Anarml plant) (KG)	Wooden West (KG)	Signature	Remark
01/07/2023	25 Kg 800g	7 Kg 100g	Abhay Verma	
02/07/2023	55 Kg 300g	11 Kg 800g	Abhay Verma	
08/07/2023	78 Kg 900g	17 Kg 300g	Abhay Verma	
09/07/2023	52.5 Kg	15 Kg	Abhay Verma	
05/07/2023	71.3 Kg	7 Kg	Abhay Verma	
06/07/2023	79.7 Kg	12.3 Kg	Abhay Verma	
07/07/2023	55.2 Kg	9 Kg	Abhay Verma	
08/07/2023	45.7 Kg	17.5 Kg	Abhay Verma	
09/07/2023	49.9 Kg	25.3 Kg	Abhay Verma	
10/07/2023	45.2 Kg	9.7 Kg	Abhay Verma	
11/07/2023	71.7 Kg	5 Kg	Abhay Verma	
14/07/2023	85.3 Kg	39.7 Kg	Abhay Verma	
13/07/2023	51.7 Kg	9.2 Kg	Abhay Verma	
14/07/2023	46.5 Kg	7.3 Kg	Abhay Verma	
15/07/2023	38.4 Kg	5.1 Kg	Abhay Verma	
16/07/2023	55.7 Kg	7.9 Kg	Abhay Verma	
17/07/2023	52.2 Kg	12.2 Kg	Abhay Verma	
18/07/2023	79.8 Kg	17.5 Kg	Abhay Verma	
19/07/2023	92.3 Kg	9.6 Kg	Abhay Verma	
20/07/2023	70.7 Kg	4.2 Kg	Abhay Verma	
21/07/2023	68.2 Kg	13.6 Kg	Abhay Verma	
22/07/2023	30.4 Kg	10.4 Kg	Abhay Verma	
23/07/2023	9.3 Kg	5.8 Kg	Abhay Verma	
24/07/2023	65.7 Kg	13.2 Kg	Abhay Verma	
25/07/2023	79.5 Kg	15.7 Kg	Abhay Verma	
26/07/2023	82.2 Kg	9.2 Kg	Abhay Verma	
27/07/2023	51 Kg	11.3 Kg	Abhay Verma	
28/07/2023	43.9 Kg	19.7 Kg	Abhay Verma	
29/07/2023	39.6 Kg	12.8 Kg	Abhay Verma	
30/07/2023	42.9 Kg	9 Kg	Abhay Verma	
31/07/2023	55.7 Kg	7.3 Kg	Abhay Verma	

Total = 1823.8 Kg

373.2 Kg

Removal total = 2107 Kg



SEZ

GARDEN WASTE CHECKLIST NSEZ HCL LUCKNOW

August 2023

Date	Grass Waste (Grass Waste from the Lawn) Leaf Waste (Hamelia, Cycus palm, Ficus palm, Anarmi plant.) / KG	Wooden waste /KG	Signature	Remark
01/08/2023	43.5 Kg	7.3 Kg	Abhay Yadav	
02/08/2023	65.3 Kg	4.2 Kg	Abhay Yadav	
03/08/2023	73.7 Kg	12.7 Kg	Abhay Yadav	
04/08/2023	52.9 Kg	3.2 Kg	Abhay Yadav	
05/08/2023	58.5 Kg	16.7 Kg	Ajay Yadav	
06/08/2023	42.6 Kg	22.2 Kg	Abhay Yadav	
07/08/2023	51.2 Kg	5.9 Kg	Abhay Yadav	
08/08/2023	87.7 Kg	13.2 Kg	Abhay Yadav	
09/08/2023	33.2 Kg	9.7 Kg	Abhay Yadav	
10/08/2023	55.6 Kg	5.2 Kg	Abhay Yadav	
11/08/2023	74.7 Kg	13.9 Kg	Abhay Yadav	
12/08/2023	49.8 Kg	7.2 Kg	Ajay Yadav	
13/08/2023	55.7 Kg	5.7 Kg	Abhay Yadav	
14/08/2023	63.4 Kg	12.1 Kg	Abhay Yadav	
15/08/2023	7.8 Kg	9.3 Kg	Abhay Yadav	
16/08/2023	65.3 Kg	10.2 Kg	Abhay Yadav	
17/08/2023	72.7 Kg	4.7 Kg	Abhay Yadav	
18/08/2023	65.9 Kg	15.4 Kg	Abhay Yadav	
19/08/2023	33.2 Kg	7.8 Kg	Ajay Yadav	
20/08/2023	25.2 Kg	11.3 Kg	Abhay Yadav	
21/08/2023	85.7 Kg	15.8 Kg	Abhay Yadav	
22/08/2023	78.8 Kg	5 Kg	Abhay Yadav	
23/08/2023	29.2 Kg	13.6 Kg	Abhay Yadav	
24/08/2023	33.8 Kg	3 Kg	Abhay Yadav	
25/08/2023	28.5 Kg	4 Kg	Ajay Yadav	
26/08/2023	10.2 Kg	8 Kg	Ajay Yadav	
27/08/2023	76.5 Kg	11.3 Kg	Abhay Yadav	
28/08/2023	59.3 Kg	8 Kg	Abhay Yadav	
29/08/2023	48.7 Kg	13.3 Kg	Abhay Yadav	
30/08/2023	62.9 Kg	7 Kg	Abhay Yadav	
31/08/2023	59.3 Kg	5 Kg	Abhay Yadav	
TOTAL	1650.8 Kg	289.9 Kg		

Grand Total = 1940.7 Kg

SEZ

GARDEN WASTE CHECKLIST SEZ HCL LUCKNOW

APRIL 2023

Date	Grass Waste (Grass Waste from the Lawn) Leaf Waste (Hemelia, Cybus palm, Ficus palm, Anarri plant,)/KG	Wooden waste /KG	Signature	Remark
01/04/2023	68 Kg 700 g	15 Kg 400 g	Ajay Yadav	
02/04/2023	53 Kg 300 g	9 Kg 100 g	Abhay YADAV	
03/04/2023	57 Kg 900 g	12 Kg 200 g	Abhay YADAV	
04/04/2023	72 Kg 100 g	8 Kg 900 g	Abhay YADAV	
05/04/2023	69 Kg 400 g	17 Kg 500 g	Abhay YADAV	
06/04/2023	48 Kg 500 g	10 Kg 300 g	Abhay YADAV	
07/04/2023	87 Kg 300 g	19 Kg 100 g	Abhay YADAV	
08/04/2023	52 Kg 800 g	13 Kg 500 g	Ajay Yadav	
09/04/2023	44 Kg 500 g	6 Kg 700 g	Abhay YADAV	
10/04/2023	63 Kg 100 g	11 Kg 300 g	Abhay YADAV	
11/04/2023	56 Kg 300 g	17 Kg 800 g	Abhay YADAV	
12/04/2023	67 Kg 700 g	11 Kg 200 g	Abhay YADAV	
13/04/2023	48 Kg 200 g	13 Kg 700 g	Abhay YADAV	
14/04/2023	87 Kg 600 g	15 Kg 100 g	Abhay YADAV	
15/04/2023	27 Kg 300 g	9 Kg 400 g	Ajay Yadav	
16/04/2023	39 Kg 900 g	11 Kg 300 g	Abhay YADAV	
17/04/2023	40 Kg 500 g	7 Kg 400 g	Ajay Yadav	
18/04/2023	47 Kg 900 g	16 Kg 700 g	Abhay YADAV	
19/04/2023	52 Kg 300 g	9 Kg	Abhay YADAV	
20/04/2023	66 Kg 700 g	12 Kg 300 g	Abhay YADAV	
21/04/2023	57 Kg 100 g	17 Kg 800 g	Abhay YADAV	
22/04/2023	63 Kg 400 g	9 Kg 400 g	Ajay Yadav	
23/04/2023	69 Kg 300 g	14 Kg 700 g	Abhay YADAV	
24/04/2023	52 Kg 900 g	11 Kg 400 g	Abhay YADAV	
25/04/2023	41 Kg 700 g	15 Kg 300 g	Abhay YADAV	
26/04/2023	55 Kg 200 g	8 Kg 100 g	Abhay YADAV	
27/04/2023	65 Kg 500 g	10 Kg 200 g	Ajay Yadav	
28/04/2023	50 Kg 100 g	18 Kg 100 g	Ajay Yadav	
29/04/2023	58 Kg 500 g	14 Kg 300 g	Ajay Yadav	
30/04/2023	37 Kg 800 g	9 Kg 700 g	Abhay YADAV	
TOTAL	1703 Kg 500 g	363 Kg 900 g		

Total = 2067 Kg 400 g



SEZ

GARDEN WASTE CHECKLIST SEZ HCL LUCKNOW

Sept 2023 September

Date/Month	Grass Waste (Grass Waste from the Lawn) Leaf Waste (Hamelia, Cycus palm, Ficus palm, Anarml plant) (KG)	Wooden West (KG)	Signature	Remark
01/09/23	76.7 Kg	9.2 Kg	Abhay YADAV	
02/09/23	68.2 Kg	4.7 Kg	Ajay Yadav	
03/09/23	61.3 Kg	11.3 Kg	Abhay YADAV	
04/09/23	95.7 Kg	17.8 Kg	Abhay YADAV	
05/09/23	59.5 Kg	9 Kg	Abhay YADAV	
06/09/23	48.3 Kg	13.2 Kg	Abhay YADAV	
07/09/23	65.9 Kg	7.3 Kg	Abhay YADAV	
08/09/23	47.2 Kg	15.2 Kg	Abhay YADAV	
09/09/23	71.6 Kg	10 Kg	Ajay Yadav	
10/09/23	52.2 Kg	13.2 Kg	Abhay YADAV	
11/09/23	45.7 Kg	45.2 Kg	Abhay YADAV	
12/09/23	78.9 Kg	5.3 Kg	Abhay YADAV	
13/09/23	85.4 Kg	12.7 Kg	Abhay YADAV	
14/09/23	57.2 Kg	10.3 Kg	Abhay YADAV	
15/09/23	41.5 Kg	16.2 Kg	Ajay Yadav	
16/09/23	52.7 Kg	12.5 Kg	Ajay Yadav	
17/09/23	78.2 Kg	9 Kg	Abhay YADAV	
18/09/23	66.8 Kg	17.8 Kg	Abhay YADAV	
19/09/23	49.3 Kg	5.3 Kg	Abhay YADAV	
20/09/23	66.7 Kg	7 Kg	Abhay YADAV	
21/09/23	45.2 Kg	12.8 Kg	Abhay YADAV	
22/09/23	26.5 Kg	8.6 Kg	Ajay Yadav	
23/09/23	10.2 Kg	15.2 Kg	Ajay Yadav	
24/09/2023	65.7 Kg	28.4 Kg	Abhay YADAV	
25/09/2023	52.5 Kg	16.3 Kg	Ajay Yadav	
26/09/2023	45.4 Kg	24.2 Kg	Ajay Yadav	
27/09/2023	70.3 Kg	12.4 Kg	Ajay Yadav	
28/09/2023	48.6 Kg	20.2 Kg	Ajay Yadav	
29/09/2023	44.4 Kg	14.8 Kg	Ajay Yadav	
30/09/2023	38.2 Kg	8.2 Kg	Ajay Yadav	
Total	1710 Kg	413 Kg		

Grand Total = 2123



Annexure-XXIII

List of Tree species

Tree Species

S.No.	Common Name	Nos	Qty	Botanical Name
1	Cycas Palm	Nos	80	Cycas Revoluta
2	Date Palm	Nos	14	Phoenix dactylifera
3	Frangipani / Champa	Nos	50	Plumeria Alba
4	Mexican Fan Palm	Nos	29	Washingtonia Robusta
5	Bottle Palm	Nos	9	Hyophorbe lagenicaulis
6	Ficus Tree	Nos	616	Ficus Benjamina
7	Trumpetbush	Nos	114	Tecoma castanifolia
8	Areca palm	Nos	35	Dypsis lutescens
9	Champa Red / Yellow	Nos	95	Plumeria Rubra
10	Dwarf Singapore Pink	Nos	45	Plumeria Obtusa
11	Jacaranda	Nos	4	Jacaranda mimosifolia
12	Lemon	Nos	1	Citrus limon
13	Calliandra	Nos	19	Calliandra surinamensis
14	Alstonia	Nos	10	Alstonia macrophylla
15	Fox Tail Palm	Nos	15	Wodyetia bifurcata
16	Triangular Palm	Nos	6	Dypsis decaryi
17	Bismarkia Palm	Nos	12	Bismarckia nobilis
18	Guava	Nos	18	Psidium guajava
19	Mango	Nos	3	Mangifera indica
20	Jungle Jalebi	Nos	14	Pithecellobium dulce
21	Pipal	Nos	1	Ficus religiosa
22	Kadamb	Nos	1	Neolamarckia cadamba
23	Semal	Nos	2	Bombax ceiba
24	Sisam	Nos	6	Dalbergia sissoo
25	Jamun	Nos	8	Syzygium cumini
26	Banana	Nos	3	Musa acuminata
27	Paakad	Nos	1	Ficus Virens
28	Shahtoot	Nos	3	Morus Rubra
29	Kachnar	Nos	12	Bauhinia variegata
30	Gulmohar	Nos	1	Delonix regia
31	Amaltash	Nos	2	Cassia fistula
32	Custard Apple / Sharifa	Nos	5	Annona squamosa
33	Curry Tree	Nos	1	Murraya koenigii
34	Neem	Nos	1	Azadirachta indica
35	Anar / Pomegranate	Nos	2	Punica granatum
36	Goolar / Cluster Fig	Nos	1	Ficus racemosa

Total 1239

Annexure-XXIV

Photograph showing parking area



Annexure-XXVII

Copy of Advertisement in News Paper

Annexure-XXV
Electricity Bills



विद्युत बील /Electricity Bill

खाता नं./Account No.	7388863054	खंड /Division	EUDD_RAJBHAWAN(DIV312614)	Scan & Pay your Bill स्कैन करें और अपने बिल का भुगतान करें 
नाम /Name	M/S HCL IT CITY LUCKNOW PVT. LTD.	उपखंड /Subdivision	SD00128149	
पिता/पति का नाम Father/Husband name	NA	संशुद्ध भार /Sanctioned Load	1368 kW	
पता /Address	CGCT CHAK GAJARIA FARMS SULTANPURV ROAD, Lucknow, UP- 226010, IND	मीटर नं संख्या /Meter S.No	06434838	
मोबाइल नं./Mobile No	xxxxxx5862	दरिफ /Tariff	HW1	
ईमेल /Email	xxxxxxxxxxxx@hcl.com	सप्लाय टाइप /Supply Type	H12	
		जमा प्रतिभूति Security Deposit	3751800	
		बिल लंबाई / Bill Latitude	0	
		बिल चौड़ाई / Bill Longitude	0	
		संयोजन तिथि /Connection Date	23-FEB-2017	

बिल संख्या /Bill No	738164375014	बिल आधार/Bill Basis	OK	दैनिक तिथि /Due Date	18-JUN-2023
बिल की तिथि/Bill Date	04-JUN-2023	बिल संयोजन/Billed Demand	1138.33	दैनिक तिथि तक छूट/ Due Date Rebate	23831.48
बिल माह/Bill Month	JUN-2023	प्रगती प्रसिद्धि /Progressive Subsidy		दैनिक तिथि तक कांति Payable By Due Date	2517430
नेट बिल यूनिट/ Net Billed Unit	237415.8	इन्फोर्मेटिव अंश Informative Amount	0	विच्छेदन तिथि /Disconnection Date	25-JUN-2023

This bill will be construed as final notice under section 171 of Supply Code 2005. Supply can be disconnected at any date on non-payment of old dues.
इस बिल को आपूर्ति कोड 2005 की धारा 171 के तहत अंतिम नोटिस माना जाएगा। आपूर्ति बंद करने का भुगतान न करने पर किसी भी तिथि पर आपूर्ति काटे जा सकती है।

Details	Amount			Details	Amount
	Gross Amt	Subsidy	Amount		
ऊर्जा प्रभार /Energy Charges	1927816.30	0.00	1927816.30	प्रतिभूति व्याज/Interest on Security	0.00
स्थिर मूल्य प्रभार /Fixed/Demand Charges	455332.00	0.00	455332.00	दैनिक प्रतिभूति /Due Security	0
न्यूनतम प्रभार /Min Charge	0.00	0.00	0.00	टी डी एस रशि/TDS Amount	0
विद्युत कर /Electricity Duty			178736.12	टी सी एस रशि/TCS Amount	0.00
ग्रीन ऊर्जा शुल्क /Green_EC			0.00	सी जी एस टी/CGST	0
अतिरिक्त मांग प्रभार /Excess Demand Penalty			0.00	एस जी एस टी/SGST	0
कम पी एफ अतिरिक्त /Low P.F. Surcharge			0.00	वर्तमान बिलम भुगतान अधिभार/Current LPSC	161.86
अंतिम समायोजन/Provisional Adjustment			0.00	नेट करंट बिल /Net Current Bill	2582046.08
दरिफ समायोजन /Tariff Adjustments			0.00	दैनिक तिथि छूट समायोजन/Prev. Due Date Rebate Adj.	-20785.17
क्रेडिट /Credit			0	बकाया धनराशि /Arrear Amount	8114.46
डेबिट /Debit			0	पूर्व बिलम भुगतान अधिभार /Prev. Arrear LPSC	-8114.19
विविध शुल्क/ Misc Charges			0.00		
आर्मर्ड केबल शुल्क /Armoured Cable Cost			0		
छूट/Rebate			0		
सुआवज्ञा रशि /Compensation Amt				दैनिक रशि /Payable Amount	2541261
किशन/Installment			0.00		
अनादित चेक/Dishonor Cheque			0	शब्दों में /In Words : Twenty Five Lakh Forty One Thousand Two Hundred Sixty One Rupees Only	
अनादित प्रभार /Dishonor Charge			0		
चोरी/ Theft Assessment			0		

Pay your bill online on < www.upenergy.in > अधिभार भुगतान को consumers can also pay bills from Depot offices, Fair price shops, e-Service, Janasvika Kendra and through Vidyut Sakhi and Meterwala उपरोक्त विवरण के कार्यालयों, एचिफ ऑफिस, फेयर प्राइस शॉप, ई-सेवा, जानास्विका केन्द्रों और विद्युत साखी और मीटरवाला के माध्यम से।

दुपि, एक विद्युत बिल और बिजली रशि और मीटर रशि के अलावा वे भी बिलों का भुगतान कर सकते हैं। सी डी केबल टैग कार्डों। Pay Do/Cheque in favour of : EXECUTIVE ENGINEER-EUDD_RAJBHAWAN

मीटर नं. पुराना	मीटर स्थिति	रजिस्टर्ड डीएमडी	पिछली तिथि	पिछली रीड	वर्तमान तिथि	वर्तमान रीड	डिफ	मीटर स्थिति	मीटर यूनिट	वर्ष (माह)	मीटर स्थिति
Meter Badge Number	Meter Status	Recorded DMD	Previous Date	Previous Read	Current Date	Current Read	Diff	MP	Meter Unit	Period Months	Meter Rank
06434838	A		01-MAY-23 00:00	17397.46	01-JUN-23 00:00	24889.8	7492.34	30	224770.2 KWH	1	OK
06434838	A		01-MAY-23 00:00	19247.5	01-JUN-23 00:00	22161.36	7913.86	30	237415.8 KVAH	1	OK
06434838	A	18.44						30	583.2 KVA	1	OK

बिल यूनिट Assessed Unit		Opening Surplus Solar Units	0.00	Closing Surplus Solar Units	0.00	मीटर यूनिट Meter Units	23741 5.8
-------------------------	--	-----------------------------	------	-----------------------------	------	------------------------	-----------

एनर्जी सेव्ड इज एनर्जी प्रोड्यूस्ड
सहायता के लिए उपाय करें/To get electricity related services or give a missed call on 8010924203

ऊर्जा गणना शुल्क/ EC Calculation						अंतिम भुगतान विवरण /Last Payment Details		वर्तमान भुगतान विवरण/Current Payment Details	
यूनिट/Unit	दरिफ रेट Rates	कुल रशि Amount	सब्सिडी रेट Subsidy Rate	सब्सिडी रशि Subsidy Amount	नेट ऊर्जा प्रभार Net Energy Charge	अंतिम भुगतान रशि/Last Paid Amount	अंतिम भुगतान तिथि/Last Paid Date	भुगतान रशि/Paid Amount	भुगतान तिथि/Paid Date
						2283235	16-MAY-2023	2541261	12-JUN-2023
								भुगतान मोड/Payment Mode	
								रशि नं./Receipt No	738474664388



विद्युत बील /Electricity Bill

खाता नं./Account No.	7388863054	डिवीजन /Division	EUDD_RAJBHAWAN(DIV312614)	Scan & Pay your Bill स्कैन करें और अपने बिल का भुगतान करें 
नाम /Name	M/S HCL IT CITY LUCKNOW PVT. LTD.	सबडिवीजन /Subdivision	SD03126149	
पिता/पति का नाम /Father/husband name	NA	संज्ञित भार /Sanctioned Load	1366 kW	
पता /Address	CGCT CHAK GAJARIA FARMS SULTANPURV ROAD, Lucknow, UP- 226010, IND	मीटर ब्यं संख्या /Meter S.No	06434838	
मोबाइल नंबर /Mobile No	xxxxxx5662	दरिफ /Tariff	HW1	
ईमेल /Email	xxxxxxxxxxxx@hcl.com	सप्लाय टाइप /Supply Type	H12	
		जमा प्रतिभूति Security Deposit	3751800	
		बिल लंबाई / Bill Latitude	0	
		बिल चौड़ाई / Bill Longitude	0	
		संयोजन तिथि /Connection Date	23-FEB-2017	

बिल संख्या /Bill No	738588332585	बिल आधार/Bill Basis	OK	दैनिक तिथि /Due Date	18-JUL-2023
बिल की तिथि/Bill Date	05-JUL-2023	बिल संयोजन/Billed Demand	1138.33	दैनिक तिथि तक छूट /Due Date Rebate	25460.38
बिल माह/Bill Month	JUL-2023	प्रगती प्रसिद्धि /Progressive Subsidy		दैनिक तिथि तक कांति Payable By Due Date	2687732
नेट बिल यूनिट/ Net Billed Unit	257476.2	इन्फोर्मेटिव अंश Informative Amount	0	विच्छेदन तिथि /Disconnection Date	26-JUL-2023

This bill will be construed as final notice under section 171 of Supply Code 2005. Supply can be disconnected at any date on non-payment of old dues.
इस बिल को आपूर्ति कोड 2005 की धारा 171 के अंतर्गत अंतिम नोटिस माना जाएगा। आपूर्ति बंद करने का भुगतान न करने पर किसी भी तिथि पर आपूर्ति काटे जा सकती है।

Details	Amount			Details	Amount
	Gross Amt	Subsidy	Amount		
ऊर्जा प्रभार /Energy Charges	2090706.74	0.00	2090706.74	प्रतिभूति व्याज/Interest on Security	0.00
स्थिर मूल्य प्रभार /Fixed/Demand Charges	455332.00	0.00	455332.00	दैनिक प्रतिभूति /Due Security	0
न्यूनतम प्रभार /Min Charge	0.00	0.00	0.00	टी डी एस रशि/TDS Amount	0
विद्युत कर /Electricity Duty			190952.91	टी सी एस रशि/TCS Amount	0.00
ग्रीन ऊर्जा शुल्क /Green_EC			0.00	सी जी एस टी/CGST	0
अतिरिक्त मांग प्रभार /Excess Demand Penalty			0.00	एस जी एस टी/SGST	0
कम पी एफ अतिरिक्त /Low P.F. Surcharge			0.00	वर्तमान बिल भुगतान अतिरिक्त/Current LPSC	32.46
अंतिम समायोजन/Provisional Adjustment			0.00	नेट करंट बिल /Net Current Bill	2737024.10
दरिफ समायोजन /Tariff Adjustments			0.00	दैनिक तिथि छूट समायोजन/Prev. Due Date Rebate Adj.	-23831.48
क्रेडिट /Credit			0	बकाया धनराशि /Arrear Amount	7952.71
डेबिट /Debit			0	पूर्व बिल भुगतान अतिरिक्त /Prev. Arrear LPSC	-7952.53
विविध शुल्क /Miso Charges			0.00		
आर्मर्ड केबल शुल्क /Armoured Cable Cost			0		
छूट/Rebate			0		
सुआवज्ञा रशि /Compensation Amt				दैनिक तिथि /Payable Amount	2713193
किशन/Instalment			0.00		
अनादरित चेक/Dishonor Cheque			0	शब्दों में /In Words - Twenty Seven Lakh Thirteen Thousand One Hundred Ninety Three Rupees Only	
अनादरित प्रभार /Dishonor Charge			0		
चोरी/Thief Assessment			0		

Pay your bill online on < www.upenergy.in > ऑनलाइन भुगतान करें consumers can also pay bills from Depot offices, Fair price shops, e-Service, Janasvika Kendra and through Vidyut Sakhi and Meterwala हमारे बिजली विभाग के कार्यालयों, दफिन दूध की दुकान, ई-सेवा, जनसुविधा केंद्र और बिजली सखी और मीटर वॉल से भुगतान करने के लिए आप हमारे साथ आ सकते हैं। सी डी केबल देना चाहें Pay DO/Cheque in favour of : EXECUTIVE ENGINEER-EUDD_RAJBHAWAN

मीटर नं. मीटर	मीटर स्थिति	रजिस्टर्ड डीएमडी	पिछली तिथि	पिछली रीड	वर्तमान तिथि	वर्तमान रीड	डिफ	मीटर स्थिति	मीटर यूनिट	वर्ष (माह)	मीटर स्थिति
Meter Badge Number	Meter Status	Recorded DMD	Previous Date	Previous Read	Current Date	Current Read	Diff	MP	Meter Unit	Period Month	Meter Rank
06434838	A		01-JUN-23 00:00	24889.8	01-JUL-23 00:00	33213.46	8323.66	30	249709.6 KWH	1	OK
06434838	A		01-JUN-23 00:00	27161.36	01-JUL-23 00:00	35743.9	8582.54	30	257476.2 KVAH	1	OK
06434838	A	17.58						30	527.4 KVA	1	OK

आयुक्त यूनिट Assessed Unit		Opening Surplus Solar Units	0.00	Closing Surplus Solar Units	0.00	मीटर यूनिट Meter Units	25747 6.2
----------------------------	--	-----------------------------	------	-----------------------------	------	------------------------	-----------

एनर्जी सेव्ड इज एनर्जी प्रोड्यूस्ड (Energy Saved is Energy Produced)
बहुमत पर विद्युत संबंधी विभिन्न सेवाएं प्राप्त करने हेतु बिल ऑन करें /To get electricity related services or give a missed call on 8010924203

ऊर्जा गणना शुल्क/ EC Calculation						अंतिम भुगतान विवरण /Last Payment Details		वर्तमान भुगतान विवरण/Current Payment Details	
यूनिट/Unit	दरिफ रेट Rates	कुल रशि Amount	सब्सिडी रेट Subsidy Rate	सब्सिडी रशि Subsidy Amount	नेट ऊर्जा प्रभार Net Energy Charge	अंतिम भुगतान रशि/Last Paid Amount	अंतिम भुगतान तिथि/Last Paid Date	भुगतान रशि/Paid Amount	भुगतान तिथि/Paid Date
						2541361	12-JUN-2023	2715830	15-JUL-2023
								भुगतान मोड/ Payment Mode	
								रशि संख्या/Receipt No	738174011116



विद्युत बील /Electricity Bill

खाता नं./Account No.	7388863054	डिवीजन /Division	EUDD_RAJBHAWAN(DIV312614)	Scan & Pay your Bill स्कैन करें और अपने बिल का भुगतान करें 
नाम /Name	M/S HCL IT CITY LUCKNOW PVT. LTD.	सबडिवीजन /Subdivision	SD00128149	
पिता/पति का नाम /Father's/husband name	NA	संज्ञित भार /Sanctioned Load	1368 kW	
पता /Address	CGCT CHAK GAJARIA FARMS SULTANPURV ROAD, Lucknow, UP- 226010, IND	मीटर नं. संख्या /Meter S.No	06434838	
मोबाइल नं. /Mobile No	xxxxxx5862	टैरिफ /Tariff	HW1	
ईमेल /Email	xxxxxxxxxxxx@hcl.com	सप्लाय टाइप /Supply Type	H12	
		जमा प्रतिभूति Security Deposit	3751800	
		बिल लंबाई / Bill Latitude	0	
		बिल चौड़ाई / Bill Longitude	0	
		संयोजन तिथि /Connection Date	23-FEB-2017	

बिल संख्या /Bill No	738417956467	बिल आधार/Bill Basis	OK	दैनिक तिथि /Due Date	22-SEP-2023
बिल की तिथि/Bill Date	06-SEP-2023	बिल संयोजन/Billed Demand	1138.33	दैनिक तिथि एक घंटा /Due Date Rebate	26865.47
बिल माह/Bill Month	SEP-2023	प्रगती प्रसिद्धि /Progressive Subsidy		दैनिक तिथि एक माह /Payable By Due Date	2650013
नेट बिल यूनिट/ Net Billed Unit	274760.2	इन्फोर्मेटिव राशि /Inoperative Amount	0	विच्छेदन तिथि /Disconnection Date	29-SEP-2023

This bill will be construed as final notice under section 171 of Supply Code 2005. Supply can be disconnected at any date on non-payment of old dues.
इस बिल को आपूर्ति कोड 2005 की धारा 171 के अंतर्गत अंतिम नोटिस माना जाएगा। आपने बकाया का भुगतान न करने पर किसी भी तिथि पर आपूर्ति काटे जा सकती है।

Details	Amount			Details	Amount
	Gross Amt	Subsidy	Amount		
ऊर्जा प्रभार /Energy Charges	2231215.22	0.00	2231215.22	प्रतिभूति व्याज/Interest on Security	-208101.31
स्थिर मूल्य प्रभार /Fixed/Demand Charges	455332.00	0.00	455332.00	दैनिक प्रतिभूति /Due Security	0
न्यूनतम प्रभार /Min Charge	0.00	0.00	0.00	टी डी एस राशि/TDS Amount	20810.13
विद्युत कर /Electricity Duty			201491.04	टी सी एस राशि/TCS Amount	2888.07
ग्रीन ऊर्जा शुल्क /Green_EC			0.00	सी जी एस टी/CGST	0
अतिरिक्त मांग प्रभार /Excess Demand Penalty			0.00	एस जी एस टी/SGST	0
कम पी एफ अतिरिक्त /Low P.F. Surcharge			0.00	वर्तमान बिल का भुगतान अतिरिक्त /Current LPSC	33.68
अंतिम समायोजन /Provisional Adjustment			0.00	नेट करंट बिल /Net Current Bill	2703888.83
टैरिफ समायोजन /Tariff Adjustments			0.00	दैनिक तिथि घुटा समायोजन /Prev. Due Date Rebate Adj.	-26790.06
क्रेडिट /Credit			0	बकाया धनराशि /Arrear Amount	7884.27
डेबिट /Debit			0	पूर्व बिल का भुगतान अतिरिक्त /Prev. Arrear LPSC	-7884.42
विविध शुल्क /Miso Charges			0.00		
आर्मर्ड केबल शुल्क /Armoured Cable Cost			0		
घुटा /Rebate			0		
सुआवज्ञा राशि /Compensation Amt				दैनिक राशि /Payable Amount	2676879
किशन /Installment			0.00		
अनाग्रित चेक /Dishonor Cheque			0	शब्दों में /In Words	Twenty Six Lakh Seventy Six Thousand Eight Hundred Seventy Nine
अनाग्रित प्रभार /Dishonor Charge			0		Rupees Only
चोरी का आकलन /Theft Assessment			0		

Pay your bill online on < www.upenergy.in > ऑनलाइन भुगतान करें consumers can also pay bills from Depot offices, Fair price shops, e-Service, Janasvika Kendra and through Vidyut Sakhi and Meterwala हमारे कार्यालयों, एचिएन के द्वारा, ई-सेवा, जनसुविधा केंद्रों और विद्युत साखी और मीटरवाला के माध्यम से भी बिल का भुगतान कर सकते हैं। सी डी केबल टैग का उपयोग करें। Pay by Cheque in favour of : EXECUTIVE ENGINEER-EUDD_RAJBHAWAN

मीटर नं. संख्या	मीटर स्थिति	रजिस्टर्ड डीएमडी	पिछली तिथि	पिछली रीड	वर्तमान तिथि	वर्तमान रीड	डिफ	मीटर स्थिति	मीटर यूनिट	वर्तमान (माह)	मीटर स्थिति
Meter Badge Number	Meter Status	Recorded DMD	Previous Date	Previous Read	Current Date	Current Read	Diff	MP	Meter Unit	Period Months	Meter Rank
06434838	A		01-AUG-23 00:00	42060.7	01-SEP-23 00:00	50962.04	8901.34	30	267040.2 KWH	1	OK
06434838	A		01-AUG-23 00:00	44872.28	01-SEP-23 00:00	54031.62	9159.34	30	274760.2 KVAH	1	OK
06434838	A	17.22						30	516.6 KVA	1	OK

आकलित यूनिट /Assessed Unit		Opening Surplus Solar Units	0.00	Closing Surplus Solar Units	0.00	मीटर यूनिट /Meter Units	27478
							0.2

एनर्जी सेविंग इज एनर्जी प्रोड्यूसिंग (Energy Saved is Energy Produced)
बहुमत पर विद्युत संबंधी विभिन्न सेवाएं प्राप्त करने हेतु बिल ऑन करें /To get electricity related services or give a missed call on 8010924203

ऊर्जा गणना शुल्क / EC Calculation						अंतिम भुगतान विवरण /Last Payment Details		वर्तमान भुगतान विवरण /Current Payment Details	
यूनिट /Unit	दैनिक दर /Rates	कुल राशि /Amount	सब्सिडी दर /Subsidy Rate	सब्सिडी राशि /Subsidy Amount	नेट ऊर्जा प्रभार /Net Energy Charge	अंतिम भुगतान राशि /Last Paid Amount	अंतिम भुगतान तिथि /Last Paid Date	भुगतान राशि /Paid Amount	भुगतान तिथि /Paid Date
						37730	16-AUG-2023		
								37402	15-SEP-2023
								भुगतान विवरण /Payment Mode	
								रसीद संख्या /Receipt No	738888747158



विद्युत बील /Electricity Bill

खाता नं./Account No.	7388863054	खंड /Division	EUDD_RAJBHAWAN(DIV312614)	Scan & Pay your Bill स्कैन करें और अपने बिल का भुगतान करें 
नाम /Name	M/S HCL IT CITY LUCKNOW PVT. LTD.	उपखंड /Subdivision	SD00128149	
पिता/पति का नाम Father's/husband name	NA	संज्ञित भार /Sanctioned Load	1368 kW	
पता /Address	CGCT CHAK GAJARIA FARMS SULTANPURV ROAD, Lucknow, UP- 226010, IND	मीटर नं संख्या /Meter S.No	06434838	
मोबाइल नं. /Mobile No	xxxxxxxx5662	दरिफ /Tariff	HW1	
ईमेल /Email	xxxxxxxxxxxx@hcl.com	संयोजन तिथि /Connection Date	23-FEB-2017	

बिल संख्या /Bill No	738164375014	बिल आधार/Bill Basis	OK	दैनिक तिथि /Due Date	18-JUN-2023
बिल की तिथि/Bill Date	04-JUN-2023	बिल संयोजन/Billed Demand	1138.33	दैनिक तिथि तक छूट/ Due Date Rebate	23831.48
बिल माह/Bill Month	JUN-2023	प्रगती प्रसिद्धि /Progressive Subsidy		दैनिक तिथि तक कांति Payable By Due Date	2517430
नेट बिल यूनिट/ Net Billed Unit	237415.8	इन्फोर्मेटिव राशि Inoperative Amount	0	विच्छेदन तिथि /Disconnection Date	25-JUN-2023

This bill will be construed as final notice under section 171 of Supply Code 2005. Supply can be disconnected at any date on non-payment of old dues.
इस बिल को आपूर्ति कोड 2005 की धारा 171 के तहत अंतिम नोटिस माना जाएगा। आपूर्ति बंद करने का भुगतान न करने पर किसी भी तिथि पर आपूर्ति काटे जा सकती है।

Details	Amount			Details	Amount
	Gross Amt	Subsidy	Amount		
ऊर्जा प्रभार /Energy Charges	1927816.30	0.00	1927816.30	प्रतिभूति व्याज/Interest on Security	0.00
स्थिर मूल्य प्रभार /Fixed/Demand Charges	455332.00	0.00	455332.00	दैनिक प्रतिभूति /Due Security	0
न्यूनतम प्रभार /Min Charge	0.00	0.00	0.00	टी डी एस राशि/TDS Amount	0
विद्युत कर /Electricity Duty			178736.12	टी सी एस राशि/TCS Amount	0.00
ग्रीन ऊर्जा शुल्क /Green_EC			0.00	सी जी एस टी/CGST	0
अतिरिक्त मांग प्रभार /Excess Demand Penalty			0.00	एस जी एस टी/SGST	0
कम पी एफ अतिरिक्त /Low P.F. Surcharge			0.00	वर्तमान बिल भुगतान अतिरिक्त/Current LPSC	161.86
अंतिम समायोजन/Provisional Adjustment			0.00	नेट करंट बिल /Net Current Bill	2582046.08
दरिफ समायोजन /Tariff Adjustments			0.00	दैनिक तिथि छूट समायोजन/Prev. Due Date Rebate Adj.	-20785.17
क्रेडिट /Credit			0	बकाया धनराशि /Arrear Amount	8114.46
डेबिट /Debit			0	पूर्व बिल भुगतान अतिरिक्त /Prev. Arrear LPSC	-8114.19
विविध शुल्क/ Misc Charges			0.00		
आर्मर्ड केबल शुल्क /Armoured Cable Cost			0		
छूट/Rebate			0		
सुआवज्ञा राशि /Compensation Amt				दैनिक राशि /Payable Amount	2541261
किशन/Installment			0.00		
अनादित चेक/Dishonor Cheque			0	शब्दों में /In Words - Twenty Five Lakh Forty One Thousand Two Hundred Sixty One Rupees Only	
अनादित प्रभार /Dishonor Charge			0		
चोरी/ Theft Assessment			0		

Pay your bill online on < www.upenergy.in > ऑनलाइन भुगतान करें consumers can also pay bills from Depot offices, Fair price shops, e-Service, Janasvika Kendra and through Vidyut Sakhi and Meterwala उपरोक्त विवरण के कार्यों में उचित रूप से भुगतान करें.
इस बिल को ऑनलाइन पेमेंट के लिए पेमेंट पोर्टल पर भुगतान करने के लिए या किसी भी प्रकार से भुगतान करने के लिए। सी डी केबल टैक्स का भुगतान करें। Pay Do/Cheque in favour of : EXECUTIVE ENGINEER-EUDD_RAJBHAWAN

मीटर नं. पुराना	मीटर स्थिति	रजिस्टर्ड डीएमडी	पिछली तिथि	पिछली रीड	वर्तमान तिथि	वर्तमान रीड	डिफ	मीटर स्थिति	मीटर यूनिट	वर्ष (माह)	मीटर स्थिति
06434838	A		01-MAY-23 00:00	17397.46	01-JUN-23 00:00	24889.8	7492.34	30	224770.2 KWH	1	OK
06434838	A		01-MAY-23 00:00	19247.5	01-JUN-23 00:00	27161.36	7913.86	30	237415.8 KVAH	1	OK
06434838	A	18.44						30	583.2 KVA	1	OK

आयोजित यूनिट Assessed Unit		Opening Surplus Solar Units	0.00	Closing Surplus Solar Units	0.00	मीटर यूनिट Meter Units	237415.8
----------------------------	--	-----------------------------	------	-----------------------------	------	------------------------	----------

एनर्जी सेव्ड इज एनर्जी प्रोड्यूस्ड (Energy Saved is Energy Produced)
विद्युत सेव्ड से संबंधित सेवाएं प्राप्त करने के लिए कॉल करें /To get electricity related services or give a missed call on 8010924203

ऊर्जा गणना शुल्क/ EC Calculation						अंतिम भुगतान विवरण /Last Payment Details		वर्तमान भुगतान विवरण/Current Payment Details	
यूनिट/Unit	दरिफ रेट Rates	कुल राशि Amount	सब्सिडी दर Subsidy Rate	सब्सिडी राशि Subsidy Amount	नेट ऊर्जा प्रभार Net Energy Charge	अंतिम भुगतान राशि/Last Paid Amount	2283235	वर्तमान भुगतान राशि/Paid Amount	2541261
						अंतिम भुगतान तिथि/Last Paid Date	16-MAY-2023	वर्तमान भुगतान तिथि/Paid Date	12-JUN-2023
								भुगतान मोड/ Payment Mode	
								रसीद नं./Receipt No	738474664388

Printed By : As On Date: 16-Oct-23 9:00 AM अधिकारी अधिकारी EXECUTIVE ENGINEER - EUDD_RAJBHAWAN



विद्युत बील /Electricity Bill

खाता नं./Account No.	7388863054	डिवीजन /Division	EUDD_RAJBHAWAN(DIV312614)	<p>Scan & Pay your Bill</p> <p>स्कैन करें और अपने बिल का भुगतान करें</p> 
नाम /Name	M/S HCL IT CITY LUCKNOW PVT. LTD.	सबडिवीजन /Subdivision	SD03126149	
पिता/पति का नाम /Father/husband name	NA	संज्ञित भार /Sanctioned Load	1368 kW	
पता /Address	CGCT CHAK GAJARIA FARMS SULTANPURV ROAD, Lucknow, UP- 226010, IND	मीटर नं संख्या /Meter S.No	06434838	
मोबाइल नं. /Mobile No	xxxxxx5662	टैरिफ /Tariff	HW1	
ईमेल /Email	xxxxxxxxxxxx@hcl.com	सप्लाय टाइप /Supply Type	H12	
		जमा प्रतिभूति Security Deposit	3751800	
		बिल लंबाई / Bill Latitude	0	
		बिल चौड़ाई / Bill Longitude	0	
		संयोजन तिथि /Connection Date	23-FEB-2017	

बिल संख्या /Bill No	738869693188	बिल आधार/Bill Basis	OK	दैनिक तिथि /Due Date	17-AUG-2023
बिल की तिथि/Bill Date	03-AUG-2023	बिल संयोजन/Billed Demand	1138.33	दैनिक तिथि तक छूट /Due Date Rebate	26750.05
बिल माह/Bill Month	AUG-2023	प्रगती प्रसिद्धि /Progressive Subsidy		दैनिक तिथि तक बाकी Payable By Due Date	28256.16
नेट बिल यूनिट/ Net Billed Unit	273851.4	इन्फोर्मेटिव अंश Informative Amount	0	विच्छेदन तिथि /Disconnection Date	24-AUG-2023

This bill will be construed as final notice under section 171 of Supply Code 2005. Supply can be disconnected at any date on non-payment of old dues.
इस बिल को आपूर्ति कोड 2005 की धारा 171 के तहत अंतिम नोटिस माना जाएगा। आपने बकाया का भुगतान न करने पर किसी भी तिथि पर आपूर्ति काटे जा सकती है।

Details	Amount			Details	Amount
	Gross Amt	Subsidy	Amount		
ऊर्जा प्रभार /Energy Charges	2223873.37	0.00	2223873.37	प्रतिभूति व्याज/Interest on Security	0.00
स्थिर मूल्य प्रभार /Fixed/Demand Charges	455332.00	0.00	455332.00	दैनिक प्रतिभूति /Due Security	0
न्यूनतम प्रभार /Min Charge	0.00	0.00	0.00	टी डी एस राशि/TDS Amount	0
विद्युत कर /Electricity Duty			200925.40	टी सी एस राशि/TCS Amount	617.01
ग्रीन ऊर्जा शुल्क /Green_EC			0.00	सी जी एस टी/CGST	0
अतिरिक्त मांग प्रभार /Excess Demand Penalty			0.00	एस जी एस टी/SGST	0
कम पी एफ अतिरिक्त /Low P.F. Surcharge			0.00	वर्तमान बिल का भुगतान अधिभार/Current LPSC	55.86
अंतिम समायोजन/Provisional Adjustment			0.00	नेट करंट बिल /Net Current Bill	2880803.44
टैरिफ समायोजन /Tariff Adjustments			0.00	दैनिक तिथि छूट समायोजन/Prev. Due Date Rebate Adj.	-25480.39
क्रेडिट /Credit			0	बकाया धनराशि /Arrear Amount	5182.88
डेबिट /Debit			0	पूर्व बिल का भुगतान अधिभार /Prev. Arrear LPSC	-7920.08
विविध शुल्क/ Misc Charges			0.00		
आर्मर्ड केबल शुल्क /Armoured Cable Cost			0		
छूट/Rebate			0		
सुआवज्ञा राशि /Compensation Amt				दैनिक राशि /Payable Amount	2852406
किशन/Instalment			0.00		
अनादित चेक/Dishonor Cheque			0		
अनादित प्रभार /Dishonor Charge			0		
छेद विरासत/ Theft Assessment			0		
					शब्दों में /In Words : Twenty Eight Lakh Fifty Two Thousand Four Hundred Six Rupees Only

Pay your bill online on < www.upenergy.in > अधिभार भुगतान को consumers can also pay bills from Depot offices, Fair price shops, e-Service, Janasvika Kendra and through Vidyut Sakhi and Melarwadon इत्यादि विद्युत के कार्यालयों, एचिएन के दुकान, ई-सेवा, जनसुविधा केन्द्र और विद्युत साखी और मेलारवादन के माध्यम से।
इस बिल को ऑनलाइन पेमेंट के माध्यम से या फिर बिना किसी भी शुल्क के अपने बैंक खाते से पेमेंट कर सकते हैं। सी डी केबल टैग बाजारों Pay DO/Cheque in favour of : EXECUTIVE ENGINEER-EUDD_RAJBHAWAN

मीटर नं. पुराना	मीटर स्थिति	रजिस्टर्ड डीएमडी	पिछली तिथि	पिछली रीड	वर्तमान तिथि	वर्तमान रीड	डिफ	मीटर स्थिति	मीटर यूनिट	वर्तमान (माह)	मीटर स्थिति
Meter Badge Number	Meter Status	Recorded DMD	Previous Date	Previous Read	Current Date	Current Read	Diff	MP	Meter Unit	Period Months	Meter Rank
06434838	A		01-JUL-23 00:00	33213.46	01-AUG-23 00:00	42060.7	8847.24	30	265417.2 KWH	1	OK
06434838	A		01-JUL-23 00:00	35743.9	01-AUG-23 00:00	44872.28	9128.38	30	273851.4 KVAH	1	OK
06434838	A	17.94						30	538.2 KVA	1	OK

आयुक्त यूनिट Assessed Unit		Opening Surplus Solar Units	0.00	Closing Surplus Solar Units	0.00	मीटर यूनिट Meter Units	273851.4
----------------------------	--	-----------------------------	------	-----------------------------	------	------------------------	----------

एनर्जी सेव्ड इज एनर्जी प्रोड्यूस्ड
संचयित या बिजुल बचती विद्युत सेव्ड मात्र कानून से ही है।
Energy Saved is Energy Produced
To get electricity related services or give a missed call on 8010924203

ऊर्जा गणना शुल्क/ EC Calculation						अंतिम भुगतान विवरण /Last Payment Details		वर्तमान भुगतान विवरण/Current Payment Details	
यूनिट/Unit	दैनिक दर Rates	कुल राशि Amount	सब्सिडी दर Subsidy Rate	सब्सिडी राशि Subsidy Amount	नेट ऊर्जा प्रभार Net Energy Charge	अंतिम भुगतान राशि/Last Paid Amount	अंतिम भुगतान तिथि/Last Paid Date	भुगतान राशि/Paid Amount	भुगतान तिथि/Paid Date
						2718930	19-JUL-2023	37730	16-AUG-2023
								भुगतान मोड/ Payment Mode	
								रसीद नं./Receipt No	738841824303



विद्युत बील /Electricity Bill

खाता नं./Account No.	7388863054	डिवीजन /Division	EUDD_RAJBHAWAN(DIV312614)	Scan & Pay your Bill स्कैन करें और अपने बिल का भुगतान करें 
नाम /Name	M/S HCL IT CITY LUCKNOW PVT. LTD.	सबडिवीजन /Subdivision	SD00126149	
पिता/पति का नाम /Father/husband name	NA	संशुद्ध भार /Sanctioned Load	1368 kW	
पता /Address	CGCT CHAK GAJARIA FARMS SULTANPURV ROAD, Lucknow, UP- 226010, IND	मीटर नं संख्या /Meter S.No	06434838	
मोबाइल नं. /Mobile No	xxxxxx5662	टैरिफ /Tariff	HW1	
ईमेल /Email	xxxxxxxxxxxx@hcl.com	सप्लाय टाइप /Supply Type	H12	
		जमा प्रतिभूति Security Deposit	3751800	
		बिल लंबाई / Bill Latitude	0	
		बिल चौड़ाई / Bill Longitude	0	
		संयोजन तिथि /Connection Date	23-FEB-2017	

बिल संख्या /Bill No	738448427191	बिल आधार/Bill Basis	OK	दैनिक तिथि /Due Date	20-OCT-2023
बिल की तिथि/Bill Date	08-OCT-2023	बिल संयोजन/Billed Demand	1138.33	दैनिक तिथि तक छूट /Due Date Rebate	25623.16
बिल माह/Bill Month	OCT-2023	प्रगती प्रसिद्धि /Progressive Subsidy		दैनिक तिथि तक कागि /Payable By Due Date	2704783
नेट बिल यूनिट/ Net Billed Unit	259480.8	इन्फोर्मेटिव राशि /Inoperative Amount	0	विच्छेदन तिथि /Disconnection Date	27-OCT-2023

This bill will be construed as final notice under section 171 of Supply Code 2005. Supply can be disconnected at any date on non-payment of old dues.
इस बिल को आपूर्ति कोड 2005 की धारा 171 के तहत अंतिम नोटिस माना जाएगा। आपने बकाया का भुगतान न करने पर किसी भी तिथि पर आपूर्ति काटे जा सकती है।

Details	Amount			Details	Amount
	Gross Amt	Subsidy	Amount		
ऊर्जा प्रभार /Energy Charges	2106984.10	0.00	2106984.10	प्रतिभूति व्याज/Interest on Security	0.00
स्थिर मूल्य प्रभार /Fixed/Demand Charges	455332.00	0.00	455332.00	दैनिक प्रतिभूति /Due Security	0
न्यूनतम प्रभार /Min Charge	0.00	0.00	0.00	टी डी एस राशि/TDS Amount	0
विद्युत कर /Electricity Duty			192173.71	टी सी एस राशि/TCS Amount	2754.52
ग्रीन ऊर्जा शुल्क /Green_EC			0.00	सी जी एस टी/CGST	0
अतिरिक्त मांग प्रभार /Excess Demand Penalty			0.00	एस जी एस टी/SGST	0
कम पी एफ अतिरिक्त /Low P.F. Surcharge			0.00	वर्तमान बिल का भुगतान अतिरिक्त /Current LPSC	27.52
अंतिम समायोजन /Provisional Adjustment			0.00	नेट करंट बिल /Net Current Bill	2757271.88
टैरिफ समायोजन /Tariff Adjustments			0.00	दैनिक तिथि छूट समायोजन/Prev. Due Date Rebate Adj.	-26885.47
क्रेडिट /Credit			0	बकाया धनराशि /Arrear Amount	7830.37
डेबिट /Debit			0	पूर्व बिल का भुगतान अतिरिक्त /Prev. Arrear LPSC	-7830.74
विविध शुल्क /Miso Charges			0.00		
आर्मर्ड केबल शुल्क /Armoured Cable Cost			0		
छूट /Rebate			0		
सुआवज्ञा राशि /Compensation Amt				दैनिक राशि /Payable Amount	2730406
किश्त /Installment			0.00		
अनादित चेक /Dishonor Cheque			0		
अनादित प्रभार /Dishonor Charge			0		
छेद विरासत /Theft Assessment			0		
					शब्दों में /In Words - Twenty Seven Lakh Thirty Thousand Four Hundred Six Rupees Only

Pay your bill online on < www.upenergy.in > और आप अपने बिल को consumers को भी आपूर्ति कार्यालयों से, Fair price shops, e-Service, Janasvika Kendra and through Vidyut Sakhi and Melarwadon इत्यादि विद्युत वितरण के कार्यालयों, एडिटीयूएस की दुकान, ई-सेवा, जनसुविधा केंद्र और विद्युत सखी और मेलरवादन के माध्यम से भी भुगतान कर सकते हैं। भी की सेवा देते हैं। Pay by Cheque in favour of : EXECUTIVE ENGINEER-EUDD_RAJBHAWAN

मीटर नं. पुराना	मीटर स्थिति	रजिस्टर्ड डीएमडी	पिछली तिथि	पिछली रीड	वर्तमान तिथि	वर्तमान रीड	डिफ	मीटर एमपी	मीटर यूनिट	वर्ष (माह)	मीटर रैंक
06434838	A		01-SEP-23 00:00	50992.04	01-OCT-23 00:00	59344.54	8382.5	30	251475 KWH	1	OK
06434838	A		01-SEP-23 00:00	54031.62	01-OCT-23 00:00	62680.98	8649.36	30	259480.8 KVAH	1	OK
06434838	A	17.48						30	524.4 KVA	1	OK

आयोजित यूनिट /Assessed Unit		Opening Surplus Solar Units	0.00	Closing Surplus Solar Units	0.00	मीटर यूनिट /Meter Units	259480.8
-----------------------------	--	-----------------------------	------	-----------------------------	------	-------------------------	----------

एनर्जी सेव्ड इज एनर्जी प्रोड्यूस्ड /Energy Saved is Energy Produced
विद्युत से संबंधित सेवाओं के लिए हमें आपसे संपर्क करने की आवश्यकता है। /To get electricity related services or give a missed call on 8010924203

ऊर्जा गणना शुल्क / EC Calculation						अंतिम भुगतान विवरण /Last Payment Details		वर्तमान भुगतान विवरण/Current Payment Details	
यूनिट/Unit	दैनिक दर Rates	कुल राशि Amount	सब्सिडी दर Subsidy Rate	सब्सिडी राशि Subsidy Amount	नेट ऊर्जा प्रभार Net Energy Charge	अंतिम भुगतान राशि/Last Paid Amount	अंतिम भुगतान तिथि/Last Paid Date	भुगतान राशि/Paid Amount	भुगतान तिथि/Paid Date
						37452	15-SEP-2023	2730406	17-OCT-2023
								भुगतान मोड/ Payment Mode	
								रसीद नं./Receipt No	738368209623



विद्युत बील /Electricity Bill

खाता नं./Account No.	7388863054	डिवीजन /Division	EUDD_RAJBHAWAN(DIV312614)	Scan & Pay your Bill स्कैन करें और अपने बिल का भुगतान करें 
नाम /Name	M/S HCL IT CITY LUCKNOW PVT. LTD.	सबडिवीजन /Subdivision	SD00128149	
पिता/पति का नाम /Father's/husband name	NA	संयोजित भार /Sanctioned Load	1368 kW	
पता /Address	CGCT CHAK GAJARIA FARMS SULTANPURV ROAD, Lucknow, UP- 226010, IND	मीटर नं. संख्या /Meter S.No	06434838	
मोबाइल नं. /Mobile No	xxxxxx5662	टैरिफ /Tariff	HW1	
ईमेल /Email	xxxxxxxxxxxx@hcl.com	सप्लाय टाइप /Supply Type	H12	
		जमा प्रतिभूति Security Deposit	3751800	
		बिल लंबाई / Bill Latitude	0	
		बिल चौड़ाई / Bill Longitude	0	
		संयोजन तिथि /Connection Date	23-FEB-2017	

बिल संख्या /Bill No	738432589490	बिल आधार/Bill Basis	OK	दैनिक तिथि /Due Date	18-MAY-2023
बिल की तिथि/Bill Date	04-MAY-2023	बिल संयोजित/Billed Demand	1138.33	दैनिक तिथि तक छूट /Due Date Rebate	20785.17
बिल माह/Bill Month	MAY-2023	प्रगती प्रसिद्धि /Progressive Subsidy		दैनिक तिथि तक कांति Payable By Due Date	2212450
नेट बिल यूनिट/ Net Billed Unit	19989.6	इनकार्पोरेटिव राशि Inoperative Amount	0	विच्छेदन तिथि /Disconnection Date	25-MAY-2023

This bill will be construed as final notice under section 171 of Supply Code 2005. Supply can be disconnected at any date on non-payment of old dues.
इस बिल को आपूर्ति कोड 2005 की धारा 171 के तहत अंतिम नोटिस माना जाएगा। आपने बकाया का भुगतान न करने पर किसी भी तिथि पर आपूर्ति काटे जा सकती है।

Details	Amount			Details	Amount
	Gross Amt	Subsidy	Amount		
ऊर्जा प्रभार /Energy Charges	1623184.75	0.00	1623184.75	प्रतिभूति व्याज/Interest on Security	0.00
स्थिर मूल्य प्रभार /Fixed/Demand Charges	455332.00	0.00	455332.00	दैनिक प्रतिभूति /Due Security	0
न्यूनतम प्रभार /Min Charge	0.00	0.00	0.00	टी डी एस राशि/TDS Amount	0
विद्युत कर /Electricity Duty			155888.76	टी सी एस राशि/TCS Amount	0.00
ग्रीन ऊर्जा शुल्क /Green_EC			0.00	सी जी एस टी/CGST	0
अतिरिक्त मांग प्रभार /Excess Demand Penalty			0.00	एस जी एस टी/SGST	0
कम पी एफ अतिरिक्त /Low P.F. Surcharge			0.00	वर्तमान बिलम भुगतान अधिभार/Current LPSC	1399.17
अंतिम समायोजन/Provisional Adjustment			0.00	नेट करंट बिल /Net Current Bill	2235804.68
टैरिफ समायोजन /Tariff Adjustments			0.00	दैनिक तिथि छूट समायोजन/Prev. Due Date Rebate Adj.	0
क्रेडिट /Credit			0	बकाया धनराशि /Arrear Amount	26843.95
डेबिट /Debit			0	पूर्व बिलम भुगतान अधिभार /Prev. Arrear LPSC	-9513.36
विविध शुल्क /Miso Charges			0.00		
आर्मर्ड केबल शुल्क /Armoured Cable Cost			0		
छूट/Rebate			0		
सुआवज्ञा राशि /Compensation Amt				दैनिक राशि /Payable Amount	2253235
किशन/Instalment			0.00		
अनाग्रित चेक/Dishonor Cheque			0	शब्दों में /In Words - Twenty Two Lakh Fifty Three Thousand Two Hundred Thirty Five Rupees Only	
अनाग्रित प्रभार /Dishonor Charge			0		
चोरी/Thief Assessment			0		

Pay your bill online on < www.upenergy.in > ऑनलाइन भुगतान करें consumers can also pay bills from Depot offices, Fair price shops, e-Service, Janasvika Kendra and through Vidyut Sakhi and Metercard. हमारे बिजली बिलों को आप ऑनलाइन या हमारे बिजली के केंद्रों, फेयर प्राइस स्टोर्स, ई-सेवा, जनसुविधा केंद्रों और विद्युत साखी और मीटर कार्ड के माध्यम से भी भुगतान कर सकते हैं।

मीटर नं. संख्या	मीटर स्थिति	रजिस्टर्ड डीएमडी	पिछली तिथि	पिछली रीड	वर्तमान तिथि	वर्तमान रीड	डिफ	मीटर स्थिति	मीटर यूनिट	वर्तमान (माह)	मीटर स्थिति
Meter Badge Number	Meter Status	Recorded DMD	Previous Date	Previous Read	Current Date	Current Read	Diff	MP	Meter Unit	Period Month	Meter Rank
06434838	A		01-APR-23 00:00	11315.16	01-MAY-23 00:00	17997.46	6682.3	30	182469 KWH	1	OK
06434838	A		01-APR-23 00:00	12584.18	01-MAY-23 00:00	18247.5	6663.32	30	199899.6 KVAH	1	OK
06434838	A	16.48						30	494.4 KVA	1	OK

आयोजित यूनिट /Assessed Unit		Opening Surplus Solar Units	0.00	Closing Surplus Solar Units	0.00	मीटर यूनिट /Meter Units	19989.6
-----------------------------	--	-----------------------------	------	-----------------------------	------	-------------------------	---------

एनर्जी सेव्ड इज एनर्जी प्रोड्यूस्ड /Energy Saved is Energy Produced
बहुमत पर विद्युत संबंधी विभिन्न सेवाएं प्राप्त करने हेतु बिल ऑन करें /To get electricity related services or give a missed call on 8010924203

ऊर्जा गणना शुल्क / EC Calculation						अंतिम भुगतान विवरण /Last Payment Details		वर्तमान भुगतान विवरण/Current Payment Details	
यूनिट/Unit	दैनिक दर Rates	कुल राशि Amount	सब्सिडी दर Subsidy Rate	सब्सिडी राशि Subsidy Amount	नेट ऊर्जा प्रभार Net Energy Charge	अंतिम भुगतान राशि/Last Paid Amount	अंतिम भुगतान तिथि/Last Paid Date	भुगतान राशि/Paid Amount	भुगतान तिथि/Paid Date
						182282	19-APR-2023	2253235	16-MAY-2023
								भुगतान मोड/ Payment Mode	
								रसीद नं./Receipt No	738820361623



विद्युत बील /Electricity Bill

खाता नं./Account No.	7388863054	डिवीजन /Division	EUDD_RAJBHAWAN(DIV312614)	<p>Scan & Pay your Bill</p> <p>स्कैन करें और अपने बिल का भुगतान करें</p> 
नाम /Name	M/S HCL IT CITY LUCKNOW PVT. LTD.	सबडिवीजन /Subdivision	SD00126149	
पिता/पति का नाम /Father/husband name	NA	संशुद्ध भार /Sanctioned Load	1368 kW	
पता /Address	CGCT CHAK GAJARIA FARMS SULTANPURV ROAD, Lucknow, UP- 226010, IND	मीटर नं संख्या /Meter S.No	06434838	
मोबाइल नं. /Mobile No	xxxxxx5662	टैरिफ /Tariff	HW1	
ईमेल /Email	xxxxxxxxxxxx@hcl.com	सप्लाय टाइप /Supply Type	HT2	
		जमा प्रतिभूति Security Deposit	3751800	
		बिल लंबाई / Bill Latitude	0	
		बिल चौड़ाई / Bill Longitude	0	
		संयोजन तिथि /Connection Date	23-FEB-2017	

बिल संख्या /Bill No	738448427191	बिल आधार/Bill Basis	OK	दैनिक तिथि /Due Date	20-OCT-2023
बिल की तिथि/Bill Date	08-OCT-2023	बिल संयोजन/Billed Demand	1138.33	दैनिक तिथि तक छूट /Due Date Rebate	25623.16
बिल माह/Bill Month	OCT-2023	प्रगती प्रसिद्धि /Progressive Subsidy		दैनिक तिथि तक बाकी Payable By Due Date	2704783
नेट बिल यूनिट/ Net Billed Unit	259480.8	इनफोर्मेटिव राशि /Inoperative Amount	0	विच्छेदन तिथि /Disconnection Date	27-OCT-2023

This bill will be construed as final notice under section 171 of Supply Code 2005. Supply can be disconnected at any date on non-payment of old dues.
इस बिल को आपूर्ति कोड 2005 की धारा 171 के तहत अंतिम नोटिस माना जाएगा। आपने बकाया का भुगतान न करने पर किसी भी तिथि पर आपूर्ति काटे जा सकती है।

Details	Amount			Details	Amount
	Gross Amt	Subsidy	Amount		
ऊर्जा प्रभार /Energy Charges	2106984.10	0.00	2106984.10	प्रतिभूति व्याज/Interest on Security	0.00
स्थिर मूल्य प्रभार /Fixed/Demand Charges	455332.00	0.00	455332.00	दैनिक प्रतिभूति /Due Security	0
न्यूनतम प्रभार /Min Charge	0.00	0.00	0.00	टी डी एस राशि/TDS Amount	0
विद्युत कर /Electricity Duty			192173.71	टी सी एस राशि/TCS Amount	2754.52
ग्रीन ऊर्जा शुल्क /Green_EC			0.00	सी जी एस टी/CGST	0
अतिरिक्त मांग प्रभार /Excess Demand Penalty			0.00	एस जी एस टी/SGST	0
कम पी एफ अतिरिक्त /Low P.F. Surcharge			0.00	वर्तमान बिल का भुगतान अतिरिक्त/Current LPSC	27.52
अंतिम समायोजन/Provisional Adjustment			0.00	नेट करंट बिल /Net Current Bill	2757271.88
टैरिफ समायोजन /Tariff Adjustments			0.00	दैनिक तिथि छूट समायोजन/Prev. Due Date Rebate Adj.	-26885.47
क्रेडिट /Credit			0	बकाया धनराशि /Arrear Amount	7830.37
डेबिट /Debit			0	पूर्व बिल का भुगतान अतिरिक्त /Prev. Arrear LPSC	-7830.74
विविध शुल्क /Miso Charges			0.00		
आर्मर्ड केबल शुल्क /Armoured Cable Cost			0		
छूट /Rebate			0		
सुआवज्ञा राशि /Compensation Amt				दैनिक राशि /Payable Amount	2730406
किश्त /Installment			0.00		
अनादित चेक /Dishonor Cheque			0		
अनादित प्रभार /Dishonor Charge			0		
छेद विज्ञापन /Theft Assessment			0		
					शब्दों में /In Words - Twenty Seven Lakh Thirty Thousand Four Hundred Six Rupees Only

Pay your bill online on < www.upenergy.in > और आप अपने बिल को consumers को भी आपूर्ति कार्यालयों से, Fair price shops, e-Service, Janasvika Kendra and through Vidyut Sakhi and Melarwadon इत्यादि विद्युत के कार्यालयों, एडिटीयूएस की दुकान, ई-सेवा, जनसुविधा केंद्र और विद्युत साखी और मेलरवादन के माध्यम से भी बिल का भुगतान कर सकते हैं। भी की सेवा दे सकते हैं। Pay by Cheque in favour of : EXECUTIVE ENGINEER-EUDD_RAJBHAWAN

मीटर नं. संख्या	मीटर स्थिति	रजिस्टर्ड डीएमडी	पिछली तिथि	पिछली रीड	वर्तमान तिथि	वर्तमान रीड	डिफ	मीटर यूनिट	वर्तमान महीना	मीटर रैंक
06434838	A		01-SEP-23 00:00	50992.04	01-OCT-23 00:00	59344.54	8352.5	30	251475 KWH	1 OK
06434838	A		01-SEP-23 00:00	54031.62	01-OCT-23 00:00	62680.98	8649.36	30	259480.8 KVAH	1 OK
06434838	A	17.48						30	524.4 KVA	1 OK

आयोजित यूनिट /Assessed Unit		Opening Surplus Solar Units	0.00	Closing Surplus Solar Units	0.00	मीटर यूनिट /Meter Units	259480.8
-----------------------------	--	-----------------------------	------	-----------------------------	------	-------------------------	----------

<p>एनर्जी सेव्ड इज एनर्जी प्रोड्यूस्ड /Energy Saved is Energy Produced विद्युत सेव्ड इज विद्युत उत्पादित /To get electricity related services or give a missed call on 8010924203</p>						<p>अंतिम भुगतान विवरण /Last Payment Details</p> <p>अंतिम भुगतान राशि/Last Paid Amount: 37452 अंतिम भुगतान तिथि/Last Paid Date: 15-SEP-2023</p>		<p>वर्तमान भुगतान विवरण/Current Payment Details</p> <p>भुगतान राशि/Paid Amount: 2730406 भुगतान तिथि/Paid Date: 17-OCT-2023 भुगतान मोड/ Payment Mode: रसीद नं./Receipt No: 738368205623</p>													
<p>ऊर्जा गणना शुल्क/ EC Calculation</p> <table border="1"> <thead> <tr> <th>यूनिट/Unit</th> <th>दैनिक दर/Rates</th> <th>कुल राशि/Amount</th> <th>सब्सिडी दर/Subsidy Rate</th> <th>सब्सिडी राशि/Subsidy Amount</th> <th>नेट ऊर्जा प्रभार/Net Energy Charge</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>						यूनिट/Unit	दैनिक दर/Rates	कुल राशि/Amount	सब्सिडी दर/Subsidy Rate	सब्सिडी राशि/Subsidy Amount	नेट ऊर्जा प्रभार/Net Energy Charge										
यूनिट/Unit	दैनिक दर/Rates	कुल राशि/Amount	सब्सिडी दर/Subsidy Rate	सब्सिडी राशि/Subsidy Amount	नेट ऊर्जा प्रभार/Net Energy Charge																



विद्युत बील /Electricity Bill

खाता नं./Account No.	6132418670	डिवीजन /Division	EUDD_RAJBHAWAN(DIV312614)	<p>Scan & Pay your Bill</p> <p>स्कैन करें और अपने बिल का भुगतान करें</p> 
नाम /Name	M/S HCL TECHNOLOGIES LTD	उपडिवीजन /Subdivision	SD00126149	
पिता/पति का नाम /Father/Husband name	NA	संज्ञित भार /Sanctioned Load	1960 kW	
पता /Address	CGCT CHAK GAJARIA FARM SULTANPUR ROAD, Lucknow, LP- 226010, IND	मीटर नं संख्या /Meter S.No	06434877	
मोबाइल नं./Mobile No	xxxxxx5662	दरिफ /Tariff	HW1	
ईमेल /Email	xxxxxxxxxxxx@hcl.com	सप्लाय टाइप /Supply Type	H12	
		जमा प्रतिभूति Security Deposit	8900000	
		बिल लंबाई / Bill Latitude	0	
		बिल चौड़ाई / Bill Longitude	0	
		संयोजन तिथि /Connection Date	23-FEB-2017	

बिल संख्या /Bill No	613274701028	बिल आधार/Bill Basis	OK	दैनिक तिथि /Due Date	17-AUG-2023
बिल की तिथि/Bill Date	03-AUG-2023	बिल संयोज/Billed Demand	1836.40	दैनिक तिथि तक छूट /Due Date Rebate	75115.32
बिल माह/Bill Month	AUG-2023	प्रगती प्रसिद्धि /Progressive Subsidy		दैनिक तिथि तक कांति Payable By Due Date	7816773
नेट बिल यूनिट/ Net Billed Unit	834504	इन्फोर्मेटिव अंश Informative Amount	0	विच्छेदन तिथि /Disconnection Date	24-AUG-2023

This bill will be construed as final notice under section 171 of Supply Code 2005. Supply can be disconnected at any date on non-payment of old dues.
इस बिल को आपूर्ति कोड 2005 की धारा 171 के अंतर्गत अंतिम नोटिस माना जाएगा। आपूर्ति बंद करने का भुगतान न करने पर किसी भी तिथि पर आपूर्ति काटे जा सकती है।

Details	Amount			Details	Amount
	Gross Amt	Subsidy	Amount		
ऊर्जा प्रदान /Energy Charges	6776172.48	0.00	6776172.48	प्रतिभूति व्याज/Interest on Security	0.00
स्थिर मूल्य प्रदान /Fixed/Demand Charges	735360.00	0.00	735360.00	दैनिक प्रतिभूति /Due Security	0
न्यूनतम प्रदान /Min Charge	0.00	0.00	0.00	टी डी एस राशि/TDS Amount	0
विद्युत कर /Electricity Duty			0.00	टी सी एस राशि/TCS Amount	2512.44
ग्रीन ऊर्जा शुल्क /Green_EC			0.00	सी जी एस टी/CGST	0
अतिरिक्त मांग प्रदान /Excess Demand Penalty			0.00	एस जी एस टी/SGST	0
कम पी एफ अतिरिक्त/Low P.F. Surcharge			0.00	वर्तमान बिल का भुगतान अतिरिक्त/Current LPSC	906.77
अंतिम समायोजन/Provisional Adjustment			0.00	नेट करंट बिल /Net Current Bill	7514953.69
दरिफ समायोजन /Tariff Adjustments			0.00	दैनिक तिथि तक छूट समायोजन/Prev. Due Date Rebate Adj.	-305660.9
क्रेडिट /Credit			0	बकाया धनराशि /Arrear Amount	590926.70
डेबिट/Debit			0	पूर्व बिल का भुगतान अतिरिक्त /Prev. Arrear LPSC	-8333.09
विविध शुल्क/ Misc Charges			0.00		
आर्मर्ड केबल शुल्क /Armoured Cable Cost			0		
छूट/Rebate			0		
सुआवज्ञा राशि /Compensation Amt				दैनिक राशि /Payable Amount	7893888
किशन/Instalment			0.00		
अनादित चेक/Dishonor Cheque			0	शब्दों में /In Words : Seventy Eight Lakh Ninety Three Thousand Eight Hundred Eighty Eight Rupees Only	
अनादित प्रदान /Dishonor Charge			0		
चोरी/Thief Assessment			0		

Pay your bill online on < www.upenergy.in > ऑनलाइन भुगतान करें consumers can also pay bills from Depot offices, Fair price shops, e-Service, Janasvika Kendra and through Vidyut Sakhi and Meterwala हमारे कार्यालयों, एचिएन के द्वारा, ई-सेवा, जनसुविधा केंद्रों और विद्युत साखी और मीटरवाला के माध्यम से भी बिल का भुगतान कर सकते हैं। सी डी केबल टैग का उपयोग करें। Pay by Cheque in favour of : EXECUTIVE ENGINEER-EUDD_RAJBHAWAN

मीटर नं. मीटर	मीटर स्थिति	रजिस्टर्ड डीएमडी	पिछली तिथि	पिछली रीड	वर्तमान तिथि	वर्तमान रीड	डिफ	मीटर एमपी	मीटर यूनिट	वर्ष (माह)	मीटर स्थिति
06434877	A		17-JUL-23 18.16	19142.12	01-AUG-23 00.00	32825.76	1366 3.66	60	821019.6 KWH	1	OK
06434877	A		17-JUL-23 18.16	19499.74	01-AUG-23 00.00	33408.14	1390 6.4	60	834504 KVAH	1	OK
06434877	A	30.64						60	1836.4 KVA	1	OK

आयोजित यूनिट Assessed Unit		Opening Surplus Solar Units	0.00	Closing Surplus Solar Units	0.00	मीटर यूनिट Meter Units	834504
----------------------------	--	-----------------------------	------	-----------------------------	------	------------------------	--------

एनर्जी सेव्ड इज एनर्जी प्रोड्यूस्ड
संचयित या विद्युत संबंधी विभिन्न सेवाएं प्राप्त करने हेतु बिल भेजें और/Or get electricity related services or give a missed call on 8010924203

ऊर्जा गणना शुल्क/ EC Calculation						अंतिम भुगतान विवरण /Last Payment Details		वर्तमान भुगतान विवरण/Current Payment Details	
यूनिट/Unit	दरिफ रेट Rates	कुल राशि Amount	सब्सिडी दर Subsidy Rate	सब्सिडी राशि Subsidy Amount	नेट ऊर्जा प्रदान Net Energy Charge	अंतिम भुगतान राशि/Last Paid Amount	अंतिम भुगतान तिथि/Last Paid Date	भुगतान राशि/Paid Amount	भुगतान तिथि/Paid Date
						7145546	26-JUL-2023	7514046	17-AUG-2023
								भुगतान मोड/ Payment Mode	
								रसीद नं./Receipt No	613975126651



विद्युत बील /Electricity Bill

खाता नं./Account No.	6132418670	डिवीजन /Division	EUDD_RAJBHAWAN(DIV312614)	<p>Scan & Pay your Bill</p> <p>स्कैन करें और अपने बिल का भुगतान करें</p> 
नाम /Name	M/S HCL TECHNOLOGIES LTD	सबडिवीजन /Subdivision	SD003126149	
पिता/पति का नाम /Father's/husband name	NA	संज्ञित भार /Sanctioned Load	1960 kW	
पता /Address	CGCT CHAK GAJARIA FARM SULTANPUR ROAD, Lucknow, UP- 226010, IND	मीटर नं संख्या /Meter S.No	06434877	
मोबाइल नं./Mobile No	xxxxxx5662	दरिया /Tariff	HW1	
ईमेल /Email	xxxxxxxxxxxx@hcl.com	सप्लाय टाइप /Supply Type	H12	
		जमा प्रतिभूति Security Deposit	8800000	
		बिल लंबाई / Bill Latitude	0	
		बिल चौड़ाई / Bill Longitude	0	
		संयोजन तिथि /Connection Date	23-FEB-2017	

बिल संख्या /Bill No	613515754388	बिल आधार/Bill Basis	OK	दैनिक तिथि /Due Date	26-SEP-2023
बिल की तिथि/Bill Date	14-SEP-2023	बिल संख्या/Billed Demand	1772.40	दैनिक तिथि एक घंटा /Due Date Rebate	75044.74
बिल माह/Bill Month	SEP-2023	प्रगती प्रसिद्धि /Progressive Subsidy		दैनिक तिथि एक माह /Payable By Due Date	7359696
नेट बिल यूनिट/ Net Billed Unit	836866	इन्फोर्मेटिव राशि /Inoperative Amount	0	विच्छेदन तिथि /Disconnection Date	05-OCT-2023

This bill will be construed as final notice under section 171 of Supply Code 2005. Supply can be disconnected at any date on non-payment of old dues.
इस बिल को आपूर्ति कोड 2005 की धारा 171 के तहत अंतिम नोटिस माना जाएगा। आपूर्ति बंद करने का भुगतान न करने पर किसी भी तिथि पर आपूर्ति काटे जा सकती है।

Details	Amount			Details	Amount
	Gross Amt	Subsidy	Amount		
ऊर्जा प्रदान /Energy Charges	6795514.32	0.00	6795514.32	प्रतिभूति व्याज/Interest on Security	0.00
स्थिर मूल्य प्रदान /Fixed/Demand Charges	708960.00	0.00	708960.00	दैनिक प्रतिभूति /Due Security	0
न्यूनतम प्रदान /Min Charge	0.00	0.00	0.00	टी डी एस राशि/TDS Amount	0
विद्युत कर /Electricity Duty			0.00	टी सी एस राशि/TCS Amount	0.00
ग्रीन ऊर्जा शुल्क /Green_EC			0.00	सी जी एस टी/CGST	0
अतिरिक्त मांग प्रदान /Excess Demand Penalty			0.00	एस जी एस टी/SGST	0
कम पी एफ अधिभार/Low P.F. Surcharge			0.00	वर्तमान बिल भुगतान अधिभार/Current LPSC	-134863.76
अंतिम समायोजन/Provisional Adjustment			0.00	नेट करंट बिल /Net Current Bill	-134863.76
दरिया समायोजन /Tariff Adjustments			0.00	दैनिक तिथि घुटा समायोजन/Prev. Due Date Rebate Adj.	0
क्रेडिट /Credit			750447432E6	बकाया धनराशि /Arrear Amount	7439011.39
डेबिट/Debit			0	पूर्व बिल भुगतान अधिभार /Prev. Arrear LPSC	130596.23
विविध शुल्क/ Misc Charges			0.00		
आर्मर्ड केबल शुल्क /Armoured Cable Cost			0		
घुटा/Rebate			0		
सुआवज्ञा राशि /Compensation Amt				दैनिक राशि /Payable Amount	7434743
किशन/Installment			0.00		
अनादित चेक/Dishonor Cheque			0	शब्दों में /In Words : Seventy Four Lakh Thirty Four Thousand Seven Hundred Forty Three Rupees Only	
अनादित प्रदान /Dishonor Charge			0		
चोरी/ Theft Assessment			0		

Pay your bill online on < www.upenergy.in > अधिभार प्रदान करें consumers can also pay bills from Depot offices, Fair price shops, e-Service, Janasvika Kendra and through Vidyut Sakhi and Meterwala उपरोक्त विवरण के संदर्भ में। एलिस यूएस की सुचना है।
दुर्घटना, लकड़बटन के और बिजली संबंधी और मीटर रिड के मामले में भी बिल का भुगतान कर सकते हैं। सी डी केबल टैग संख्याएं Pay Do/Cheque in favour of : EXECUTIVE ENGINEER-EUDD_RAJBHAWAN

मीटर नं संख्या	मीटर स्थिति	रजिस्टर्ड डीएमडी	पिछली तिथि	पिछली रीड	वर्तमान तिथि	वर्तमान रीड	डिफ	मीटर स्थिति	मीटर यूनिट	वर्तमान (माह)	मीटर स्थिति
Meter Badge Number	Meter Status	Recorded DMD	Previous Date	Previous Read	Current Date	Current Read	Diff	MP	Meter Unit	Period Months	Meter Rank
06434877	A		01-AUG-23 00:00	32825.78	01-SEP-23 00:00	46576.9	13753.12	80	825167.2 KWH	1	OK
06434877	A		01-AUG-23 00:00	33406.14	01-SEP-23 00:00	47356.24	13946.1	80	836866 KVAH	1	OK
06434877	A	29.54						80	1772.4 KVA	1	OK

आयुक्त यूनिट Assessed Unit		Opening Surplus Solar Units	0.00	Closing Surplus Solar Units	0.00	मीटर यूनिट Meter Units	836866
----------------------------	--	-----------------------------	------	-----------------------------	------	------------------------	--------

एनर्जी सेव्ड इज एनर्जी प्रोड्यूस्ड
संचालक पर बिजली संबंधी विभिन्न सेवाएं प्राप्त करने हेतु बिल भेजें और/To get electricity related services or give a missed call on 8010924203

ऊर्जा गणना शुल्क/ EC Calculation						अंतिम भुगतान विवरण /Last Payment Details		वर्तमान भुगतान विवरण/Current Payment Details	
यूनिट/Unit	दरिया रेट Rates	कुल राशि Amount	सब्सिडी दर Subsidy Rate	सब्सिडी राशि Subsidy Amount	नेट ऊर्जा प्रदान Net Energy Charge	अंतिम भुगतान राशि/Last Paid Amount	अंतिम भुगतान तिथि/Last Paid Date	भुगतान राशि/Paid Amount	भुगतान तिथि/Paid Date
						7514045	17-AUG-2023	7128836	23-SEP-2023
								भुगतान विवरण/Payment Mode	613070742719
								रसीद संख्या/Receipt No	



विद्युत बील /Electricity Bill

खाता नं./Account No.	6132418670	डिवीजन /Division	EUDD_RAJBHAWAN(DIV312614)	<p>Scan & Pay your Bill</p> <p>स्कैन करें और अपने बिल का भुगतान करें</p> 
नाम /Name	M/S HCL TECHNOLOGIES LTD	सबडिवीजन /Subdivision	SD03126149	
पिता/पति का नाम /Father/Husband name	NA	संज्ञित भार /Sanctioned Load	1980 kW	
पता /Address	CGCT CHAK GAJARIA FARM SULTANPUR ROAD, Lucknow, UP- 226010, IND	मीटर नं संख्या /Meter S.No	06434877	
मोबाइल नं. /Mobile No	xxxxxx5862	टैरिफ /Tariff	HW1	
ईमेल /Email	xxxxxxxxxxxx@hcl.com	सप्लाय टाइप /Supply Type	H12	
		जमा प्रतिभूति Security Deposit	8800000	
		बिल लंबाई / Bill Latitude	0	
		बिल चौड़ाई / Bill Longitude	0	
		संयोजन तिथि /Connection Date	23-FEB-2017	

बिल संख्या /Bill No	613352396673	बिल आधार/Bill Basis	OK	दैनिक तिथि /Due Date	20-OCT-2023
बिल की तिथि/Bill Date	08-OCT-2023	बिल संयोजन/Billed Demand	1788.00	दैनिक तिथि एक घंटा /Due Date Rebate	70100.00
बिल माह/Bill Month	OCT-2023	प्रगती प्रोविडेंट /Progressive Subsidy		दैनिक तिथि एक राशि /Payable By Due Date	7171999
नेट बिल यूनिट/ Net Billed Unit	775222.8	इन्फोर्मेटिव राशि /Inoperative Amount	0	विच्छेदन तिथि /Disconnection Date	27-OCT-2023

This bill will be construed as final notice under section 171 of Supply Code 2005. Supply can be disconnected at any date on non-payment of old dues.
इस बिल को आपूर्ति कोड 2005 की धारा 171 के तहत अंतिम नोटिस माना जाएगा। आपने बकाया का भुगतान न करने पर किसी भी तिथि पर आपूर्ति काटे जा सकती है।

Details	Amount			Details	Amount
	Gross Amt	Subsidy	Amount		
ऊर्जा प्रभार /Energy Charges	6294809.14	0.00	6294809.14	प्रतिभूति व्याज/Interest on Security	0.00
स्थिर मूल्य प्रभार /Fixed/Demand Charges	716200.00	0.00	716200.00	दैनिक प्रतिभूति /Due Security	0
न्यूनतम प्रभार /Min Charge	0.00	0.00	0.00	टी डी एस राशि/TDS Amount	0
विद्युत कर /Electricity Duty			0.00	टी सी एस राशि/TCS Amount	2010.41
ग्रीन ऊर्जा शुल्क /Green_EC			0.00	सी जी एस टी/CGST	0
अतिरिक्त मांग प्रभार /Excess Demand Penalty			0.00	एस जी एस टी/SGST	0
कम पी एफ अतिरिक्त /Low P.F. Surcharge			0.00	वर्तमान बिल भुगतान अतिरिक्त /Current LPSC	398.36
अंतिम समायोजन /Provisional Adjustment			0.00	नेट करंट बिल /Net Current Bill	7012415.90
टैरिफ समायोजन /Tariff Adjustments			0.00	दैनिक तिथि घुटा समायोजन /Prev. Due Date Rebate Adj.	-75044.74
क्रेडिट /Credit			0	बकाया धनराशि /Arrear Amount	308996.84
डेबिट /Debit			0	पूर्व बिल भुगतान अतिरिक्त /Prev. Arrear LPSC	-4288.52
विविध शुल्क /Miso Charges			0.00		
आर्मर्ड केबल शुल्क /Armoured Cable Cost			0		
घुटा /Rebate			0		
सुआवज्ञा राशि /Compensation Amt				दैनिक राशि /Payable Amount	7242099
किशन /Installment			0.00		
अनादित चेक /Dishonor Cheque			0		
अनादित प्रभार /Dishonor Charge			0		
चोरी/चोरी का मूल्यांकन /Theft Assessment			0		

Pay your bill online on < www.upenergy.in > ऑनलाइन भुगतान करें consumers can also pay bills from Depot offices, Fair price shops, e-Service, Janasvika Kendra and through Vidyut Sakhi and Melarwadon इत्यादि विद्युत के कार्यालयों, एचिएन के दुकान, ई-सेवा, जनसुविधा केंद्रों और विद्युत साखी और मेलारवादन के माध्यम से।

दुकान, जन सुविधा के और विद्युत साखी और मेलारवादन के माध्यम से भी बिलों का भुगतान कर सकते हैं। सी डी डी के माध्यम से भुगतान करें। Pay Do/Cheque in favour of : EXECUTIVE ENGINEER-EUDD_RAJBHAWAN

मीटर नं. पुराना	मीटर स्थिति	उप रिकॉर्ड	पिछली तिथि	पिछली रीड	वर्तमान तिथि	वर्तमान रीड	डिफ	मीटर स्थिति	मीटर यूनिट	वर्ष (माह)	मीटर स्थिति
Meter Badge Number	Meter Status	Recorded DMD	Previous Date	Previous Read	Current Date	Current Read	Diff	MP	Meter Unit	Period Months	Meter Rank
06434877	A		01-SEP-23 00:00	46578.9	01-OCT-23 00:00	59276.14	1270 0.24	80	762014.4 KWH	1	OK
06434877	A		01-SEP-23 00:00	47356.24	01-OCT-23 00:00	60276.62	1292 0.38	80	775222.8 KVAH	1	OK
06434877	A	29.8						80	1766 KVA	1	OK

आयोजित यूनिट /Assessed Unit		Opening Surplus Solar Units	0.00	Closing Surplus Solar Units	0.00	मीटर यूनिट /Meter Units	77522 2.8
-----------------------------	--	-----------------------------	------	-----------------------------	------	-------------------------	-----------

एनर्जी सेव्ड इज एनर्जी प्रोड्यूस्ड /Energy Saved is Energy Produced
बहुमत पर विद्युत संबंधी विभिन्न सेवाएं प्राप्त करने हेतु बिल और कॉल /To get electricity related services or give a missed call on 8010924203

ऊर्जा गणना शुल्क / EC Calculation						अंतिम भुगतान विवरण /Last Payment Details		वर्तमान भुगतान विवरण/Current Payment Details	
यूनिट/Unit	दैनिक दर Rates	कुल राशि Amount	सब्सिडी दर Subsidy Rate	सब्सिडी राशि Subsidy Amount	नेट ऊर्जा प्रभार Net Energy Charge	अंतिम भुगतान राशि/Last Paid Amount	अंतिम भुगतान तिथि/Last Paid Date	भुगतान राशि/Paid Amount	भुगतान तिथि/Paid Date
						7128950	23-SEP-2023		

Annexure-XXVI

Receiving of EC Compliance submission

June- 2023

Eia Team

From: Eia Team <eia.team@amcgroup.co.in>
Sent: Friday, May 26, 2023 4:37 PM
To: rocz.lko-mef@nic.in
Cc: doeuplko@yahoo.com; ms@uppcb.in; grievance@uppcb.com; shukla.s@hcl.com
Subject: Submission of six-monthly Compliance Report for June 2023 of IT Project "HCL Technology Hub" located at Gajaria Farms, Sultanpur Road, Lucknow of M/s HCL IT City Lucknow Pvt Ltd.
Attachments: EC Compliance Report June 2023 _HCL IT City Lucknow_.pdf

Reference: EC Lr. No.: 580/Parya/SEAC/2803/2014/DDY, **Dated:** 09/07/2015

Dear Sir,

This is with reference to the above-mentioned subject, we are herewith submitting six monthly Compliance Report for **June 2023** for the period of **October 2022 – March 2023** for the IT Project "HCL Technology Hub" located at Gajaria Farms, Sultanpur Road, Lucknow M/s HCL IT City Lucknow Pvt Ltd. along with the necessary annexures for your kind perusal.

We understand that the above is in line with requirement of Ministry of Environment, Forest and Climate Change, GOI.

Thanking You,

Yours Sincerely,

For M/s HCL IT City Lucknow Pvt. Ltd.

HCL IT CITY LUCKNOW PRIVATE LIMITED
IT/ITES Special Economic Zone,
Village Kanjehara & Mastemau,
Chack Gajaria Farms, Sultanpur Road, Lucknow, U.P. 226 002.

Registered Office: 806, Siddharth, 96, Nehru Place,
New Delhi - 110019
Tel. 011-26444812 / 26262779
CIN: U74140DL2014PTC264397

Date: 01-May-2023

The Director,
Regional Office (Central Region)
Ministry of Environment, Forest & Climate Change
5th Floor, Kendriya Bhawan, Sector-H,
Aliganj, Lucknow-260224, UP

Subject: Submission of six-monthly Compliance Report for **June 2023** of IT Project "HCL Technology Hub" located at Gajaria Farms, Sultanpur Road, Lucknow of M/s HCL IT City Lucknow Pvt Ltd.

Reference: EC Lr. No.: 580/Parya/SEAC/2803/2014/DDY, **Dated:** 09/07/2015

Dear Sir,

This is with reference to the above-mentioned subject, we are herewith submitting six monthly Compliance Report for **June 2023** for the period of **October 2022 – March 2023** for the IT Project "HCL Technology Hub" located at Gajaria Farms, Sultanpur Road, Lucknow of M/s HCL IT City Lucknow Pvt Ltd. along with the necessary annexures for your kind perusal.

We understand that the above is in line with requirement of Ministry of Environment, Forest and Climate Change, GOI.

Thanking You,

Yours Sincerely,

For M/s HCL IT City Lucknow Pvt. Ltd.



(Authorized Signatory)

Enclosure: Compliance Report; Soft copy of Report in C.D.

Copy to: 1. Member Secretary, U.P. Pollution Control Board, 3rd Floor, PFCUP Bhawan, Vibhuti Khand, Gomti Nagar, Lucknow (UP) - 226010.
2. Chairman, SEIAA, Directorate of Environment, Lucknow (UP) - 226010.

31/05/2023
डिप्टी सेक्टर
पर्यावरण निदेशक, उ.प्र.
प्लानेट-1, गोमती नगर
लखनऊ-226010

HCL

HCL IT CITY LUCKNOW PRIVATE LIMITED
IT/ITES Special Economic Zone,
Village Kanjehara & Mastemau,
Chuck Gajaria Farms, Sultanpur Road, Lucknow, U.P. 226 002

Registered Office: 806, Siddharth, 96, Nehru Place,
New Delhi - 110019
Tel. 011-26444812 / 26282779
CIN: U74140DL2014PTC264397

Date: 01-May-2023

The Director,
Regional Office (Central Region)
Ministry of Environment, Forest & Climate Change
5th Floor, Kendriya Bhawan, Sector-H,
Aliganj, Lucknow-260224, UP

Subject: Submission of six-monthly Compliance Report for **June 2023** of IT Project "HCL Technology Hub" located at Gajaria Farms, Sultanpur Road, Lucknow of M/s HCL IT City Lucknow Pvt Ltd.

Reference: EC Lr. No.: 580/Parya/SEAC/2803/2014/DDY, **Dated:** 09/07/2015

Dear Sir,

This is with reference to the above-mentioned subject, we are herewith submitting six monthly Compliance Report for **June 2023** for the period of **October 2022 – March 2023** for the IT Project "HCL Technology Hub" located at Gajaria Farms, Sultanpur Road, Lucknow of M/s HCL IT City Lucknow Pvt Ltd. along with the necessary annexures for your kind perusal.

We understand that the above is in line with requirement of Ministry of Environment, Forest and Climate Change, GOI.

Thanking You,

Yours Sincerely,

For M/s HCL IT City Lucknow Pvt. Ltd.



(Authorized Signatory)

डाक प्राप्ति रसीद
प्राप्ति दिनांक 31/05/23
प्राप्तकर्ता के हस्ताक्षर
संलग्न प्रदूषण नियंत्रण बोर्ड, लखनऊ

Enclosure: Compliance Report; Soft copy of Report in C.D.

Copy to: 1. Member Secretary, U.P. Pollution Control Board, 3rd Floor, PICUP Bhawan, Vibhuti Khand, Gomti Nagar, Lucknow (UP) - 226010.
2. Chairman, SEIAA, Directorate of Environment, Lucknow (UP) - 226010.

HCL

Annexure-XXVII

Copy of Advertisement in News Paper

Annexure-XXVIII

E-mail submission copy of Form-V
(Environmental Statement)

HCL IT CITY LUCKNOW PRIVATE LIMITED
IT/ITES Special Economic Zone,
Village Kanjehara & Mastema,
Chak Gajaria Farms, Sultanpur Road, Lucknow, U.P. 226 002

Registered Office: 806, Siddharth, 95, Nehru Place,
New Delhi - 110019
Tel: 011-26444812 / 26282779
CIN: U74140DL2014PTC264397

Date: 09/09/2023

To,

The Member Secretary
Uttar Pradesh Pollution Control Board,
Building No. TC-12 V, Vibhuti Khand,
Gomti Nagar, Lucknow,
Uttar Pradesh - 226010

Subject: Submission of Environment statement Form-V for IT Project "HCL Technology Hub" at Chak Gajaria Farms, Sultanpur Road, Lucknow as per rules 14 of Environment (Protection) Rules, 1986 and its subsequent amendments up to date.

Ref: CTO issued to M/s HCL IT City Lucknow Pvt Ltd vide CTO No. 146606/UPPCB/Lucknow (UPPCBBRO)/CTO/water/Lucknow/2021 and 146617/UPPCB/Lucknow (UPPCB)/CTO/air/Lucknow/2021 CTO dated: 05/05/2022

Dear Sir,

This is with reference to the above-mentioned subject, we would like to inform you that Our unit, IT Project "HCL Technology Hub" at Chak Gajaria Farms, Sultanpur Road, Lucknow of M/s HCL IT City Lucknow Pvt Ltd. is an operational unit and consent to operate has been granted from UPPCB. Further, we are hereby submitting Environment statement on the Environment management activities executed at our site during the period of April 2022 to March 2023 in the prescribed Form-V as per rule 14 of Environment (Protection) Rules, 1986 and its subsequent amendments for the financial year ending on 31st March 2023.

We understand this is the line with regulatory requirement.

Thanking you,

Sincerely Yours,

For M/s HCL IT City Lucknow Pvt. Ltd.


(Authorized Signatory)


05/10/2023

Enclosure: Environment Statement [Form-V]
CTO attached in Annexure I

CC: Regional Office UPPCB, Picup Bhawan B-Block, 4th Floor, Vibhuti Khand, Gomti Nagar,
Lucknow-226010

HCL

HCL IT CITY LUCKNOW PRIVATE LIMITED
IT/ITES Special Economic Zone,
Village Kanjehara & Mastemau,
Chack Gajaria Farms, Sultanpur Road, Lucknow, U.P. 226 002

Registered Office: 806, Siddharth, 96, Nehru Place,
New Delhi – 110019
Tel. 011-26444812 / 26282779
CIN: U74140DL2014PTC264397

Date: 05/09/2023

To,

The Member Secretary

Uttar Pradesh Pollution Control Board,
Building No. TC-12 V, Vibhuti Khand,
Gomti Nagar, Lucknow,
Uttar Pradesh – 226010

Subject: Submission of Environment statement Form-V for IT Project “HCL Technology Hub” at Chak Gajaria Farms, Sultanpur Road, Lucknow as per rules 14 of Environment (Protection) Rules, 1986 and its subsequent amendments up to date.

Ref: CTO issued to M/s HCL IT City Lucknow Pvt Ltd vide CTO No. 146606/UPPCB/Lucknow (UPPCBBRO)/CTO/water/Lucknow/2021 and 146617/UPPCB/Lucknow (UPPCB)/CTO/air/Lucknow/2021 CTO dated: 05/05/2022

Dear Sir,

This is with reference to the above-mentioned subject, we would like to inform you that Our unit, IT Project “HCL Technology Hub” at Chak Gajaria Farms, Sultanpur Road, Lucknow of M/s HCL IT City Lucknow Pvt Ltd. is an operational unit and consent to operate has been granted from UPPCB. Further, we are hereby submitting Environment statement on the Environment management activities executed at our site during the period of April 2022 to March 2023 in the prescribed Form-V as per rule 14 of Environment (Protection) Rules, 1986 and its subsequent amendments for the financial year ending on 31st March 2023.

We understand this is the line with regulatory requirement.

Thanking you,

Sincerely Yours,

For M/s HCL IT City Lucknow Pvt. Ltd.



(Authorized Signatory)

Enclosure: Environment Statement [Form-V]
CTO attached in Annexure I

CC: Regional Office UPPCB, Picup Bhawan B-Block, 4th Floor, Vibhuti Khand, Gomti Nagar,
Lucknow-226010

HCL



Eia Team <eia.team@amcgroup.co.in>

Submission of Environment statement Form-V for "IT Project "HCL Technology Hub" at Chak Gajaria Farms, Sultanpur Road, Lucknow of M/s HCL IT City Lucknow Pvt Ltd."

1 message

Eia Team <eia.team@amcgroup.co.in>

Tue, Sep 19, 2023 at 12:35 PM

To: "Cc." <ms@uppcb.in>

Cc: rolucknow@uppcb.in

Respected Sir,


This is with reference to the above-mentioned subject, we would like to inform you that Our unit, IT Project "HCL Technology Hub" at Chak Gajaria Farms, Sultanpur Road, Lucknow of M/s HCL IT City Lucknow Pvt Ltd. is an operational unit and consent to operate has been granted from UPPCB. Further, we are hereby submitting an Environment statement on the Environment management activities executed at our site during the period of April 2022 to March 2023 in the prescribed Form-V as per rule 14 of Environment (Protection) Rules, 1986 and its subsequent amendments for the financial year ending on 31st March 2023.

We understand this is the line with regulatory requirements.

Thanking you,

Sincerely Yours,

For M/s HCL IT City Lucknow Pvt. Ltd.

 Form-V HCL IT City Lucknow Pvt Ltd.pdf
19676K

Annexure-XXIX
Solar Water Heater

